


Vaginal Trainer Exercises for Psychosexual Therapy

Information for patients



Although these plastic/silicone sets are often called “vaginal dilators” that name is not ideal, as nothing is being dilated (expanded) when you use them to help retrain pelvic floor muscles.

Often trainers are recommended for a combination of reasons. They can help retrain the soft tissues in and around the vagina to behave more normally. This may include improving scar tissue after childbirth/surgery/radiotherapy, or to help train the pelvic floor muscles to relax and lengthen as part of a structured program. Trainer use can also help to reduce vulval and vaginal hypersensitivity to touch.

Exercising the pelvic floor is essential to help to improve the strength, flexibility and control of the pelvic floor muscles. For penetration to be pain free, the pelvic floor muscles need to be able to relax fully and lengthen around something in the vagina. Trainers can help you to practice this and develop awareness of how your muscles are behaving.

Plastic or silicone trainers provide a pathway, allowing you to practice relaxing your pelvic floor muscles around something, increasing in size gradually, under your control.

If the smallest trainer is too big to slip into your vagina, you may need to start with something smaller, such as a cotton bud.

Trainers come in a set of various sizes. The smallest is the size of a slim finger, or a medium tampon. The largest is the size of a large erection. It is worth noting that an average erection is about the size of the 4th trainer in a set of 5. Trainers with a tapered end are often easier to use than those with a blunt end.

A plain lubricant is provided with most trainer sets. You will need to use lubricant for all these exercises. You can use any lubricant that you know suits you. Advice on lubricants that don't contain many of the ingredients that irritate genital skin is available from your doctor, physiotherapist, nurse or psychosexual therapist.

Plastic trainers may be available on prescription from your GP, or are easy to find online. Silicone trainers can be ordered online.

The exercises

It is best to practice little and often. 1 minute (building up to 5 to 10 minutes), 5 to 6 days per week is best.

Each step is likely to take weeks. The aim is to progress slowly and steadily, being comfortable with each step before moving on. If you go too fast and provoke lots of pain then you are likely to trigger muscle spasm, vaginal tightness and therefore more pain.

If you are unable to progress up the steps after weeks of trying, see your doctor, nurse, physiotherapist or psychosexual therapist. They may refer you on to someone for a more detailed examination and advice.

You will need to set aside some time each day to be relaxed and take your time with this process. Our minds and bodies are linked and if your muscles are to relax you need to feel relaxed and not rushed. How you think and feel about using trainers can affect your experience. Try to approach it with a positive, optimistic attitude (even if this doesn't come automatically). Last thing at night is not ideal, as it is easy to put it off when you are tired at the very end of the day.

Please remember: the idea is to do what you can without causing pain. You may feel a little discomfort when first starting the exercises.

- Start with the smallest size.
- Prop yourself up semi-reclined on a bed/chair/sofa. Bending your hips and knees a little may help.
- To prepare, you could try actively relaxing your pelvic floor muscles using your breathing (see our separate information leaflet – Pelvic Floor Awareness for Psychosexual Therapy).
- A helpful first step can be to practice resting the tip of the smallest trainer at your vaginal entrance (with lubricant) and using your breathing to keep your pelvic floor relaxed. This will help you to overcome the reflex you may have developed, where your pelvic floor tenses up at the prospect of something entering your vagina.

- When you think your pelvic floor is relaxed, take your time to gently slip the smallest trainer (covered in lubricant) into your vagina. Most vaginas slope up and backwards towards your tailbone. It may help to focus on your breathing, to reduce any physical and mental tension. The trainer doesn't necessarily have to be fully inserted.
- Leave the trainer in place for 1 to 10 minutes, keeping your pelvic floor relaxed. You will be able to increase the length of time gradually with practice. If you stop noticing that the trainer is in there this is great – you are really relaxed! Repeat daily until comfortable.
- When using the trainers, try not to get too caught up with thoughts or focused on emotions. Instead, bring your attention to your physical sensations as you use the trainers, or to the sensations of your breath in your body.
- When ready, try the next size up from the one you are using. You may find it helpful to try 1 minute of the size that you are comfortable with before using the larger size immediately after. Continue in this way until it is possible to insert the larger size straight into your vagina.
- Gradually increase the size of trainer you are using, remembering you should be comfortable with a given size for up to 10 minutes, feeling the muscles are fully relaxed around it, before you move on to the next size. For example you may use the first size of trainer for a month or more before feeling ready to move on to the next size.
- If these exercises cause bleeding, or if you have difficult thoughts or feelings about using the dilators, which you feel are getting in the way, please discuss this with your doctor, physiotherapist, nurse or psychosexual therapist.

Cleaning the trainers

Trainers should be washed in hot soapy water and rinsed thoroughly after each use. **They do not need to be sterilised.** They can be stored in the case provided.

Further information

If you would like an interpreter, please speak to the department where you are being seen.

Please also tell them if you would like this information in another format, such as:

- Easy Read
- large print
- braille
- audio
- electronic
- another language.

We have tried to make the information in this leaflet meet your needs. If it does not meet your individual needs or situation, please speak to your healthcare team. They are happy to help.

Author: Psychosexual Team, Oxfordshire Sexual Health Service
November 2023
Review: November 2026
Oxford University Hospitals NHS Foundation Trust
www.ouh.nhs.uk/information



Making a difference across our hospitals

charity@ouh.nhs.uk | 01865 743 444 | hospitalcharity.co.uk

OXFORD HOSPITALS CHARITY (REGISTERED CHARITY NUMBER 1175809)

