

Hepatology Department in partnership with Turning Point Oxfordshire

HEPATITIS C WHAT YOU NEED TO KNOW



Did you know?

Hepatitis C (Hep C) can be cured with a course of tablets lasting between 8 and 16 weeks


Newer treatments mean no more injections and few side effects compared to older treatments

Risk factors

You are more at risk of having a Hep C infection if you have:

- used intravenous (IV) drugs or shared other equipment (e.g. spoons, filters, pipes)
- had medical treatment abroad
- had a blood transfusion before 1990
- homemade tattoos or piercings or any that were done professionally before 1990, or abroad.

If any of these risks apply to you, or you know you have Hep C, you can use the contacts below to arrange testing



Contacts HEPATOLOGY COMMUNITY NURSES

Email: orh-tr.hcvoxcommunity@nhs.net

Tel: 07920 275 080

Your GP

Your keyworker at Turning Point (if applicable)

For further information contact HEPATOLOGY TEAM

John Radcliffe Hospital Headley Way Oxford OX3 9DU.

Tel: 01865 222 057

Email: hcvtv.mdt@nhs.net

If you need an interpreter or would like this information leaflet in another format, such as Easy Read, large print, Braille, audio, electronically or another language, please speak to the department where you are being seen. You will find their contact details on your appointment letter.



Authors: Hepatology Department in partnership with Turning Point Oxfordshire

May 2019 Review: May 2022

Oxford University Hospitals NHS Foundation Trust

www.ouh.nhs.uk/information

Making a difference across our hospitals

charity@ouh.nhs.uk | 01865 743 444 | hospitalcharity.co.uk

OXFORD HOSPITALS CHARITY (REGISTERED CHARITY NUMBER 1175809)

Oxford Hospitals Charity