# Oxford University Hospitals NHS Foundation Trust Formulary

FORMULARY (Y): the medicine can be used as per its licence.

RESTRICTED FORMULARY (R): the medicine can be used as per the agreed restriction.

NON-FORMULARY (NF): the medicine is not on the formulary and should not be used unless exceptional approval has been obtained from MMTC.

UNLICENSED MEDICINE – RESTRICTED FORMULARY (UNR): the medicine is unlicensed and can be used as per the agreed restriction.

SPECIAL MEDICINE – RESTRICTED FORMULARY (SR): the medicine is a "special" (unlicensed) and can be used as per the agreed restriction.

EXTEMPORANEOUS PREPARATION – RESTRICTED FORMULARY (EXTR): the extemporaneous preparation (unlicensed) can be prepared and used as per the agreed restriction.

UNLICENSED MEDICINE – NON-FORMULARY (UNNF): the medicine is unlicensed and is not on the formulary. It should not be used unless exceptional approval has been obtained from MMTC.

SPECIAL MEDICINE – NON-FORMULARY (SNF): the medicine is a "special" (unlicensed) and is not on the formulary. It should not be used unless exceptional approval has been obtained from MMTC.

EXTEMPORANEOUS PREPARATION – NON-FORMULARY (EXTNF): the extemporaneous preparation (unlicensed) cannot be prepared and used unless exceptional approval has been obtained from MMTC.

CLINICAL TRIALS (C): the medicine is clinical trial material and is not for clinical use.

NICE TECHNOLOGY APPRAISAL (NICETA): the medicine has received a positive appraisal from NICE. It will be available on the formulary from the day the Technology Appraisal is published. Prescribers who wish to treat patients who meet NICE criteria, will have access to these medicines from this date. However, these medicines will not be part of routine practice until a NICE TA Implementation Plan has been presented and approved by MMTC (when the drug will be given a Restricted formulary status).

Medicines Management and Therapeutics Committee (send Comments to medicines.effectiveness@ouh.nhs.uk)

Axicabtagene ciloleucel		
AXICABTAGENE CILOLEUCEL 40million-200million cells in 68ml INFUSION (YESCARTA)	R	
Brexucabtagene autoleucel		
BREXUCABTAGENE AUTOLEUCEL 40million- 200million cells in 68ml INFUSION (TECARTUS)	R	
Brigatinib		
BRIGATINIB 90mg and 180mg TABLET INITIATION PACK	R	As per NICE TA 571 (Brigatinib for treating ALK-positive advanced NSCLC after crizotinib) and NICE TA 670 (Brigatinib for ALK-positive advanced non- small-cell lung cancer that has not been previously treated with an ALK inhibitor)
NIRAPARIB		
NIRAPARIB 100mg TABLETS	R	
Patent blue V PATENT BLUE DYE 2.5% PRE FILLED SYRINGES 2m	nl UNR	
Ponesimod		
PONESIMOD 20mg TABLETS	R	Restricted for treatment of relapsing, remitting multiple sclerosis with active disease as per NICE TA767. MMTC, December 2022
Tisagenlecleucel		
TISAGENLECLEUCEL 1.2million-600million cells INFUSION (KYMRIAH)	R	
01 Gastro-intestinal system		
01.01 Dyspepsia and gastro-oesophageal reflux disease		
01.01 Dyspepsia and gastro-oesophageal reflux disease		
MAGNESIUM TRISILICATE		
MAGNESIUM TRISILICATE MIXTURE BP	NF	
01.01.01 Antacids and simeticone		

ALUMINIUM HYDROXIDE

ALUMINIUM HYDROXIDE 475mg CAPSULES	R	For use by Renal patients only. Medicines Effectiveness, September 2014.
CO-MAGALDROX		
CO-MAGALDROX 195/220 LIQUID	Y	
CO-MAGALDROX 300/600 LIQUID	NF	
CO-SIMALCITE		
CO-SIMALCITE SUSPENSION 500ml	R	Restricted to Katharine House Hospice. Medicines Effectiveness, May 2013.
SIMETICONE		
SIMETICONE 40mg/ml LIQUID	Y	
01.01.02 Compound alginates and proprietary indigestio	n prepara	tions
GAVISCON INFANT SACHETS	Y	
GAVISCON ADVANCE TABLETS	NF	
PEPTAC LIQUID		
PEPTAC LIQUID	Y	
01.02 Antispasmodics and other drugs altering gut motility 01.02 Antisecretory drugs and mucosal protectants		
HYOSCINE BUTYLBROMIDE		
HYOSCINE BUTYLBROMIDE 10mg TABLETS	Y	ORDER WHEN PACK SIZE 56 NOT AVAILABLE
01.02 Antispasmodics and other drugs altering gut motili	ty	
ALVERINE CITRATE ALVERINE CITRATE 60mg CAPSULES	Y	
DICYCLOVERINE		
DICYCLOVERINE 10mg TABLETS	Y	
HYOSCINE BUTYLBROMIDE HYOSCINE BUTYLBROMIDE 20mg IN 1ml INJECTIO	NY	
HYOSCINE BUTYLBROMIDE 10mg TABLETS	Y	
PEPPERMINT		

PEPPERMINT OIL CAPSULES	Y	
PEPPERMINT WATER	UNR	For relief of abdominal colic and distension. Medicines Effectiveness, April 2013
PROPANTHELINE PROPANTHELINE 15mg TABLETS	Y	
01.02.00 Antispasmodics LINACLOTIDE LINACLOTIDE 290microgram CAPSULES	NF	
MEBEVERINE MEBEVERINE 50mg/5ml S/F ORAL SUSPENSION	NF	
MEBEVERINE 200mg CAPSULES M/R	NF	
MEBEVERINE 135mg TABLETS	Y	
01.03 Antisecretory drugs and mucosal protectants 01.03.01 H2-receptor antagonists <b>CIMETIDINE</b>		
CIMETIDINE 200mg TABLETS	R	For use as pre-medication in chemotherapy for adults and as first line H2 antagonist where PPI?s are contraindicated. Medicines Effectiveness July 2020
CIMETIDINE 200mg/5ml LIQUID	R	For use as pre-medication in chemotherapy for adults and as first line H2 antagonist where PPIs are contraindicated, in patients who cannot swallow tablets. Medicines Effectiveness July 2020
CIMETIDINE 400mg TABLETS	R	For use as pre-medication in chemotherapy for adults and as first line H2 antagonist where PPI?s are contraindicated.Medicines Effectiveness July 2020
FAMOTIDINE 40mg TABLETS	R	Restricted for use in patients who have a contraindication to Proton Pump Inhibitors Medicines Effectiveness, November 2019

FAMOTIDINE 20mg in 2ml INJECTION (NP)	UNR	
FAMOTIDINE 20mg TABLETS	R	Restricted for use in patients who have a contraindication to Proton Pump Inhibitors. Medicines Effectiveness,
NIZATIDINE NIZATIDINE 150mg CAPSULES	NF	
RANITIDINE HC RANITIDINE 50mg IN 2ml INJECTION	Y	
01.03.03 Chelates and complexes SUCRALFATE	Y	
SUCRALFATE 1g/5ml LIQUID 200ml	Y	
SUCRALFATE 2g in 50ml ENEMA	UNR	For treatment of Chronic anal pain/bleeding after radio/chemotherapy, radiation proctitis by gastroenterologist consultant only. MMTC, January 2022
SUCRALFATE 1g TABLETS	UNR	For use by Critical Care areas only. Medicines Effectiveness, September 2014.
01.03.04 Prostaglandin analogues BIMATOPROST		
BIMATOPROST 300micrograms/ml & TIMOLOL 5mg/ml EYE DROPS TTO PACK 3ml	SR	
MISOPROSTOL		
MISOPROSTOL 200microgram TABLETS	Υ	
01.03.05 Proton pump inhibitors Esomeprazole		
ESOMEPRAZOLE 40mg INJECTION	NF	
ESOMEPRAZOLE 10mg SACHETS	R	For use in patients with an enteral feeding tube sized between 6-8fr. MMTC, November 2020
ESOMEPRAZOLE 20mg TABLETS	NF	
ESOMEPRAZOLE 40mg CAPSULES	NF	

## LANSOPRAZOLE

LANSOPRAZOLE 30mg CAPSULES	Y	
LANSOPRAZOLE 15mg FASTAB	R	For patients with swallowing difficulties or feeding tubes. Medicines Effectiveness, March 2009.
LANSOPRAZOLE 15mg CAPSULES	Y	
LANSOPRAZOLE 30mg FASTAB	R	For patients with swallowing difficulties or feeding tubes. Medicines Effectiveness, March 2009.
OMEPRAZOLE		
OMEPRAZOLE 10mg/5ml LIQUID 75ml	NF	
OMEPRAZOLE 40mg INFUSION	R	For patients with endoscopic evidence OR recent peptic bleeding, on the recommendation of a senior gastroenterologist (SpR or consultant). Medicines Effectiveness, Novemeber 2004.
OMEPRAZOLE 20mg CAPSULES (Teva brand for extemp use only)	Y	
OMEPRAZOLE 20mg CAPSULES	Y	
OMEPRAZOLE 10mg CAPSULES	Y	
OMEPRAZOLE 10mg TABLETS	R	For paediatric patients only. Medicines Effectiveness, March 2009.
OMEPRAZOLE 20mg TABLETS	R	For paediatric patients only. Medicines Effectiveness, March 2009.
OMPERAZOLE OMEPRAZOLE 40MG CAPSULES	NF	
PANTOPRAZOLE PANTOPRAZOLE 40mg INJECTION	NF	
PANTOPRAZOLE 40mg E.C TABLETS	NF	
PANTOPRAZOLE 20mg TABLETS E/C	NF	
RABEPRAZOLE		

RABEPRAZOLE 10mg TABLETS E/C	NF	
RABEPRAZOLE 20mg TABLETS E/C	NF	
01.04 Acute diarrhoea 01.04.02 Antimotility drugs <b>CO-PHENOTROPE</b> CO-PHENOTROPE TABLETS (LOMOTIL)	NF	
KAOLIN + MORPHINE KAOLIN AND MORPHINE MIXTURE BP	NF	
LOPERAMIDE 2mg TABLETS	R	For Gastroenterology and Colorectal patients requiring high doses who have swallowing difficulties (the tablets can be dispersed in water). Medicines Effectiveness, February 2013.
LOPERAMIDE 25mg/5ml LIQUID	UNR	For swallowing difficulties and short bowel syndrome where they need to give the smallest volume possible to aid absorption. Medicines Effectiveness, July 2009.
LOPERAMIDE 2mg CAPSULES	Y	
01.05 Chronic bowel disorders 01.05.00 Chronic bowel disorders <b>SODIUM CROMOGLICATE</b> SODIUM CROMOGLICATE 100mg CAPSULES	NF	
01.05.01 Aminosalicylates BALSALAZIDE BALSALAZIDE SODIUM 750mg CAPSULES	NF	
MESALAZINE MESALAZINE 2g/SACHET GRANULES M/R (PENTAS	A) Y	
MESALAZINE 3g SACHET GRANULES (SALOFALK) (60)	NF	
MESALAZINE 1600mg TABLETS M/R (OCTASA)	Y	
MESALAZINE 1.2g TABLETS M/R	NF	

MESALAZINE 1g/100ml ENEMA (PENTASA)	Y	
MESALAZINE 1g/APPLICATION FOAM ENEMA	Y	
MESALAZINE 400mg TABLETS M/R (OCTASA)	Y	
MESALAZINE 1g SUPPOSITORIES (pentasa)	Y	
MESALAZINE 1g/SACHET GRANULES M/R (PENTAS	SA) Y	
MESALAZINE 800mg TABLETS M/R (OCTASA)	Υ	
MESALAZINE 500mg TABLETS M/R (PENTASA)	Υ	
MESALAZINE 500mg SACHET GRANULES (SALOFALK)	NF	
MESALAZINE 400mg TABLETS M/R (ASACOL)	R	ASACOL preparations are for long standing patients only. All new patients should be on a PENTASA preparation. Medicines Effectiveness, September 2000.
OLSALAZINE		
OLSALAZINE 500mg TABLETS	Y	
OLSALAZINE 250mg CAPSULES	Y	
SULFASALAZINE SULFASALAZINE 250mg/5ml LIQUID SUGAR FREE	Y	
SULFASALAZINE 500mg TABLETS E/C	Y	
SULFASALAZINE 500mg TABLETS	Y	
01.05.02 Corticosteroids BUDESONIDE BUDESONIDE 2mg in 100ml ENEMAS	NF	
BUDESONIDE MMX 9MG TABLETS M/R	R	For treatment of mild to moderate active ulcerative colitis only. MMTC, October 2018
BUDESONIDE 2mg FOAM ENEMA	R	For use in place of prednisolone rectal solution during shortage. Medicines Effectiveness, January 2021

BUDESONIDE 3mg CAPSULES E/C (BUDENOFALK)	R	For gastroenterology only. MAC, December 2010.
BUDESONIDE 3mg CAPSULES M/R	NF	
PREDNISOLONE		
PREDNISOLONE 5mg SUPPOSITORIES	Υ	
PREDNISOLONE 20mg/APPLICATION RECTAL FOAM (14 DOSE)	MNF	
PREDNISOLONE 20mg in 100ml ENEMA (PREDSOL)	Y	
01.06 Laxatives		
01.06.01 Bulk-forming laxatives		
ISPAGHULA HUSK		
ISPAGHULA HUSK 3.5g SACHETS (PLAIN)	NF	To be used during shortage of DAC076. Medicines Effectiveness, October 23
ISPAGHULA HUSK 3.5g SACHETS (ORANGE)	Y	
METHYLCELLULOSE		
METHYLCELLULOSE 500mg TABLETS (NF)	NF	
01.06.02 Stimulant laxatives		
BISACODYL		
BISACODYL 5MG TABLETS	Y	WARNING: Dulcolax is a trade name for Bisacodyl tablets and suppositories and Sodium Picosulphate liquid. Please check selection carefully to ensure
BISACODYL 5mg SUPPOSITORIES	Y	
BISACODYL 10mg SUPPOSITORIES	Y	
BISACODYL 5mg TABLETS	Y	
	N/	
CO-DANTHRAMER 25/200mg in 5ml LIQUID	Y	
DOCUSATE SODIUM		
DOCUSATE SODIUM 50mg/5ml LIQUID	Y	
DOCUSATE SODIUM 120mg ENEMA (PK 6)		
	NF	

DOCUSATE SODIUM 100mg CAPSULES	Y	
GLYCERIN GLYCERIN 4g SUPPOSITORIES ADULT	Y	
GLYCERIN 2g SUPPOSITORIES PAEDIATRIC	Y	
GLYCERIN 1g SUPPOSITORIES INFANT	Y	
KLEAN PREP SACHETS	Y	
LECICARBON A LECICARBON A SUPPOSITORIES	NF	
LUBIPROSTONE 24microgram CAPSULES	R	To be prescribed by a consultant gastroenterologist only, for the treatment of chronic idiopathic constipation and associated symptoms in adults as per NICE TA318. MMTC July 2018
SENNA		
SENNA 7.5mg/5ml LIQUID	Y	
SENNA TABLETS TTO PK20 (OTC PK)	Y	
SENNA TABLETS TTO 10's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
SENNA TABLETS	Y	
SENNA LIQUID	Y	
SODIUM PICOSULFATE SODIUM PICOSULFATE 5mg/5ml LIQUID	Y	
01.06.03 Faecal softeners ARACHIS OIL ARACHIS OIL ENEMA 130ml	Y	
01.06.04 Osmotic laxatives LACTULOSE LACTULOSE LIQUID 300ml	Y	

MACROGOL MACROGOL 13.7g SACHETS (LAXIDO)	R	
MACROGOL 13.7g SACHETS (LAXIDO)	R	For the management of acute general constipation in adults as per MILV8N10. MMTC, July 2014.
MOVICOL PAEDIATRIC PLAIN SACHETS	R	For paediatric use only. Medicines Effcetiveness, December 2004.
MAGNESIUM HYDROXIDE MAGNESIUM HYDROXIDE MIXTURE	Y	
MAGNESIUM SULPHATE MAGNESIUM SULPHATE POWDER B.P 500g	NF	
PARAFFIN + MAGNESIUM HYDROXIDE PARAFFIN LIQ & MAGNESIUM HYDROXIDE MIXTUR	RE Y	
PHOSPHATE PHOSPHATE ENEMA (FLEET) 133ml	Y	
Plenvu PLENVU ORAL POWDER SACHETS SUGAR FREE	R	
SODIUM CITRATE MICRO-ENEMA 5ml	Y	
01.06.05 Bowel cleansing preparations CITRAMAG		
CITRAMAG SACHETS	Y	
GASTROGRAFIN GASTROGRAFIN LIQUID 35ml	R	For use by radiology ONLY. Medicines Effectiveness, April 2018
GASTROGRAFIN LIQUID GASTROGRAFIN LIQUID 100ml	R	For use by radiology. Also, for the treatment of small bowel obstruction (off-label use). MMTC, February 2018

#### **MOVIPREP**

MOVIPREP SACHETS	R	For bowel preparation for colonoscopies. MMTC December 2020
SODIUM PICOSULFATE SODIUM PICOSULFATE 10mg SACHET	Y	
01.06.06 Peripheral opioid-receptor antagonists <b>METHYLNALTREXONE</b> METHYLNALTREXONE 12mg INJECTION	NF	
NALDEMEDINE 200mcg TABLETS	R	For treatment of Opioid induced constipation in patients under the care of Gastroenterology and Palliative Care MMTC, February 2021
NALOXEGOL		
NALOXEGOL OXALATE 25MG TABLETS	R	For treating opioid induced constipation as per NICE TA345. MMTC, March 2016
NALOXEGOL OXALATE 12.5MG TABLETS	R	For treating opioid induced constipation as per NICE TA345. MMTC, March 2016
PRUCALOPRIDE		
PRUCALOPRIDE 2mg TABLETS	R	For the treatment of chronic constipation in women as per NICE TA211. MMTC, March 2013.
PRUCALOPRIDE 1mg TABLETS	R	For the treatment of chronic constipation in women as per NICE TA211. MMTC, March 2013.
01.07 Local preparations for anal and rectal disorders 01.07.01 Soothing haemorrhoidal preparations ANUSOL		
ANUSOL HC SUPPOSITORIES	NF	
ANUSOL OINTMENT 25g	Y	
ANUSOL CREAM 23g	NF	
ANUSOL SUPPOSITORIES	Y	
ANUSOL HC		

01.07.02 Compound haemorrhoidal preparations with corticosteroids

PROCTOSEDYL		
PROCTOSEDYL 5mg SUPPOSITORIES	R	For the short term relief (not more than 7 days) of pain, irritation and pruritis associated with haemorrhoids, pruritis ani. Medicines Effectiveness, October 2017
PROCTOSEDYL OINTMENT 30g	Y	
SCHERIPROCT SCHERIPROCT SUPPOSITORIES	Y	
SCHERIPROCT OINTMENT 30g	Y	
01.07.03 Rectal sclerosants PHENOL		
OILY PHENOL 5% INJECTION 5ml BP	Y	
01.07.04 Management of anal fissures <b>DILTIAZEM</b>		
DILTIAZEM 2% ANAL CREAM 30g	SR	For the treatment of chronic anal fissures, following treatment failure or intolerable side effects with GTN ointment only. MMTC, November 2018
GLYCERYL TRINITRATE		
GLYCERYL TRINITRATE 0.4% OINTMENT 30g	R	For anal fissures. Medicines Effectiveness, October 2014.
01.09 Drugs affecting intestinal secretions 01.09.01 Drugs affecting biliary composition and flow <b>OBETICHOLIC ACID</b>		
OBETICHOLIC ACID 10mg TABLETS	R	Obeticholic acid is an option for treating primary biliary cholangitis, as per NICE TA443. MMTC July 2018
OBETICHOLIC ACID 5mg TABLETS	R	Obeticholic acid is an option for treating primary biliary cholangitis, as per NICE TA443. MMTC July 2018

## URSODEOXYCHOLIC ACID

URSODEOXYCHOLIC ACID 250mg/5ml LIQUID	Y	
URSODEOXYCHOLIC ACID 150mg TABLETS	Y	
URSODEOXYCHOLIC ACID 250mg CAPSULES	Y	
01.09.04 Pancreatin PANCREATIN DANODEATIN 40.000 mits CARCUILES	D	
PANCREATIN 10,000units CAPSULES	R	For use as per drug license only. Medicines Effectiveness, October 2017
PANCREATIN 25,000units CAPSULES	R	For use as per drug license only. Medicines Effectiveness, October 2017
CREON MICRO (60.36mg PANCREATIN) GRANULES 20g	Ϋ́	
PANCREX V POWDER	Y	
PANCREATIN 22,000units CAPSULES (NUTRIZYM 22	2)Y	
PANCREX V CAPSULES	Y	
02 Cardiovascular system		
ILOPROST		
ILOPROST ILOPROST 50microgram in 0.5ml INJECTION	R	For use by Vascular Surgery for the treatment of limb threatening ischaemia, and by Rheumatology in Raynaud's Syndrome. Medicines Effectiveness, April 2015
	R	the treatment of limb threatening ischaemia, and by Rheumatology in Raynaud's Syndrome. Medicines Effectiveness, April
ILOPROST 50microgram in 0.5ml INJECTION 02.01 Positive inotropic drugs 02.01.00 Antiarrhythmics other	R	the treatment of limb threatening ischaemia, and by Rheumatology in Raynaud's Syndrome. Medicines Effectiveness, April
ILOPROST 50microgram in 0.5ml INJECTION 02.01 Positive inotropic drugs 02.01.00 Antiarrhythmics other FLECAINIDE FLECAINIDE 150mg IN 15ml INJECTION		the treatment of limb threatening ischaemia, and by Rheumatology in Raynaud's Syndrome. Medicines Effectiveness, April 2015 Unlicensed preparation ordered as replacement for licensed Flecainide injection. Medicines
ILOPROST 50microgram in 0.5ml INJECTION 02.01 Positive inotropic drugs 02.01.00 Antiarrhythmics other FLECAINIDE FLECAINIDE 150mg IN 15ml INJECTION		the treatment of limb threatening ischaemia, and by Rheumatology in Raynaud's Syndrome. Medicines Effectiveness, April 2015 Unlicensed preparation ordered as replacement for licensed Flecainide injection. Medicines

DIGOXIN 100micrograms IN 1ml INJECTION	SR	
DIGOXIN 125microgram TABLETS	Y	
DIGOXIN 250microgram TABLETS	Y	
DIGOXIN 500microgram in 2ml INJECTION	Y	
DIGOXIN 50microgram/ml LIQUID (60ml)	Y	
DIGOXIN IMMUNE-FAB 40mg INJECTION	Y	
DIGOXIN 62.5microgram TABLETS	Y	
02.01.02 Phosphodiesterase type-3 inhibitors MILRINONE MILRINONE 10mg IN 10ml INJECTION	Y	
02.02 Diuretics 02.02.01 Thiazides and related diuretics BENDROFLUMETHIAZIDE BENDROFLUMETHIAZIDE 2.5mg TABLETS	Y	
BENDROFLUMETHIAZIDE 5mg TABLETS	Y	
CHLOROTHIAZIDE CHLOROTHIAZIDE 250mg in 5ml SUSPENSION	SR	Restricted to neonates and paediatric patients with swallowing difficulties. Medicines Effectiveness, February 2013
CHLOROTHIAZIDE 250mg/5ml LIQUID	UNR	Restricted to meonates and paediatric patients with swallowing difficulties. Medicines Effectiveness, February 2013.
CHLORTALIDONE CHLORTALIDONE 50mg TABLETS	Y	
<b>CYCLOPENTHIAZIDE</b> CYCLOPENTHIAZIDE 500microgram TABLETS	NF	
INDAPAMIDE INDAPAMIDE 2.5mg TABLETS	Y	
INDAPAMIDE 1.5mg M/R TABLETS	Y	

METOLAZONE 5mg TABLETS	UNR	For use by Cardiology for dieuretic resistance and heart failure only. Medicines Effectiveness, April 2013.
XIPAMIDE XIPAMIDE 20mg TABLETS	NF	
02.02.02 Loop diuretics BUMETANIDE BUMETANIDE 1mg TABLETS	Y	
BUMETANIDE 5mg TABLETS	Y	
FRUSEMIDE FUROSEMIDE 250mg IN 25ml INJECTION (UNLICENSED)	UNR	Restricted to use whilst there is a supply problem with UK brand. Medicines Effectiveness May 2018
FUROSEMIDE 50mg IN 50ml INJECTION PRE-FILLE SYRINGE (CTASU PREP) FUROSEMIDE 20mg IN 2ml INJECTION (UNLICENSE		UNR Restricted for use whilst licensed preparation is unavailable. Medicines Effectiveness, May 2018
FUROSEMIDE 20mg IN 2ml INJECTION	Y	
FUROSEMIDE 20mg TABLETS	Y	
FUROSEMIDE 250mg IN 25ml INJECTION	Y	
FUROSEMIDE 500mg TABLETS	NF	
FUROSEMIDE 50mg IN 5ml INJECTION	Y	
FUROSEMIDE 50mg/5ml LIQUID	R	For paediatric patients only. Medicines Effectiveness, March 2013.
FUROSEMIDE 40mg TABLETS	Y	

02.02.03 Potassium-sparing diuretics and aldosterone antagonists

AMILORIDE AMILORIDE 5mg/5ml LIQUID S/F	NF	
	Y	
AMILORIDE 5mg TABLETS	Ŷ	
EPLERENONE 25mg TABLETS	R	For patients who have failed on / cannot tolerate spironolactone and first-line in young male patients post-MI with a LVSD 40% or less. MMTC, October 2017
EPLERENONE 50mg TABLETS	R	For patients who have failed on / cannot tolerate spironolactone and first-line in young male patients post-MI with a LVSD 40% or less. MMTC, October 2017
Finerenone		
FINERENONE 20mg TABLETS	R	?For treating chronic kidney disease in type 2 diabetes as per NICE TA8778. MMTC, July 23
FINERENONE 10mg TABLETS	R	?For treating chronic kidney disease in type 2 diabetes as per NICE TA8778. MMTC, July 23
Spironolactone		
SPIRONOLACTONE 50mg TABLETS	Y	
SPIRONOLACTONE 50mg/5ml LIQUID	SR	For paediatric patients or patients with feeding tubes only. Mediciens Effetiveness, February 2013.
SPIRONOLACTONE 100mg TABLETS	Y	
SPIRONOLACTONE 25mg TABLETS	Y	
TORASEMIDE		
TORASEMIDE 10mg TABLETS	NF	
TORASEMIDE 5mg TABLETS	NF	
02.02.04 Potassium-sparing diuretics with other diuretics <b>AMILORIDE + CYCLOPENTHIAZIDE</b> AMILORIDE 2.5mg / CYCLOPENTHIAZIDE 250microgram TABLETS	Y	

CO-AMILOZIDE CO-AMILOZIDE 5/50mg TABLETS	Y	
02.02.07 Carbonic anhydrase inhibitors DORZOLAMIDE DORZOLAMIDE 20mg/ml EYE DROPS TTO PACK 5n	nl SR	
02.03 Anti-arrhythmic drugs 02.01 Drugs for arrhythmias <b>DISOPYRAMIDE</b> DISOPYRAMIDE 100mg CAPSULES	Y	
02.01.00 Antiarrhythmics drugs Mexiletine MEXILETINE 200mg CAPSULES	R	
MEXILETINE 100mg CAPSULES	R	
02.03 Antiplatelet drugs ASPIRIN ASPIRIN 500mg IN 5ml INJECTION	UNR	
02.03.00 Antiplatelet drugs Aspirin ASPIRIN 300mg SUPPOSITORIES (UNLICENSED - USA IMPORT) 02.03.02 Drugs for arrhythmias	UNR	
ADENOSINE 130mg in 130ml INTRAVENOUS INFUS	ION	SR Restricted to interventional cardiac areas only for fractional flow reserve (FFR) assessment. Fridge line. MAC, September 2010
ADENOSINE 6mg in 2ml INJECTION	Y	
ADENOSINE 30mg in 10ml INJECTION	R	For use by Nuclear Cardiology only. Medicines Effectiveness, January 2002.
AMIODARONE AMIODARONE 150mg in 3ml INJECTION	Y	
AMIODARONE 100mg TABLETS	Y	

AMIODARONE 200mg TABLETS	Y	
AMIODARONE 150mg in 3ml INJECTION	Y	
AMIODARONE 300mg IN 10ml SYRINGE (AURUM)	Y	
DISOPYRAMIDE		
DISOPYRAMIDE 250mg TABLETS M/R	Y	
DISOPYRAMIDE 150mg CAPSULES	Y	
DISOPYRAMIDE 100mg CAPSULES	Y	
DRONEDARONE 400mg TABLETS	R	For the treatment of non- permanent atrial fibrillation as per NICE TA197. MAC, December 2010.
FLECAINIDE		
FLECAINIDE 200mg CAPSULES M/R	NF	
FLECAINIDE 50mg TABLETS	Y	
FLECAINIDE 100mg TABLETS	Y	
LIDOCAINE LIDOCAINE 0.4% + GLUCOSE 5% 500ml INFUSION STERIFLEX 27	Y	
MEXILETINE 260mg CARSULES M/R	NF	
MEXILETINE 360mg CAPSULES M/R		
MEXILETINE 100mg CAPSULES	UNR	For refractory ventricular tachycardia; and for the treatment of myotonia in patients under the care of Dr. Hilton- Jones. MMTC, August 2013.
MIDODRINE		
MIDODRINE 2.5mg TABLETS	R	For treatment of orthostatic hypotension under the electrophysiological team only. NB: note requirements as per Shared Care Protocol for continuation in primary care. MMTC, April 2017

MIDODRINE 5mg TABLETS	R	For treatment of orthostatic hypotension under the electrophysiological team only. NB: note requirements as per Shared Care Protocol for continuation in primary care.April 2017
PROPAFENONE HCL 150mg TABLETS	Y	
QUINIDINE QUINIDINE BISULPHATE 250mg TABLETS M/R	Y	
REGADENOSON 400micrograms IN 5ml INJECTION	R	For use by Nuclear Cardiology only for Myocardial perfusion imaging (MPI) in patients with mild to moderate asthma or COPD. MAC, May 2011.
02.04 Beta-adrenoceptor blocking drugs 02.04 Drugs for Hypertention <b>BISOPROLOL</b> BISOPROLOL 5mg TABLETS	Y	
BISOPROLOL 1.25mg TABLETS	Y	
BISOPROLOL 2.5mg TABLETS	Y	
BISOPROLOL 10mg TABLETS	Y	
CLOPAMIDE + PINDOLOL PINDOLOL 10 mg / CLOPAMIDE 5mg TABLETS	NF	
PINDOLOL PINDOLOL 5mg TABLETS	NF	
02.04 Hypertention ESMOLOL		
ESMOLOL 100mg in 10ml INJECTION	R	For specialist use (Cardiology or ITU) only. Medicines Effectiveness, March 2013.
ESMOLOL 2.5g in 10ml INJECTION	R	For specialist use (Cardiology or ITU) only. Medicines Effectiveness, March 2013.

02.04.00 Beta-adrenoceptor blocking drugs

ACEBUTOLOL ACEBUTOLOL 200mg & HYDROCHLOROTHIAZIDE 12.5mg TABLET TIMOLOL	NF	
TIMOLOL 0.1% (1mg/g) UNIT DOSE EYE GEL PRES- FREE TTO PACK 30	SR	
02.04.00 Drugs for hypertention ACEBUTOLOL		
ACEBUTOLOL 100mg CAPSULES	NF	
ACEBUTOLOL 200mg CAPSULES	NF	
ATENOLOL ATENOLOL 5mg IN 10ml INJECTION	Y	
ATENOLOL 50mg TABLETS	Y	
ATENOLOL 25mg TABLETS	Y	
ATENOLOL 100mg TABLETS	Y	
ATENOLOL 25mg/5ml LIQUID	Y	
CARVEDILOL		
CARVEDILOL 12.5mg TABLETS	R	For use in Congestive Cardiac Failure (CCF) only; NOT for hypertension. Medicines Effcetiveness, July 2000.
CARVEDILOL 6.25mg TABLETS	R	For use in Congestive Cardiac Failure (CCF) only; NOT for hypertension. Medicines Effcetiveness, July 2000.
CARVEDILOL 3.125mg TABLETS	R	For use in Congestive Cardiac Failure (CCF) only; NOT for hypertension. Medicines Effcetiveness, July 2000.
CARVEDILOL 25mg TABLETS	R	For use in Congestive Cardiac Failure (CCF) only; NOT for hypertension. Medicines Effcetiveness, July 2000.
CELIPROLOL		
CELIPROLOL 200mg TABLETS	NF	

**CO-TENIDONE** 

CO-TENIDONE 50mg/12.5mg TABLETS	NF	
CO-TENIDONE 100mg/25mg TABLETS	NF	
LABETALOL LABETALOL 200mg TABLETS	Y	
LABETALOL 100mg in 20ml INJECTION	Y	
LABETALOL 100mg TABLETS	Y	
METOPROLOL METOPROLOL 200mg TABLETS M/R	NF	
METOPROLOL 5mg IN 5ml INJECTION	Y	
METOPROLOL 100mg TABLETS	Y	
METOPROLOL 50mg TABLETS	Y	
NADOLOL NADOLOL 80mg TABLETS	Y	
NEBIVOLOL NEBIVOLOL 5mg TABLETS	R	For treatment of heart failure as a third line option after bisoprolol and carvedilol. MMTC, May
NEBIVOLOL 2.5mg TABLETS	R	For treatment of heart failure as a third line option after bisoprolol and carvedilol. MMTC, May 2019
OXPRENOLOL OXPRENOLOL 20mg TABLETS	Y	
OXPRENOLOL 160mg TABLETS M/R	NF	
OXPRENOLOL 40mg TABLETS	Y	
PROPRANOLOL PROPRANOLOL 50mg/5ml LIQUID	Y	
PROPRANOLOL 80mg CAPSULES M/R	Y	
PROPRANOLOL 40mg TABLETS	Y	

PROPRANOLOL 40mg TABLETS

PROPRANOLOL 10mg TABLETS	Y	
PROPRANOLOL 160mg CAPSULES M/R	Y	
SOTALOL SOTALOL 80mg TABLETS	Y	
SOTALOL 160mg TABLETS	Y	
SOTALOL 40mg TABLETS	Y	
TIMOLOL TIMOLOL 10mg TABLETS	Y	
Beta-adrenoceptor blocking drugs TIMOLOL		
TIMOLOL 0.25% EYE DROPS TTO PACK 5ml	SR	
02.04.02 Blood Pressure conditions 02.04.02 Drugs for hypotention and shock <b>Phenylephrine</b>		
PHENYLEPHRINE 2mg in 20ml INJECTION	R	
02.05 Hypertension and heart failure 02.05 Hypertension and heart failure <b>PHENTOLAMINE</b>		
PHENTOLAMINE 10mg IN 1ml INJECTION	UNR	For use by Cardiac Theatres only. Medicines Effectiveness, August 2013.
02.05.00 Hypertension and heart failure BIFIDOBACTERIUM		
BIFIDOBACTERIUM INFANTIS 350 MILLION, STREPTOCOCCUS THERMOPHILUS 300 MILLION &	UNR	For the prevention Necrotizing enterocolitis (NEC) in preterm neonates. MMTC, December 2019
02.05.01 Vasodilator antihypertensive drugs BOSENTAN		
BOSENTAN 125mg TABLETS	R	For digital ulceration/systemic sclerosis as 2nd line treatment following Sildenafil. MMTC October 2021

BOSENTAN 62.5mg TABLETS	R	For digital ulceration/systemic sclerosis as 2nd line treatment following Sildenafil. MMTC October 2021
Diazoxide DIAZOXIDE 100mg CAPSULES	UNR	
DIAZOXIDE 25mg CAPSULES	UNR	
HYDRALAZINE HYDRALAZINE 20mg IN 1ml INJECTION	Y	
HYDRALAZINE 50mg TABLETS	Y	
HYDRALAZINE 25mg TABLETS	Y	
MINOXIDIL MINOXIDIL 5mg TABLETS	Y	
MINOXIDIL 2.5mg TABLETS	Y	
MINOXIDIL 10mg TABLETS	Y	
SILDENAFIL SILDENAFIL 50MG TABLETS	R	For the treatment of:- Pulmonary Arterial Hypertension (PAH) as per the shared care arrangement with the Royal Brompton & Harefield Hospital NHSFT (RBH) - Congenital heart disease *For initiation by cardiologist only* MMTC, December 2016
SILDENAFIL 10mg in 12.5ml INJECTION	Y	
SILDENAFIL (as citrate) 20mg TABLETS	R	PAEDIATRICS: for paediatric Cardiology patients on longterm treatment for confirmed pulmonary arterial hypertension (PbR). NOT for short term cadiac post-op referrals on a weaning regimen, or post iNO. ADULTS: for weaning nitric oxide off on CTCCU only (consultants).NB: extemporaneous preparation made up for very young children. MMTC, February 2014.

SILDENAFIL 10mg/ml POWDER FOR ORAL SUSPENSION	R	For paediatric Cardiology patients on longterm treatment for confirmed pulmonary arterial hypertension (PbR). NOT for short term cadiac post-op referrals on a weaning regimen, or post iNO - see alternative Extemp. Medicines Effectiveness, April 2013
SODIUM NITROPRUSSIDE		
SODIUM NITROPRUSSIDE 50mg INJECTION	UNR	For phaeochromocytoma. Medicines Effectiveness, March 2013.
02.05.02 Centrally acting antihypertensive drugs <b>CLONIDINE</b>		
CLONIDINE 100microgram TABLETS	Υ	
CLONIDINE 150micrograms IN 1ml INJECTION	Y	
DILTIAZEM DILTIAZEM 300mg CAPSULES M/R (TILDIEM LA)	Y	
METHYLDOPA METHYLDOPA 125mg TABLETS	Y	
METHYLDOPA 250mg TABLETS	Y	
METHYLDOPA 500mg TABLETS	Y	
MOXONIDINE		
MOXONIDINE 300microgram TABLETS	NF	
MOXONIDINE 200microgram TABLETS	NF	
MOXONIDINE 400microgram TABLETS	NF	
02.05.04 Alpha-adrenoceptor blocking drugs DOXAZOSIN		
DOXAZOSIN 1mg TABLETS	Υ	
DOXAZOSIN 2mg TABLETS	Y	
DOXAZOSIN 4mg TABLETS	Υ	

PHENOXYBENZAMINE

PHENOXYBENZAMINE 10mg CAPSULES	Y	
02.05.05 Drugs affecting the renin-angiotensin system		
ALISKIREN 150mg TABLETS	NF	
CANDESARTAN CANDESARTAN 4mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. MAC, June 2006.
CANDESARTAN 8mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. MAC, June 2006.
CANDESARTAN 32mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. MAC, June 2006.
CANDESARTAN 16mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. MAC, June 2006.
CANDESARTAN 2mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. MAC, June 2006.
CAPTOPRIL		
CAPTOPRIL 50mg TABLETS	Y	
CAPTOPRIL 25mg TABLETS	Y	
CAPTOPRIL 12.5mg TABLETS	Y	
CAPTOPRIL 25mg/5ml LIQUID	R	Treatment of hypertension or congestive heart failure in paediatric cardiac patients. Medicines Effectiveness, February 2013.

### **CO-ZIDOCAPT**

CAPTOPRIL 50mg & HYDROCHLOROTHIAZIDE 25mg NF TABLETS

ENALAPRIL ENALAPRIL 10mg TABLETS	Y	
ENALAPRIL 5mg TABLETS	Y	
ENALAPRIL 20mg TABLETS	Y	
ENALAPRIL 2.5mg TABLETS	Y	
EPROSARTAN EPROSARTAN 400mg TABLETS	NF	
EPROSARTAN 300mg TABLETS	NF	
EPROSARTAN 600mg TABLETS	NF	
FOSINOPRIL FOSINOPRIL 10mg TABLETS	NF	
FOSINOPRIL 20mg TABLETS	NF	
IMIDAPRIL IMIDAPRIL 20mg TABLETS	NF	
IRBESARTAN IRBESARTAN 300mg & HYDROCHLOROTHIAZIDE 12.5mg TABLETS	NF	
IRBESATAN 150mg & HYDROCHLOROTHIAZIDE 12.5mg TABLETS	NF	
IRBESARTAN 150mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in diabetic nephropathy and in hypertension. MAC June, 2006.
IRBESARTAN 75mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in diabetic nephropathy and in hypertension. MAC June, 2006.
IRBESARTAN 300mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in diabetic nephropathy and in hypertension. MAC June, 2006.

## IRBESARTAN + HYDROCHLOROTHIAZIDE

IRBESARTAN 300mg & HYDROCHLOROTHIAZIDE 25mg TABLETS	NF	
LISINOPRIL		
LISINOPRIL 20mg & HYDROCHLOROTHIAZIDE 12.5mg TABLETS	NF	
LISINOPRIL 5mg TABLETS	Y	
LISINOPRIL 20mg TABLETS	Y	
LISINOPRIL 10mg TABLETS	Y	
LISINOPRIL 10mg & HYDROCHLOROTHIAZIDE 12.5mg TABLETS	NF	
LISINOPRIL 2.5mg TABLETS	Υ	
LOSARTAN		
LOSARTAN 25mg TABLETS	R	
LOSARTAN 50mg TABLETS	R	For second line use in patients who do not tolerate ACE- inhibitors. For more information see MIL: Guidelines for Prescribing Angiotensin- Receptor Blockers (ARB) full guidelines or quick guide. Medicines Effectiveness, June 2006.
LOSARTAN 100mg TABLETS	R	For second line use in patients who do not tolerate ACE- inhibitors. For more information see MIL: Guidelines for Prescribing Angiotensin- Receptor Blockers (ARB) full guidelines or quick guide. Medicines Effectiveness, June 2006.
LOSARTAN + HYDROCHLOROTHIAZIDE		
LOSARTAN 100mg & HYDROCHLOROTH 12.5mg TABLETS	NF	
LOSARTAN 50mg & HYDROCHLORTHIAZIDE 12.5mg TABLETS	NF	

#### **OLMESARTAN**

OLMESARTAN MEDOXOMIL 20mg TABLETS	NF
OLMESARTAN MEDOXOMIL 40mg TABLETS	NF
OLMESARTAN MEDOXOMIL 10mg TABLETS	NF

## PERHEXILINE

PERHEXILINE 100mg TABLETS

UNR

For the treatment of hypertrophic cardiomyopathy and heart failure in patients who still have symptoms despite maximal dose with standard therapy. For patients under Dr. Ashrafian only. MMTC, September 2013.

### PERINDOPRIL

**SACUBITRIL** 

PERINDOPRIL TERT-BUTYLAMINE	8mg TABLETS Y	
PERINDOPRIL ERBUMINE 4mg & IN 1.25mg TABLETS	DAPAMIDE NF	
PERINDOPRIL TERT-BUTYLAMINE	4mg TABLETS Y	
PERINDOPRIL TERT-BUTYLAMINE	2mg TABLETS Y	
QUINAPRIL		
QUINAPRIL 40MG TABLETS	NF	
QUINAPRIL 20mg TABLETS	NF	
QUINAPRIL 10mg TABLETS	NF	
QUINAPRIL 5mg TABLETS	NF	
RAMIPRIL		
RAMIPRIL 5mg TABLETS	R Restricted to patients feeding tubes only	with
RAMIPRIL 5mg TABLETS RAMIPRIL 1.25mg TABLETS		with
	feeding tubes only	with
RAMIPRIL 1.25mg TABLETS	feeding tubes only Y	with
RAMIPRIL 1.25mg TABLETS RAMIPRIL 2.5mg CAPSULES	feeding tubes only Y Y	with
RAMIPRIL 1.25mg TABLETS RAMIPRIL 2.5mg CAPSULES RAMIPRIL 5mg CAPSULES	feeding tubes only Y Y Y	with
RAMIPRIL 1.25mg TABLETS RAMIPRIL 2.5mg CAPSULES RAMIPRIL 5mg CAPSULES RAMIPRIL TITRATION PACK	feeding tubes only Y Y Y Y	with

SACUBITRIL 49mg & VALSARTAN 51mg TABLETS	R	For the treatment of symptomatic chronic heart failure with reduced ejection fraction as per NICE TA388. To be initiated by the heart failure team only. MMTC, October 2016
SACUBITRIL 24mg & VALSARTAN 26mg TABLETS	R	For the treatment of symptomatic chronic heart failure with reduced ejection fraction as per NICE TA388. To be initiated by the heart failure team only. MMTC, October 2016
SACUBITRIL 97mg & VALSARTAN 103mg TABLETS	R	For the treatment of symptomatic chronic heart failure with reduced ejection fraction as per NICE TA388. To be initiated by the heart failure team only. MMTC, October 2016
TELMISARTAN		
TELMISARTAN 20mg TABLETS	NF	
TRANDOLAPRIL TRANDOLAPRIL 500microgram CAPSULES	NF	
TRANDOLAPRIL 2mg CAPSULES	NF	
TRANDOLAPRIL 1mg CAPSULES	NF	
VALSARTAN		
VALSARTAN 40mg CAPSULES	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. Medicines Effectiveness, December 2006.
VALSARTAN 160mg CAPSULES	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. Medicines Effectiveness, December 2006.
VALSARTAN 80mg CAPSULES	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. Medicines Effectiveness, December 2006.

VALSARTAN 40mg TABLETS	R	For second line use in patients who do not tolerate ACE inhibitors. For use in heart failure and in hypertension. Medicines Effectiveness, December 2006.
VALSARTAN + HYDROCHLOROTHIAZIDE VALSARTAN+HYDROCHLOROTHIAZIDE 80mg+12.5mg TABLETS FILM COATED	NF	
02.06 Nitrates, calcium-channel blockers, and other antiang	ginal drugs	5
02.06.01 Nitrates		
GLYCERYL TRINITRATE		
GLYCERYL TRINITRATE 400microgram/dose SPRAY 200dose	Y	
GLYCERYL TRINITRATE 10mg IN 10ml INJECTION	Y	?Used by cardiac cath labs to prevent radial and coronary artery spasm during primary PCI procedures.
GLYCERYL TRINITRATE 400microgram/dose SPRAY 200dose	Y	
GLYCERYL TRINITRATE 6.4mg M/R TABLETS	NF	
GLYCERYL TRINITRATE 5mg 24 HRS PATCHES	Y	
GLYCERYL TRINITRATE 500microgram TABLETS	Y	
GLYCERYL TRINITRATE 2mg TABLETS M/R (BUCCAL)	Y	
GLYCERYL TRINITRATE 2.6mg TABLETS M/R	NF	
GLYCERYL TRINITRATE 10mg 24HRS PATCHES	Y	
GLYCERYL TRINITRATE 50mg IN 50ml INJECTION	Y	
GLYCERYL TRINITRATE 3mg TABLETS M/R (BUCCAL)	Y	
ISOSORBIDE DINITRATE		
ISOSORBIDE DINITRATE 10mg TABLETS	Y	
ISOSORBIDE DINITRATE 20mg TABLETS	Y	
ISOSORBIDE DINITRATE 20mg TABLETS M/R	NF	
ISOSORBIDE MONONITRATE ISOSORBIDE MONONITRATE 50mg CAPSULES M/R	NF	

ISOSORBIDE MONONITRATE 10mg TABLETS	Y
ISOSORBIDE MONONITRATE 20mg TABLETS	Y
ISOSORBIDE MONONITRATE 25mg CAPSULES M/R	NF
ISOSORBIDE MONONITRATE 40mg TABLETS M/R	NF
ISOSORBIDE MONONITRATE 40mg TABLETS	Y
ISOSORBIDE MONONITRATE 60mg M/R TABLETS	NF
02.06.02 Calcium Channel blockers <b>NIFEDIPINE</b> NIFEDIPINE 10mg CAPSULES (ADALAT)	Y
02.06.02 Calcium-channel blockers AMLODIPINE AMLODIPINE 5mg IN 5ml LIQUID S/F	NF
AMLODIPINE 5mg TABLETS	Y
AMLODIPINE 10mg TABLETS	Y
DILTIAZEM DILTIAZEM 60mg TABLETS M/R (TILDIEM)	Y
DILTIAZEM 300mg CAPSULES M/R (ADIZEM XL)	Y
DILTIAZEM 200mg CAPSULES M/R (TILDIEM LA)	Y
DILTIAZEM 180mg CAPSULES M/R (ADIZEM XL)	Y
DILTIAZEM 60mg CAPSULES M/R (DILZEM SR)	NF
DILTIAZEM 180mg CAPSULES M/R (ADIZEM SR)	Y
DILTIAZEM 120mg TABLETS M/R (TILDIEM RETARD)	Y
DILTIAZEM 120mg CAPSULES XL (ADIZEM XL)	Y
DILTIAZEM 90mg CAPSULES M/R (ADIZEM SR)	Y
DILTIAZEM 90mg TABLETS M/R (TILDIEM RETARD)	Y
DILTIAZEM 120mg CAPSULES M/R (ADIZEM SR)	Y

DILTIAZEM 240mg CAPSULES M/R (ADIZEM XL)	Y
DILTIAZEM 90mg CAPSULES M/R (DILCARDIA)	NF
FAMPRIDINE 10MG MR TABLETS	NF
FELODIPINE FELODIPINE 10mg TABLETS M/R	Y
FELODIPINE 2.5mg TABLETS M/R	Y
FELODIPINE 5mg TABLETS M/R	Y
ISRADIPINE ISRADIPINE 2.5mg TABLETS	NF
LACIDIPINE LACIDIPINE 4mg TABLETS	NF
LACIDIPINE 2mg TABLETS	NF
LERCANIDIPINE LERCANIDIPINE 20mg TABLETS	NF
LERCANIDIPINE 10mg TABLETS	NF
NICARDIPINE NICARDIPINE 20mg CAPSULES	NF
NICARDIPINE 30mg CAPSULES	NF
NICARDIPINE 45mg CAPSULES M/R	NF
NIFEDIPINE NIFEDIPINE 5mg CAPSULES	Y
NIFEDIPINE 20mg CAPSULES M/R (CORACTEN)	Y
NIFEDIPINE 60mg CAPSULES M/R (CORACTEN XL)	Y
NIFEDIPINE 30mg TABLETS M/R (ADALAT LA)	Y
NIFEDIPINE 30mg CAPSULES M/R (CORACTEN XL)	Y

NIFEDIPINE 20mg TABLETS M/R	Y
NIFEDIPINE 10mg TABLETS M/R	Y
NIFEDIPINE 20mg TABLETS M/R (ADALAT LA)	Y
NIFEDIPINE 10mg CAPSULES M/R (CORACTEN)	Y
NIMODIPINE NIMODIPINE 30mg TABLETS	Y
NIMODIPINE 10mg IN 50ml INJECTION	Y
VERAPAMIL VERAPAMIL 120mg CAPSULES M/R (UNIVER)	Y
VERAPAMIL 80mg TABLETS	Y
VERAPAMIL 40mg TABLETS	Y
VERAPAMIL 240mg TABLETS M/R	Y
VERAPAMIL 120mg TABLETS	Y
VERAPAMIL 5mg in 2ml INJECTION	Y
VERAPAMIL 40mg/5ml LIQUID SUGAR FREE 150ml	Y

VERAPAMIL 120mg TABLETS M/R (HALF SECURON) Y

## 02.06.03 Other antianginal drugs **IVABRADINE**

**IVABRADINE 7.5mg TABLETS** 

R

Approved for: - ANGINA: 3rd line agent following calcium channel blockers / beta-blockers (1st line agents) and isosorbide mononitrate / nicorandil (2nd line gents); - HEART FAILURE: 3rd line agent in patients intolerant of beta-blockers and ACE-I if HR is still & over 75bpm (doses of both titrated to maximum tolerated (TA267). - CARDIAC COMPUTED TOMOGRAPHY: short regime prior the procedure. - INAPROPRIATE SINUS TACHYCARDIA: 3rd line agent after b-blockers and calcium channel blockers. MMTC, September 2012.

R

Approved for: - ANGINA: 3rd line agent following calcium channel blockers / beta-blockers (1st line agents) and isosorbide mononitrate / nicorandil (2nd line gents); - HEART FAILURE: 3rd line agent in patients intolerant of beta-blockers and ACE-I if HR is still & over 75bpm (doses of both titrated to maximum tolerated (TA267). - CARDIAC COMPUTED TOMOGRAPHY: short regime prior the procedure. - INAPROPRIATE SINUS TACHYCARDIA: 3rd line agent after b-blockers and calcium channel blockers. MMTC, September 2012

nurse specialist. MMTC, August

2012.

#### **NICORANDIL**

NICORANDIL 10mg TABLETS	Y	
NICORANDIL 20mg TABLETS	Y	
RANOLAZINE		
RANOLAZINE 750mg TABLETS M/R	ang at (at on- be con	the treatment of chronic jina in patients who have tried least 2 anti-anginal therapies adequate doses) and have going symptoms. Should only initiated by cardiology sultant or consultant cardiac se specialist. MMTC, August 2.
RANOLAZINE 375mg TABLET M/R	ang at (at on- be con	the treatment of chronic jina in patients who have tried least 2 anti-anginal therapies adequate doses) and have going symptoms. Should only initiated by cardiology sultant or consultant cardiac se specialist. MMTC, August 2.
RANOLAZINE 500mg TABLETS M/R	ang at (at on- be i	the treatment of chronic lina in patients who have tried least 2 anti-anginal therapies adequate doses) and have going symptoms. Should only initiated by cardiology sultant or consultant cardiac

02.06.04 Peripheral vasodilators and related drugs

#### . . .

NAFTIDROFURYL		
NAFTIDROFURYL 100mg CAPSULES	R	For the treatment of intermittent claudication as per NICE TA223. MMTC, March 2013.
OXERUTINS		
OXERUTINS 250mg CAPSULES	Y	
PENTOXIFYLLINE		
PENTOXIFYLLINE 400mg TABLETS M/R	R	For use by Gastroenterology Department and Liver patients only; and for the management of patients with a diagnosis of osteoradionecrosis (ORN) of the jaw.
		NB:both indications are unlicensed. MMTC, April 2013.
02.07 Sympathomimetics		
02.07 Drugs for cardiac arrest		
ADRENALINE		
ADRENALINE (EPINEPHRINE) 1:10,000units 1mg IN 10ml SYRINGE	Y	
02.07.00 Sympathomimetics		
ADRENALINE		
ADRENALINE (EPINEPHRINE) 1 in 10,000units 1mg I 10ml INJECTION	ΝΥ	
02.07.01 Inotropic sympathomimetics		
DOBUTAMINE		
DOBUTAMINE 250mg IN 50ml INJECTION	Y	
DOPAMINE		
DOPAMINE 200mg IN 5ml INJECTION	Y	
ISOPRENALINE		
ISOPRENALINE SULPHATE 100micrograms IN 2ml INJECTION	UNR	For use in bradycardia only. Medicines Effectiveness, July 2011.
02.07.02 Hypertention and shock		

**METARAMINOL** 

METARAMINOL 2.5mg IN 5ml INJECTION	R	For use in intermittent bolus dosing of metaraminol in anaesthetic and critical care areas and in ED resus If preparing continuous infusion, supply 5 mg in 10 mL metaraminol ampoules. Medicines Effectiveness, September 2019
METARAMINOL 5mg IN 10ml INJECTION	R	Restricted for use in critical care units and emergency departments to prepare metaraminol infusions only. For metaraminol intermittent bolus, use the 2.5 mg in 5 mL vial size if available. Medicines Effectiveness, September 2019
02.07.02 Vasoconstrictor sympathomimetics EPHEDRINE		
EPHEDRINE 30mg in 10ml PRE FILLED SYRINGE	R	
EPHEDRINE 30mg IN 1ml INJECTION	Y	
METARAMINOL METARAMINOL 10mg in 1ml INJECTION	Y	
METARAMINOL 2.5mg IN 5ml PRE-FILLED SYRINGE	S	R For ED, ICU and Theatres use only
NORADRENALINE		
NORADRENALINE(Norepinephrine) 4mg IN 4ml INJECTION	Y	
NORADRENALINE 16mg in 50ml PRE-FILLED SYRIN	GE SR	
NORADRENALINE 8mg IN 50ml INJECTION (VIALS)	R	Theatres and adult critical care use only. MAC, July 2010.
NORADRENALINE (NOREPINEPHRINE) 2mg in 2ml INJECTION	Y	
NORADRENALINE (as base) 16mg in 50ml INJECTIO (vial)	NSR	Theatres and adult critical care use only. MAC, July 2010.
NORADRENALINE (as base) 8mg in 50ml PRE-FILLE SYRINGE	DSR	Theatres and adult critical care use only. MAC, July 2010.

OXYCODONE

OXYCODONE 10mg IN 1ml INJECTION	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013
Phenylephrine PHENYLEPHRINE 500micrograms IN 10ml PRE- FILLED SYRINGE	R	For use in obstetric anaesthesia only (delivery suite and maternity theatres) MMTC, October 2019
PHENYLEPHRINE 10mg IN 1ml INJECTION	Y	
2.07.00 Sympathomimetics ADRENALINE		
ADRENALINE (EPINEPHRINE) 1:10,000units 100microgram IN 1ml INJECTION	Y	
ADRENALINE (EPINEPHRINE) 1 in 10,000units 0.5mg IN 5ml INJECTION	Y	
02.08 Anticoagulants and protamine		
HEPARIN		
HEPARIN 500units in 500ml SODIUM CHLORIDE INFUSION 500ml FKB0913G	Y	
02.08 Anticoagulants and protamine ANDEXANET ALFA		
ANDEXANET ALFA 200mg INJECTION	NF	
AVATROMBOPAG		
AVATROMBOPAG 20mg TABLETS	R	For treating severe thrombocytopenia (that is, a platelet count of below 50,000 platelets per microlitre of blood) in adults with chronic liver disease having a planned invasive procedure as per NICETA626. MMTC, June 2021
TINZAPARIN 16000units IN 0.8ml SYRINGE TINZAPARIN 16000units IN 0.8ml SYRINGE	NF	
02.08.01 Anticoagulants ENOXAPARIN		
ENOXAPARIN (INHIXA) 80mg in 0.8ml PRE FILLED SYRINGE	R	Restricted to Maternity only for VTE prophylaxis and treatment in pregnancy and the puerperium in patients who have had a minor adverse reaction to Dalteparin MMTC August 2021

ENOXAPARIN (INHIXA) 40mg in 0.4ml PRE FILLED SYRINGE	R	Restricted to Maternity only for VTE prophylaxis and treatment in pregnancy and the puerperium in patients who have had a minor adverse reaction to Dalteparin MMTC August 2021
ENOXAPARIN (INHIXA) 100mg in 1mL PRE FILLED SYRINGE	R	Restricted to Maternity only for VTE prophylaxis and treatment in pregnancy and the puerperium in patients who have had a minor adverse reaction to Dalteparin MMTC August 2021
ENOXAPARIN (INHIXA) 20mg in 0.2mL PRE FILLED SYRINGE	R	Restricted to Maternity only for VTE prophylaxis and treatment in pregnancy and the puerperium in patients who have had a minor adverse reaction to Dalteparin MMTC August 2021
ENOXAPARIN (INHIXA) 60mg in 0.6ml PRE FILLED SYRINGE	R	Restricted to Maternity only for VTE prophylaxis and treatment in pregnancy and the puerperium in patients who have had a minor adverse reaction to Dalteparin MMTC August 2021
02.08.01 Parenteral anticoagulants		
ARGATROBRAN		
ARGATROBRAN 50mg IN 50ml SOLUTION FOR INFUSION	R	Alternative anticoagulant for use in heparin-induced thrombocytopenia (HIT) in adults. MMTC, August 2019
BIVALIRUDIN		
BIVALIRUDIN 250mg INJECTION	R	For use in Cardiac Catheter laboratories only, as per NICE TA230. MAC, September 2011.
DALTEPARIN		
DALTEPARIN SODIUM 10,000units IN 1ml INJECTION (AMPOULES)	N NF	
DALTEPARIN 5,000units in 0.2ml PRE-FILLED SYRINGE TTO (10's)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, Sept 2017
DALTEPARIN 10,000units in 4ml INJECTION VIAL	R	For use in neonates and children only to administer small doses. MMTC, June 2023

DALTEPARIN 10,000units IN 0.4ml SYRINGE	Y	
DALTEPARIN 10,000units IN 1ml SYRINGE (GRADUATED)	Y	
DALTEPARIN 12,500units IN 0.5ml SYRINGE	Υ	
DALTEPARIN 15,000units IN 0.6ml SYRINGE	Y	
DALTEPARIN 18,000units IN 0.72ml SYRINGE	Y	
DALTEPARIN 5,000units IN 0.2ml SYRINGE	Y	
DALTEPARIN 2,500units IN 0.2ml SYRINGE	Y	
DALTEPARIN 7,500units IN 0.3ml SYRINGE	Y	
DALTEPARIN 7,500units in 0.3ml PRE-FILLED SYRINGE TTO (10's)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, Sept 2017
DANAPAROID		
DANAPAROID SODIUM 750units in 0.6ml INJECTION	R	For use in patients with previous heparin induced thrombocytopaenia. On advice of Haematology departemnt only. Medicines Effectiveness, July 2000.
DEFIBROTIDE		
DEFIBROTIDE 200mg INJECTION	R	For use by Haematology and Oncology (Adults and Paediatrics) for veno-occlusive disease. Medicines Effectiveness, November 2010.
ENOXAPARIN		
ENOXAPARIN 40mg PRE FILLED SYRINGE	NF	
ENOXAPARIN 300mg in 3ml MULTIDOSE VIAL	NF	
ENOXAPARIN 150mg IN 1ml PRE-FILLED SYRINGE	NF	
ENOXAPARIN 60mg in 0.6ml PRE FILLED SYRINGE	NF	
ENOXAPARIN 100mg in 1ml SYRINGE	NF	
ENOXAPARIN 120mg PRE FILLED SYRINGE	NF	
ENOXAPARIN 80mg IN 0.8ml PRE-FILLED SYRINGE	NF	

ENOXAPARIN 20mg in 0.2ml SYRINGE	NF	
EPOPROSTENOL 500microgram INJECTION	R	ADULTS: For use in renal dialysis and for the treatment of pulmonary hypertension (critical care areas only) as per drug license. PAEDIATRICS: For the treatment of pulmonary hypertension in critical care areas only. Medicines Effectiveness, April 2016. Off- label use: For the optimisation of thromboprophylaxis in pancreas transplant patients in the peri- and post-operative period. MMTC, April 2016
FONDAPARINUX		
FONDAPARINUX 1.5mg IN 0.3ml PRE-FILLED SYRIN	GE	R For Acute Coronary Syndrome and the acute treatment of DVT or PE in patients with history of HIT. For VTE prevention in patients unable to receive Low Molecular Weight Heparin. MMTC, May 2019.
FONDAPARINUX 2.5mg IN 0.5ml PRE-FILLED SYRIN	GE	R For Acute Coronary Syndrome and the acute treatment of DVT or PE in patients with history of HIT. For VTE prevention in patients unable to receive Low Molecular Weight Heparin. MMTC, May 2019.
FONDAPARINUX 10mg IN 0.8ml PRE-FILLED SYRINGES	R	For Acute Coronary Syndrome and the acute treatment of DVT or PE in patients with history of HIT. For VTE prevention in patients unable to receive Low Molecular Weight Heparin. MMTC, May 2019.
FONDAPARINUX 7.5mg IN 0.6ml PRE-FILLED SYRIN	GE	R For Acute Coronary Syndrome and the acute treatment of DVT or PE in patients with history of HIT. For VTE prevention in patients unable to receive Low Molecular Weight Heparin. MMTC, May 2019.

For Acute Coronary Syndrome and the acute treatment of DVT or PE in patients with history of HIT. For VTE prevention in patients unable to receive Low Molecular Weight Heparin. MMTC, May 2019.

#### **HEPARIN**

HEPARIN SODIUM 200units in 2ml FLUSHING SOLUTION (AMPOULES)	Y	
HEPARIN SODIUM 1000units IN 1ml INJECTION (AMPOULES)	Y	
HEPARIN SODIUM 20,000units IN 20ml INJECTION (AMPOULES)	Y	
HEPARIN SODIUM 5000units in 0.2ml INJECTION (AMPOULES)	Y	
HEPARIN SODIUM 5000units in 5ml INJECTION (AMPOULES)	Y	
HEPARIN SODIUM 5000units in 1ml INJECTION (AMPOULES)	Y	
HEPARINISED SALINE		
HEPARIN SODIUM 50units in 5ml FLUSHING SOLUTION (AMPOULES)	Y	
TAUROLIDINE		
TAUROLIDINE / CITRATE 4% PORT & CATHETER LOCK SOLUTION 5ml	R	Locking TPN lines. MMTC, August 2014.
		//uguot 2011.
TINZAPARIN		7.0g00t 2011.
	NF	August 2011.
TINZAPARIN	NF NF	7.0g0012011.
TINZAPARIN TINZAPARIN 20,000iu IN 2ml VIAL		, logaot 2011.
TINZAPARIN TINZAPARIN 20,000iu IN 2ml VIAL TINZAPARIN 8000units IN 0.4ml SYRINGE	NF	, logaol 2011.
TINZAPARIN TINZAPARIN 20,000iu IN 2ml VIAL TINZAPARIN 8000units IN 0.4ml SYRINGE TINZAPARIN 18000units IN 0.9ml SYRINGE	NF NF	
TINZAPARIN TINZAPARIN 20,000iu IN 2ml VIAL TINZAPARIN 8000units IN 0.4ml SYRINGE TINZAPARIN 18000units IN 0.9ml SYRINGE TINZAPARIN 1400units INJECTION SYRINGE	NF NF NF	For haemodialysis patients only. MAC, August 2011.
TINZAPARIN 20,000iu IN 2ml VIAL TINZAPARIN 8000units IN 0.4ml SYRINGE TINZAPARIN 18000units IN 0.9ml SYRINGE TINZAPARIN 1400units INJECTION SYRINGE TINZAPARIN 12000units IN 0.6ml SYRINGE	NF NF NF	For haemodialysis patients only.

## **TRISODIUM CITRATE**

TRISODIUM CITRATE 30% PRE-FILLED SYRINGE 2X3ml (CITRAFLOW)	R	Restricted to Oxford Kidney Unit for maintenance of patency of temporary and tunnelled haemodialysis/ haemofiltration lines. MMTC, December 2017
TRISODIUM CITRATE 46.7% PRE-FILLED SYRINGE 2x3ml (CITRAFLOW)	R	Restricted to Oxford Kidney Unit for maintenance of patency of temporary and tunnelled haemodialysis/ haemofiltration lines. MMTC, December 2017 Only to be used whilst Citralock is unavailable Graham 14.06.22
TRISODIUM CITRATE 46.7% PRE-FILLED SYRINGE 2x2.5ml (D.B.M CITRA-LOCK)	R	Restricted to Oxford Kidney Unit for maintenance of patency of temporary and tunnelled haemodialysis/ haemofiltration lines. MMTC, December 2017
TRISODIUM CITRATE 30% PRE-FILLED SYRINGE 2x2.5ml (D.B.M CITRA-LOCK)	R	Restricted to Oxford Kidney Unit for maintenance of patency of temporary and tunnelled haemodialysis/ haemofiltration lines. MMTC, December 2017
02.08.02 Oral anticoagulants		
ACENOCOUMAROL 1mg TABLETS	Y	
APIXABAN		
APIXABAN 2.5mg TABLETS	R	For the prevention of venous thromboembolism after total hip or knee replacement in adults as per NICE TA245; the prevention of stroke and systemic embolism in people with nonvalvular atrial fibrillation as per NICE TA275; and the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism. MMTC, August 2015.
APIXABAN 5mg TABLETS	R	For the prevention of venous thromboembolism after total hip or knee replacement in adults as per NICE TA245; the prevention of stroke and systemic embolism in people with nonvalvular atrial fibrillation as per NICE TA275; and the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism. MMTC, August 2015.

APIXABAN 5mg TABLETS TTO	SR	For use in DVT clinic only. MMTC, May 2015.
AVATROMBOPAG AVATROMBOPAG 20mg TABLETS	R	For treating severe thrombocytopenia (that is, a platelet count of below 50,000 platelets per microlitre of blood) in adults with chronic liver disease having a planned invasive procedure as per NICETA626. MMTC, June 2021
AVATROMBOPAG 20mg TABLETS	R	For treatment of primary chronic immune thrombocytopenia as per NICE TA 853. MMTC April 2023
DABIGATRAN		
DABIGATRAN ETEXILATE 110mg CAPSULES	R	For the prevention of stroke and systemic embolism in atrial fibrillation as per NICE TA249, and for short term use for cardioversion / ablation. Also approved for use as per other NICE TAs following discussion with Dr. Reynolds (MMTC Chair). An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, August 2013.
DABIGATRAN ETEXILATE 75mg CAPSULES	R	For the prevention of stroke and systemic embolism in atrial fibrillation as per NICE TA249, and for short term use for cardioversion / ablation. Also approved for use as per other NICE TAs following discussion with Dr. Reynolds (MMTC Chair). An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, August 2013.

DABIGATRAN ETEXILATE 150mg CAPSULES	R	For the prevention of stroke and systemic embolism in atrial fibrillation as per NICE TA249, and for short term use for cardioversion / ablation. Also approved for use as per other NICE TAs following discussion with Dr. Reynolds (MMTC Chair). An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, August 2013.
EDOXABAN		
EDOXABAN 30MG TABLETS	R	For the treatment and prevention of deep vein thrombosis and pulomonary embolism as per NICE TA354; For the prevention of stroke and systemic embolism in people with non-valvular atrial fibrillation as per NICE TA355. MMTC, April 2016
EDOXABAN 60mg TABLETS	R	For the treatment and prevention of deep vein thrombosis and pulomonary embolism as per NICE TA354; For the prevention of stroke and systemic embolism in people with non-valvular atrial fibrillation as per NICE TA355. MMTC, April 2016
PENTOSAN		
PENTOSAN POLYSULFATE 100mg CAPSULES	NF	
PHENINDIONE		
PHENINDIONE 10mg TABLETS	NF	
PHENINDIONE 25mg TABLETS	Y	
RIVAROXABAN		
RIVAROXABAN 5mg/5ml LIQUID S/F (100ml)	R	For treatment of VTE and prevention of VTE recurrence in term neonates, infants and toddlers, children, and adolescents aged less than 18 years after at least 5 days of initial parenteral anticoagulation treatment. MMTC, July 2021

RIVAROXABAN 5mg/5ml LIQUID S/F (250ml BOTTLE)	R	For treatment of VTE and prevention of VTE recurrence in term neonates, infants and toddlers, children, and adolescents aged less than 18 years after at least 5 days of initial parenteral anticoagulation treatment. MMTC, July 2021
RIVAROXABAN 2.5mg TABLETS	R	For the prevention of adverse outcomes after acute management of acute coronary syndrome as per NICE TA335. And for preventing atherothrombotic events in people with peripheral artery disease as per NICE TA607,
RIVAROXABAN 10mg TABLETS TTO 7'S	UNR	For use as TTO pack for Covid- 19 VTE prophylaxis in AAU and ED only Medicines Effectiveness, October 2021
RIVAROXABAN 15mg TABLETS	R	For the prevention of stroke and systemic embolism in people with atrial fibrillation as per NICE TA256; for the treatment and prevention of deep vein thrombosis and pulmonary embolism as per TA261 and TA287; and for the prevention of venous thromboembolism after total hip or total knee replacement in adults as per TA170. MMTC, July 2014
RIVAROXABAN 20mg TABLETS	R	For the prevention of stroke and systemic embolism in people with atrial fibrillation as per NICE TA256; for the treatment and prevention of deep vein thrombosis and pulmonary embolism as per TA261 and TA287; and for the prevention of venous thromboembolism after total hip or total knee replacement in adults as per TA170. MMTC, July 2014
RIVAROXABAN 10mg TABLETS	R	For the prevention of stroke and systemic embolism in people with atrial fibrillation as per NICE TA256; for the treatment and prevention of deep vein thrombosis and pulmonary embolism as per TA261 and TA287; and for the prevention of venous thromboembolism after

TINZAPARIN TINZAPARIN 10000units IN 0.5ml SYRINGE	NF	
WARFARIN WARFARIN 3mg TABLETS	Y	
WARFARIN 1mg/1ml LIQUID 150ml	NF	
WARFARIN 1mg TABLETS	Y	
WARFARIN 500microgram TABLETS	Y	
WARFARIN 5mg TABLETS	Y	
02.08.03 Protamine sulfate <b>PROTAMINE SULPHATE</b> PROTAMINE SULPHATE 50mg IN 5ml INJECTION 02.09 Antiplatelet drugs	Y	
ASPIRIN		
ASPIRIN 75mg TABLETS E/C (CaPP3 STUDY)	С	For CaPP3 Study ONLY
02.09 Antiplatelet drugs ASPIRIN ASPIRIN 75mg TABLETS E/C (NF)	NF	
CANGRELOR		
CANGRELOR 50mg INJECTION	R	Percutaneous Coronary Intervention (PCI) MMTC Sept 2019
DIPYRIDAMOLE		
DIPYRIDAMOLE 100mg TABLETS	Y	
DIPYRIDAMOLE 25mg TABLETS	Y	
DIPYRIDAMOLE 200mg CAPSULES M/R	R	Prevention of occlusive vascular events as per NICE TA210. MAC, September 2010.

TIROFIBAN

TIROFIBAN 12.5mg IN 250ml SOLUTION FOR INFUSION	R	For use in cardiac cath labs (CCL) for use during PCI instead of abciximab whilst there is an ongoing supply problem. Likely switch back in March 2018. Medicines Effectiveness, October 2017
02.09. Myocardial ischaemia		
TICAGRELOR TICAGRELOR 90mg ORODISPERSIBLE TABLETS	R	For use in patients' with NGT only. For treatment of Acute Coronary Syndrome (ACS) as per NICE TA236 and for preventing atherothrombotic events post myocardial infarction as per NICE TA420. MMTC, August 2017
02.09.00 Antiplatelet drugs		
ASPIRIN ASPIRIN 75mg TABLETS DISPERSIBLE TTO 28's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
DIPYRIDAMOLE		
DIPYRIDAMOLE 200mg ASPIRIN 25mg M/R CAPSULES (ASASANTIN)	NF	
02.09.00 Anti-platelet drugs ASPIRIN		
ASPIRIN 500mg IN 5ml INJECTION (Provided as LYSINE ASPIRIN 900mg)	UNR	Restricted to Un-ruptured aneurysms. Medicines Effectiveness, February 2013.
ASPIRIN 75mg TABLETS DISPERSIBLE	Y	
CLOPIDOGREL		
CLOPIDOGREL 75mg TABLETS (GENERIC)	R	For use in: - Stent patients - High risk patients with true aspirin intolerance (not GI upset) - In combination with aspirin, to cover the first 28 days after percutaneous coronary angioplasty - Patients with Acute Coronary Syndromes (ACS) as per TA80 and CG94) Prevention of occlusive vascular events as per NICE TA210 MAC, September 2010.

CLOPIDOGREL 300mg TABLETS	R	For use by cardiac wards only. Medciines Effectiveness, March 2013.	
CLOPIDOGREL 1mg SACHET	NF		
PRASUGREL			
PRASUGREL 10mg TABLETS	R	Initiation is restricted to interventional cardiologists and Jan Keenan (Nurse Consultant, Cardiac Medicine).MAC 28.07.09	
		Restricted for use in accordance with NICETA317. It is to be offered as an option for patients who are allergic to, or have contraindications to clopidogrel	
PRASUGREL 5mg TABLETS	R	Initiation is restricted to interventional cardiologists and Jan Keenan (Nurse Consultant, Cardiac Medicine).MAC 28.07.09	
		Restricted for use in accordance with NICETA317. It is to be offered as an option for patients who are allergic to, or have contraindications to clopidogrel	
TICAGRELOR			
TICAGRELOR 90mg TABLETS	R	For Acute Coronary Syndrome as per NICE TA236. MMTC, November 2012.	
02.10 Stable angina, acute coronary syndromes, and fibrinolysis			
Emicizumab			
EMICIZUMAB 150mg in 1ml INJECTION (Compassionate use)	NF	This is FOC stock for individual patient granted for compassionate use.	
TENECTEPLASE			
TENECTEPLASE 50mg (10,000units) INJECTION	R	Restricted for use in Thrombolysis for patients unable to undergo pPCI during COVID- 19. MMTC, March 2020	
02.10.02 Fibrinolytic drugs			

ALTEPLASE

ALTEPLASE 2mg INJECTION	R	For treatment of occluded central access devices in renal haemodialysis only. MMTC, October 2016
ALTEPLASE 10mg INJECTION	Y	
ALTEPLASE 50mg INJECTION	Y	
ALTEPLASE 20mg INJECTION	Y	
STREPTOKINASE STREPTOKINASE 250,000unit INJECTION	Y	
STREPTOKINASE 1,500,000unit INJECTION	Y	
UROKINASE UROKINASE 25,000international units INJECTION	R	Please note this drug is being used for an unlicensed indication. See the Unlicensed Medicines Register Medicines Effectiveness, April 2011
UROKINASE 10,000international units INJECTION	R	For unblocking Hickman lines. Medicines Effectiveness, April 2011.
02.11 Antifibrinolytic drugs and haemostatics		
VERASEAL FIBRIN SEALANT pre-filled syringe 10ml (free stock)	NF	
EMICIZUMAB EMICIZUMAB CONVENIENCE KIT 4 (1ml syringe with needles)	R	
02.11 Antifibrinolytic drugs and haemostaticsgs and haer ARTISS	nostatics	
ARTISS FIBRIN SEALANT 10ml	R	For use in breast surgery. MMTC, September 2015
TISSEEL FIBRIN TISSEEL FIBRIN SEALANT RTU 10ml	Y	
02.11.00 Antifibrinolytic drugs and haemostatics <b>APROTININ</b>		

APROTININ 500,000units in 50ml INJECTION	R	For use as per the Blood Management in Cardiothoracic Surgery Policy. To be used by CTCC or Cardiac Theatres only. MMTC, September 2023.
EMICIZUMAB 105mg IN 0.7ml INJECTION	R	Restricted to Haemophilia Consultants for prophylaxis in people with congenital haemophilia A who have acquired factor VIII inhibitors, as per NHS Clinical Commissioning Policy 170067/P, and as prophylaxis in people with severe congenital haemophilia A without factor VIII inhibitors as per NHSE clinical commissioning policy 170134/P MMTC October 2019
EMICIZUMAB 30mg IN 1ml INJECTION	R	Restricted to Haemophilia Consultants for prophylaxis in people with congenital haemophilia A who have acquired factor VIII inhibitors, as per NHS Clinical Commissioning Policy 170067/P, and as prophylaxis in people with severe congenital haemophilia A without factor VIII inhibitors as per NHSE clinical commissioning policy 170134/P MMTC October 2019
EMICIZUMAB 150mg IN 1ml INJECTION	R	Restricted to Haemophilia Consultants for prophylaxis in people with congenital haemophilia A who have acquired factor VIII inhibitors, as per NHS Clinical Commissioning Policy 170067/P, and as prophylaxis in people with severe congenital haemophilia A without factor VIII inhibitors as per NHSE clinical commissioning policy 170134/P MMTC October 2019

EMICIZUMAB 60mg IN 0.4ml INJECTION	R	Restricted to Haemophilia Consultants for prophylaxis in people with congenital haemophilia A who have acquired factor VIII inhibitors, as per NHS Clinical Commissioning Policy 170067/P, and as prophylaxis in people with severe congenital haemophilia A without factor VIII inhibitors as per NHSE clinical commissioning policy 170134/P MMTC October 2019
02.11.00 Tissue plasmingen activators		
SPONGOSTAN		
SPONGOSTAN STANDARD 7cm x 5cm x 1cm	R	For use by theatres only. Medicines Effectiveness, March 2013.
SPONGOSTAN SPECIAL 7cm x 5cm x 0.1cm	R	For use by theatres only. Medicines Effectiveness, March 2013.
TRANEXAMIC TRANEXAMIC ACID 500mg TABLETS (TTO PACK) 60	) SR	
TRANEXAMIC ACID		
TRANEXAMIC ACID 500mg IN 5ml INJECTION	Y	
TRANEXAMIC ACID 500mg/5ml LIQUID	SR	For the inhibition of fibrinolysis when tablets cannot be tolerated. Medicines Effectiveness, June 2017
TRANEXAMIC ACID 5% MOUTHWASH 100ml	SR	To be used by Haemophilia and MaxFax only. Medicines Effectiveness, July 2012.
TRANEXAMIC ACID 500mg TABLETS	Y	
UROKINASE		
UROKINASE 100,000u	R	ONLY TO BE USED IN PLACE OF 25,000 units UROKINASE . Please note this drug is being used for an unlicensed indication. See the Unlicensed Medicines Register Medicines Effectiveness, April 2011
2 12 Linid-regulating drugs		

02.12 Lipid-regulating drugs 02.01.01 Cardiac glycosides ALIROCUMAB

ALIROCUMAB 75mg PRE-FILLED PEN	R	For the treatment of primary hypercholesterolaemia and mixed dyslipidaemia as per NICE TA393. MMTC, February 2017
ALIROCUMAB 150mg PRE-FILLED PEN	R	For the treatment of primary hypercholesterolaemia and mixed dyslipidaemia as per NICE TA393. MMTC, February 2017
02.12.00 Fibrates		
ACIPIMOX ACIPIMOX 250mg CAPSULES	NF	
ATORVASTATIN ATORVASTATIN 80mg TABLETS	Y	
ATORVASTATIN 40mg TABLETS	Y	
ATORVASTATIN 20mg TABLETS	Y	
ATORVASTATIN 10mg TABLETS	Y	
BEZAFIBRATE BEZAFIBRATE 400mg TABLETS M/R	Y	
BEZAFIBRATE 200mg TABLETS	Y	
CIPROFIBRATE CIPROFIBRATE 100mg TABLETS	NF	
COLESEVELAM		
COLESEVELAM 625mg TABLETS	R	For the treatment of bile acid malabsorption in patients with a true intolerance to colestyramine and colestipol following recommendation by gateroenterology only. NB: To be continued in primary care when initiated by gastroenterology only and prior approval from the OCCG Medicines Optimisation Team. MMTC, February 2015
COLESTYRAMINE COLESTYRAMINE 4g SACHETS	Y	
COLESTYRAMINE 4g SACHETS SUGAR FREE	Y	

**COVID-19 VACCINE COMIRNATY MONOVALENT** 

INCLISIRAN 284mg in 1.5ml PRE FILLED SYRINGE	R	For treatment of primary hypercholesterolaemia or mixed dyslipidaemia as per NICE TA733. To be prescribed ONLY in OUH lipid clinic only. MMTC, December 2023
EZETIMIBE EZETIMIBE 10mg TABLETS	R	For the treatment of primary (heterozygous familial or non familial) hypercholesterolaemia as per NICE TA385. MMTC, August 2017
FENOFIBRATE		
FENOFIBRATE 200mg CAPSULES micronised	R	Restricted to use in endocrinology for slowing progression of diabetic retinopathy. MMTC, February 2019
FENOFIBRATE 160mg TABLETS	R	1st line therapy for patients with extreme hypertriglyceridaemia. 2nd line therapy as adjunct to a statin in combined hyperlipidaemia. MMTC, January 2015.
FENOFIBRATE 67mg CAPSULES (MICRONISED)	NF	
FENOFIBRATE MICRO 267mg CAPSULES (micronised)	R	Restricted to use in endocrinology for slowing progression of diabetic retinopathy. MMTC, February 2019
FLUVASTATIN		
FLUVASTATIN 80mg TABLETS XL	NF	
FLUVASTATIN 40mg CAPSULES	NF	
FLUVASTATIN 20mg CAPSULES	NF	
GEMFIBROZIL		
GEMFIBROZIL 300mg CAPSULES	R	For use by Transplent patients only. Medicines Effectiveness, August 2001
GEMFIBROZIL 300mg CAPSULES	R	For use by Transplent patients only. Medicines Effectiveness, August 2001.

**NICOTINIC ACID** 

NICOTINIC ACID 1g TABLETS M/R	NF	
PRAVASTATIN		
PRAVASTATIN 20mg TABLETS	R	For patients who require treatment with a statin but cannot take simvastatin/atorvastatin due to interactions. Medicines Effectiveness, December 2009.
PRAVASTATIN 10mg TABLETS	R	For patients who require treatment with a statin but cannot take simvastatin/atorvastatin due to interactions. Medicines Effectiveness, December 2009.
PRAVASTATIN 40mg TABLETS	R	For patients who require treatment with a statin but cannot take simvastatin/atorvastatin due to interactions. Medicines Effectiveness, December 2009.
ROSUVASTATIN		
ROSUVASTATIN 20mg TABLETS	NF	
ROSUVASTATIN 40mg TABLETS	NF	
ROSUVASTATIN 10mg TABLETS	NF	
ROSUVASTATIN 5mg TABLETS	NF	
SIMVASTATIN		
SIMVASTATIN 10mg TABLETS	Y	
SIMVASTATIN 20mg TABLETS	Y	
SIMVASTATIN 40mg TABLETS	Y	
02.12.00 Lipid-regulating drugs <b>EVOLOCUMAB</b> EVOLOCUMAB 140MG IN 1ML PRE-FILLED PEN	R	For the treatment of primary
		hypercholesterolaemia and mixed dyslipidaemia as per NICE TA394. MMTC, February 2017
02.13 Local sclerosants		
02.13 Local sclerosants		
	V	
SODIUM TETRADECYL (STD) 1% (20mg in 2ml) INJECTION 2ml	Y	

SODIUM TETRADECYL (STD) 3% INJECTION 5ml	Y	
02.14 Drugs affecting the ductus arteriosus 02.14 Drugs affecting the ductus arteriosus IBUPROFEN		
IBUPROFEN 10mg in 2ml INJECTION (PEDEA)	R	For use by SCBU only (FOR CLOSURE OF DUCTUS ARTERIOSUS IN NEONATES). Medicines Effectiveness, January 2010.
IBUPROFEN 10mg in 2ml INJECTION (PEDEA)	UNR	For use by SCBU only. Medicines Effectiveness, January 2010.
03 Respiratory system		
<b>Tezepelumab</b> TEZEPELUMAB 210mg in 1.91ml INJECTION (PFS)	R	For treatment of severe asthma as per NICE TA880. MMTC, September 2023
TEZEPELUMAB 210mg in 1.91ml PRE-FILLED PEN (TEZSPIRE)	R	For treatment of severe asthma as per NICE TA880. MMTC, September 2023
03.01 Bronchodilators 03.01.00 Bronchodilators		
SALBUTAMOL		
SALBUTAMOL 4mg TABLETS	Y	
SALBUTAMOL 5mg NEBULES	Y	
03.01.01 Adrenoceptor agonists EPHEDRINE		
EPHEDRINE 30mg TABLETS	Υ	
FORMOTEROL		
FORMOTEROL 12microgram EASYHALER CFC FREE 120dose	R	For the treatment of moderate COPD as per inhaled maintenance treatments of COPD MIL. MMTC, April 2017
FORMOTEROL 12microgram/dose TURBOHALER 60dose	R	For initiation by Respiratory clinicians only. Medicines Effectiveness Team, November 2000.

FORMOTEROL 6microgram/dose TURBOHALER 60dose	R	For initiation by Respiratory clinicians only. Medicines Effectiveness Team, November 2000.
FORMOTEROL 12mcg/dose INHALER 100 DOSES	R	For initiation by Respiratory clinicians only. Medicines Effectiveness Team, March 2011
INDACATEROL		
INDACATEROL 300micrograms INHALATION POWDER (HARD CAPSULE) with BREEZHALER	NF	
INDACTEROL 150micrograms INHALATION POWDER (HARD CAPSULE) with BREEZHALER	NF	
SALBUTAMOL		
SALBUTAMOL 100microgram/dose INHALER (200dose) (CFC FREE)	Y	
SALBUTAMOL 2mg/5ml LIQUID S/F	Y	
SALBUTAMOL 100microgram EASIBREATHE (200dose)	R	For initiation by Respiratory clinicians only Medicines Effectiveness, March 2001.
SALBUTAMOL 100microgram/DOSE INHALER (CFC FREE) TTO PACK 200DOSE	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
SALBUTAMOL 2.5mg NEBULES (20)	Υ	
SALBUTAMOL 200microgram ACCUHALER (60 dose)	NF	
SALBUTAMOL 500microgram in 1ml INJECTION	Y	
SALBUTAMOL 5mg IN 5ml INJECTION	Υ	
SALMETEROL		
SALMETEROL 25microgram/dose INHALER (120dose)	Y	
SALMETEROL 50microgram/dose ACCUHALER 60 dose	R	For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
TERBUTALINE		
TERBUTALINE 2.5mg in 5ml INJECTION	Υ	
TERBUTALINE 500microgram in 1ml INJECTION	Y	

TERBUTALINE 500microgram/dose TURBOHALER (100 dose)	R	For the Chest Unit only. Medicines Effectiveness, March 2001
TERBUTALINE 5mg in 2ml RESPULES	Y	
03.01.02 Antimuscarinic bronchodilators		
ACLIDINIUM 322microgram INHALER	R	For COPD patients who cannot tolerate tiotropium. For initiation by Respiratory clinicians in out- patient clinics only. MMTC, May 2013.
ACLIDINIUM 340microgram / FORMOTEROL 12microgram INHALER (60dose)	R	For the treatment of COPD. Initiation by respiratory consultants only. MMTC, August 2015.
GLYCOPYRRONIUM		
GLYCOPYRRONIUM 44microgram INHALER & CAPSULES FOR INHALER	NF	
IPRATROPIUM		
IPRATROPIUM 500microgram in 2ml RESP SOLUTIOI (2ml vial)	NY	
IPRATROPIUM 20microgram/dose INHALER TTO PK (200 DOSE)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
IPRATROPIUM 20microgram/dose INHALER (200dose)	Y	
IPRATROPIUM 250microgram in 1ml RESP SOLUTIOI (1ml vial)	NY	
TIOTROPIUM		
TIOTROPIUM 18micrograms INHALATION CAPSULES (30)	6	R For initiation by Respiratory clinicians only. Medicines Effectiveness, November 2004.
TIOTROPIUM 2.5microgram RESPIMAT INHALER	R	For patients unable to use Handihaler®. For initiation by Respiratory clinicians only. MMTC, September 2008.
TIOTROPIUM 18micrograms CAPSULES (WITH HANDIHALER)	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, November 2004.

UMECLIDINIUM

# 03.01.03 Theophylline

### AMINOPHYLLINE

AMINOPHYLLINE 250mg in 10ml INJECTION	Y	
AMINOPHYLLINE 225mg TABLETS M/R	Y	
AMINOPHYLLINE 350mg TABLETS M/R (PHYLLOCONTIN)	Y	
THEOPHYLLINE		
THEOPHYLLINE 300mg TABLETS M/R (UNIPHYLLIN)	Ϋ́	
THEOPHYLLINE 200mg TABLETS M/R (UNIPHYLLIN)	Y	
THEOPHYLLINE 400mg TABLETS M/R (UNIPHYLLIN)	Y	
03.01.04 Compound bronchodilator preparations		
BUDESONIDE		
BUDESONIDE 200mcg FORMOTEROL 6mcg INHALER (Symbicort 200/6) 120dose	R	For the treatment of very severe COPD as per MIL. MMTC, April 2017
GLYCOPYRRONIUM		
GLYCOPYRRONIUM 7.2mcg / FORMOTEROL 5mcg / BUDESONIDE 160mcg INHALER 120dose (TRIXEO)	Y	
GLYCOPYRRONIUM 7.2mcg / FORMOTEROL 5mcg INHALER 120dose (BEVESPI)	Y	
INDACATEROL		
INDACATEROL 85microgram & GLYCOPYRRONIUM 43microgram INHALATION POWDER (HARD	NF	
OLODATEROL		
OLODATEROL 2.5microgram / dose INHALER (RESPIMAT with 60 dose CARTRIDGE)	R	For the treatment of moderate COPD as per MIL. MMTC, April 2017
SALBUTAMOL		
SALBUTAMOL 2mg TABLETS	Y	
	1	
SALBUTAMOL 100micrograms EASYHALER (200 dose)	R	For the treatment of moderate COPD as per inhaled maintenance treatments of COPD MIL. MMTC, April 2017

TIOTROPIUM

TIOTROPIUM 10microgram INHALATION CAPSULES with ZONDA INHALER (30cap pack)	NF	
TIOTROPIUM + OLODATEROL		
TIOTROPIUM/OLODATEROL 2.5mcg +2.5mcg/PUFF INHALER	R	For the treatment of moderate COPD as per inhaled maintenance treatments of COPD MIL. MMTC, April 2017
UMECLIDINIUM		
UMECLIDINIUM 55micrograms / VILANTEROL 22micrograms INHALER	R	For the treatment of moderate COPD as per inhaled maintenance treatments of COPD MIL. MMTC, April 2017
03.01.05 Peak flow meters, inhaler devices and nebulise AEROCHAMBER	rs	
AEROCHAMBER PLUS WITH ADULT MASK	R	For continuation or following recommendation by respiratory medicine only. Medicines Effectiveness, May 2016
AEROCHAMBER PLUS WITH ADULT MOUTHPIECE	Y	
AEROCHAMBER PLUS with INFANT MASK	Y	
AEROCHAMBER PLUS WITH CHILD MASK	Y	
PEAK FLOW METER		
PEAK FLOW METER STANDARD	Y	
PEAK FLOW METER - LOW	Y	
VOLUMATIC		
VOLUMATIC SPACER PAEDIATRIC	Y	
03.02 Corticosteroids		
03.01.00 Bronchodilators		
BECLOMETASONE		
BECLOMETASONE 200microgram INHALER (200dose) CFC FREE	Y	
BECLOMETASONE 50microgram BA-AUTO INHALER (200dose) CFC FREE	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, January 2008.
BECLOMETASONE 100microgram INHALER (200dose) CFC FREE	Y	
BECLOMETASONE 250microgram INHALER (200dose) CFC FREE	Y	

BECLOMETASONE 100microgram EASI-BREATHE INHALER CFC FREE	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, January 2008.
BECLOMETASONE 100microgram BA-AUTO INHALEF (200dose) CFC FREE	RR	For initiation by Respiratory clinicians only. Medicines Effectiveness, January 2008.
BECLOMETASONE 50microgram EASI-BREATHE INHALER CFC FREE 200dose	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, January 2008.
BECLOMETASONE 50microgram INHALER (200dose) CFC FREE	Y	
BUDESONIDE		
BUDESONIDE 100mcg FORMOTEREL 6mcg TURBOHALER (Symbicort 100/6)	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, August 2010.
BUDESONIDE 100microgram TURBOHALER DRY POWDER 200 DOSE	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
FLUTICASONE		
FLUTICASONE 100microgram ACCUHALER (60 dose)	NF	
FLUTICASONE / SALMETEROL 100microgram/50microgram ACCUHALER	R	For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE 2mg IN 2ml NEBULES	NF	
FLUTICASONE + SALMETEROL		
FLUTICASONE / SALMETEROL 500microgram/50microgram ACCUHALER	R	For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE / SALMETEROL 125microgram/25microgram EVOHALER 120dose	R	To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE / SALMETEROL 50microgram/25microgram EVOHALER 120dose	R	To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
MOMETASONE MOMETASONE FUROATE 400microgram DRY POWDER INHALER (30 DOSE)	NF	

#### 03.02.00 Corticosteroids

# BECLOMETASONE

	BECLOMETASONE 200mcg DRY POWDER INHALER	NF	
	(EASYHALER)		
	BECLOMETASONE / FORMOTEROL 200micrograms / 6micrograms INHALER 120dose	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
	BECLOMETASONE / FORMOTEROL 200micrograms / 6micrograms DRY POWDER INHALER 120dose	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
	BECLOMETASONE 100microgram CLICKHALER (200 dose)	NF	
	BECLOMETASONE/ FORMOTEROL 100micrograms/6micrograms DRY POWDER INHALER	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
E	BECLOMETASONE + GLYCOPYRRONIUM +		
	BECLOMETASONE 87micrograms / GLYCOPYRRONIUM 5micrograms / FORMOTEROL	R	For the treatment of COPD. To be initiation by Respiratory clinicians only. MMTC, March 2018
E	BECLOMETHASONE + FORMOTEROL		
	BECLOMETHASONE/FORMOTEROL 100micrigrams/6micrograms INHALER	R	For the treatment of: - COPD as per MILV10N7 Guidelines for the inhaled maintenance treatments of COPD; - For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
E	BUDESONIDE		
	BUDESONIDE 160MCG FORMOTEROL 4,5MCG INHALER 120DOSE (DUORESP)	NF	
	BUDESONIDE 1mg ORODISPERSIBLE TABLETS	R	For inducing remission of eosinophilic oesophagitis for up to 12 weeks in adults as per NICE TA720. MMTC, January 2022
	BUDESONIDE 0.5mg in 2ml RESPULES	Y	

BUDESONIDE 200mcg FORMOTEROL 6mcg TURBOHALER (Symbicort 200/6)	R	For the treatment of: - COPD as per MILV10N7 Guidelines for the inhaled maintenance treatments of COPD; - For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
BUDESONIDE 200microgram/dose TURBOHALER 100dose	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, August 2010.
BUDESONIDE 400mcg FORMOTEREL 12mcg TURBOHALER (Symbicort 400/12)	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
BUDESONIDE 400microgram/dose TURBOHALER 50dose	R	For initiation by Respiratory clinicians only. Medicines Effectiveness, August 2010.
BUDESONIDE 1mg in 2ml RESPULES	Y	
BUDESONIDE 320mcg FORMOTEROL 9mcg INHALER 60dose (Duoresp)	NF	
FLUTICASONE		
FLUTICASONE FUROATE 184micrograms / VILANTEROL 22micrograms INHALER	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
FLUTICASONE 250microgram EVOHALER (120dose)	Y	
FLUTICASONE 250microgram EVOHALER (120dose) FLUTICASONE 250microgram/dose ACCUHALER (60 doses)		For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, August 2010
FLUTICASONE 250microgram/dose ACCUHALER (60		evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, August
FLUTICASONE 250microgram/dose ACCUHALER (60 doses)	R Y	evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, August

FLUTICASONE 92micrograms / VILANTEROL 22micrograms INHALER	R	For the treatment of: - COPD as per MILV10N7 Guidelines for the inhaled maintenance treatments of COPD; - For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
FLUTICASONE / FORMOTEROL 125micrograms/5micrograms INHALER	NF	
FLUTICASONE + FORMOTEROL		
FLUTICASONE / FORMOTEROL 50micrograms/5micrograms INHALER	NF	
FLUTICASONE / FORMOTEROL 250micrograms/10micrograms INHALER	NF	
FLUTICASONE + SALMETEROL		
FLUTICASONE / SALMETEROL 500microgram / 50microgram INHALER 60dose (AIRFLUSAL)	R	For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE / SALMETEROL 250microgram/50microgram ACCUHALER	R	For patients unable to use the evohaler. To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE / SALMETEROL 250micrograms/25microgram EVOHALER 120dose	R	To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
FLUTICASONE + UMECLIDINIUM + VILANTEROL		
FLUTICASONE 92micrograms / UMECLIDINIUM 55micrograms / VILANTEROL 22micrograms INHALER	R	For the treatment of COPD. To be initiation by Respiratory clinicians only. MMTC, March 2018
SALMETEROL + FLUTICASONE		
SALMETEROL 25micrograms / FLUTICASONE 250micrograms INHALER (AIRFLUSAL)	R	To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.
SALMETEROL 25micrograms / FLUTICASONE 125micrograms INHALER (AIRFLUSAL)	R	To be initiated by Respiratory clinicians only. Medicines Effectiveness, November 2004.

03.03 Cromoglicate and related therapy, leukotriene receptor antagonists, and phosphodiesterase type-4 03.03.00 Cromoglicate and related therapy, leukotriene receptor antagonists, and phosphodiesterase BENRALIZUMAB

BENRALIZUMAB 30mg PRE FILLED PEN	R	Restricted for use in severe eosinophilic asthma as per NICE TA565. MMTC, April 2019
BENRALIZUMAB 30mg IN 1ml PRE-FILLED SYRING (COMPASSIONATE USE) CICLESONIDE	E NF	
CICLESONIDE MULTIDOSE INHALER 80MCG	R	For the maintenance management of asthma in adults as per MIL. MMTC, December 2017
CICLESONIDE 160microgram INHALER (60 dose)	NF	
MONTELUKAST		
MONTELUKAST 4mg GRANULES	R	For prophylaxis of asthma in paediatric patients only. To be initiated by Respiratory clinicians only. Medicines Effectiveness, March 2001.
MONTELUKAST 5mg CHEWABLE TABLETS	R	For prophylaxis of asthma in paediatric patients only. To be initiated by Respiratory clinicians only. Medicines Effectiveness, March 2001.
MONTELUKAST 10mg TABLETS	R	For prophylaxis of asthma. To be initiated by Respiratory clinicians only. Medicines Effectiveness, March 2001.
MONTELUKAST 4mg CHEWABLE TABLETS	R	For prophylaxis of asthma in paediatric patients unable to manage montelukast chewable tablets.To be initiated by Respiratory clinicians only. MMTC, January 2013.
NEDOCROMIL		
NEDOCROMIL 2mg/dose INHALER	NF	
ROFLUMILAST		
ROFLUMILAST 500microgram TABLETS	R	For the treatment of chronic obstructive pulmonary disease as per NICE TA461. NB: please note shared care arrangements with primary care. MMTC, August 2017
SODIUM CROMOGLICATE		
SODIUM CROMOGLICATE 5mg/dose INHALER (112dose)	NF	

03.04 Antihistamines, hyposensitisation, and allergic emergencies

Icatibant		
ICATIBANT 30mg in 3ml PRE FILLED SYRINGE (CELIX)	R	Restricted: For the treatment of Acute Attacks in Hereditary Angioedema as per NHS England Policy NHSCB/B09/P/b. MMTC, May 2013.
03.04.00 Antihistamines, hyposensitisation, and allergic e	mergenc	ies
ADRENALINE (EPINEPHRINE) 0.3mg PEN (EPIPEN - Pk2)	Y	TWO strengths of Epipen available, please ensure you select the CORRECT one. AE 19.09.08
ADRENALINE (EPINEPHRINE) 1 in 1000units 5mg IN 5ml INJECTION	Y	
RESLIZUMAB 100mg IN 1ml INJECTION	R	For treatment of severe eosinophilic asthma as per NICE TA479. MMTC, January 2018
RESLIZUMAB 25mg IN 2.5ml INJECTION	R	For treatment of severe eosinophilic asthma as per NICE TA479. MMTC, January 2018
03.04.01 Antihistamines ACRIVASTIN		
ACRIVASTIN 8mg CAPSULES	NF	
ALIMEMAZINE		
ALIMEMAZINE FORTE 30mg/5ml LIQUID	Y	
ALIMEMAZINE 7.5mg/5ml LIQUID	Y	
ALIMEMAZINE 10mg TABLETS	Υ	
BEE VENOM BEE VENOM 100; 1,000; 10,000; 100,000 SQ-units/ml INJECTION (4 VIAL INITIAL PACK - ALUTARD) BILASTINE	Y	
BILASTINE 20MG TABLETS	NF	
CETIRIZINE CETIRIZINE 5mg/5ml LIQUID	Y	

CETIRIZINE 10mg TABLETS	Y	
CHLORPHENAMINE CHLORPHENAMINE 4mg TABLETS	Y	
CHLORPHENAMINE 10mg IN 1ml INJECTION	Y	
CHLORPHENAMINE 2mg/5ml LIQUID	Y	
CHLORPHENAMINE 4mg TABLETS TTO 28's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
CLEMASTINE 1mg TABLETS	NF	
CYPROHEPTADINE 4mg TABLETS	R	For use as part of paediatric oncology anti-emetic policy. Medicines Effectiveness, February 2013.
DARUNAVIR LEVOCETIRIZINE HYDROCHLORIDE 2.5mg/5ml LIQU	JIDNF	
DIPHENHYDRAMINE		
DIPHENHYDRAMINE 25mg TABLETS	NF	
	NF R	For use by the ENT department only. Formulary options are cetirizine and loratadine. Medicines Effectiveness, March 2013.
DIPHENHYDRAMINE 25mg TABLETS FEXOFENADINE		only. Formulary options are cetirizine and loratadine. Medicines Effectiveness, March
DIPHENHYDRAMINE 25mg TABLETS FEXOFENADINE FEXOFENADINE 30mg TABLETS	R	only. Formulary options are cetirizine and loratadine. Medicines Effectiveness, March 2013. For use by the ENT department only. Formulary options are cetirizine and loratadine. Medicines Effectiveness, March

HYDROXYZINE HYDROXYZINE 10mg TABLETS	Y	
HYDROXYZINE 25mg TABLETS	Υ	
KETOTIFEN KETOTIFEN 1mg TABLETS	NF	
LORATADINE LORATADINE 10mg TABLETS	Y	
LORATADINE 5mg/5ml LIQUID	Y	
MIZOLASTINE MIZOLASTINE 10mg TABLETS M/R	NF	
OLOPATADINE OLOPATADINE 1mg/ml EYE DROPS TTO PACK 5ml	SR	
PROMETHAZINE PROMETHAZINE 5mg/5ml LIQUID	Y	
PROMETHAZINE 25mg TABLETS	Y	
PROMETHAZINE 10mg TABLETS	Y	
PROMETHAZINE 25mg IN 1ml INJECTION	Y	
TERFENADINE 60mg TABLETS	NF	
<b>Tree pollen</b> ITULAZAX TABS (ITULAZAX 30 TABLET PACK)	R	For Immunology Use ONLY
03.04.02 Allergen Immunotherapy BEE VENOM		
BEE VENOM MAINTENANCE 100,000 SQ-units/ml INJECTION (ALUTARD)	Y	For the treatment of bee and wasp venom allergy as per NICE TA246. February 2012
DAP CLAVULANIC DAP CLAVULANIC DIAGNOSTIC TEST 5mg/20mg INJECTION (18 PACK)	UNR	For use by Immunology. Medicines Effectivesness, March 2013.

DAP PENICILLIN

DAP PENICILLINS DIAGNOSTIC TEST 0.04mg/0.5mg INJECTION (6 PACK)	g UNR	For use by Immunology. Medicines Effectivesness, March 2013.
GRASS and TREE POLLEN EXTRACT GRASS and TREE POLLEN EXTRACT INJECTION	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
GRASS POLLEN EXTRACT GRASS POLLEN EXTRACT 75,000 UNITS TABLETS	30	R For treatment of allergic rhinitis in paediatrics (initiated by allergy team) only. MMTC November 2018
MEPOLIZUMAB		
MEPOLIZUMAB 100mg IN 10ml INJECTION	R	For the treatment of refractory eosinophilic asthma in adults (as per NICE TA431) and children over 6 years old (as per NHSE commissioning statement 170001/P). MMTC, March 2019
MEPOLIZUMAB 100mg PRE FILLED PEN	R	For the treatment of refractory eosinophilic asthma in adults (as per NICE TA431) and children over 6 years old (as per NHSE commissioning statement 170001/P). MMTC, March 2019
OMALIZUMAB		
OMALIZUMAB 150mg IN 1.2ml PRE-FILLED SYRING (COMPASSIONATE USE)	E	NF For Treatment of Patients with Chronic Spontaneous Urticaria (CSU) only. Medicines Effectiveness, May 2015.
OMALIZUMAB 150mg IN 1.2ml PRE-FILLED SYRING	ER	For the treatment of severe persistent allergic asthma as per NICE TA133 (Respiratory Consultants only), and for patients with previously treated chronic spontaneous urticarial as per NICE TA339 (Immunology Consultants only). MMTC, May 2015.

	OMALIZUMAB 75mg in 0.5ml PRE-FILLED SYRINGE	R	For the treatment of severe persistent allergic asthma as per NICE TA133 (Respiratory Consultants only), and for patients with previously treated chronic spontaneous urticarial as per NICE TA339 (Immunology Consultants only). MMTC, May 2015.
	WASP VENOM		
	WASP VENOM MAINTENANCE 100,000 SQ-units/ml INJECTION (ALUTARD)	Y	For the treatment of bee and wasp venom allergy as per NICE TA246. February 2012
	WASP VENOM 100; 1,000; 10,000; 100,000 SQ- units/ml INJECTION (4 VIAL INITIAL PACK - ALUTARE	Y ))	
(	03.04.03 Allergic emergencies		
	ADRENALINE		
	ADRENALINE (EPINEPHRINE) 150microgram PRE FILLED PEN	R	Ordered as a substitute for Epipen Junior during shortage. Medicines Effectiveness. October 2018
	ADRENALINE (EPINEPHRINE) 300microgram PRE- FILLED PEN (JEXT)	R	For use in areas who usually use EpiPen 0.3mg auto-injector whilst there is a supply problem ongoing. Medicines Effectiveness, April 2018
	ADRENALINE (EPINEPHRINE) 1 in 1000units 10mg IN 10ml INJECTION	Y	
	ADRENALINE (EPINEPHRINE) 0.3mg PEN (EPIPEN)	Υ	
	ADRENALINE (EPINEPHRINE) 1 in 1000 1mg in 1ml SYRINGE (ANAPHYLAXIS)	Y	
	ADRENALINE (EPINEPHRINE) 0.15mg PEN (EPIPEN)	Y	
	ADRENALINE (EPINEPHRINE) 1 in 1000 (1mg in 1ml) INJECTION	Y	
	C1 ESTERASE		
	C1 ESTERASE INHIBITOR 1500international units INJECTION (BERINERT)	R	For the Treatment of Acute Attacks in Hereditary Angioedema as per NHSE Policy Statement NHSCB/B09/P/b. NB: long-term prophylaxis requires an IFR. MMTC, June 2013

C1 ESTERASE INHIBITOR TIM 500units	R	For the Treatment of Acute Attacks in Hereditary Angioedema as per NHSE Policy Statement NHSCB/B09/P/b. NB: long-term prophylaxis requires an IFR. MMTC, June 2013.
C1 ESTERASE INHIBITOR 500units INJECTION (CINRYZE) with administration set	R	For the Treatment of Acute Attacks in Hereditary Angioedema as per NHSE Policy Statement NHSCB/B09/P/b. NB: long-term prophylaxis requires an IFR. MMTC, June 2013.
CONESTAT ALFA CONESTAT ALFA 2100units INJECTION	R	
EPIPEN TRAINER	Y	
ICATIBANT		
ICATIBANT 30mg IN 3ml PRE-FILLED SYRINGE	NF	For the treatment of Acute Attacks in Hereditary Angioedema as per NHS England Policy NHSCB/B09/P/b. MMTC, May 2013.
03.05 Respiratory stimulants and pulmonary surfactants 03.05.01 Respiratory stimulants		
CAFFEINE CAFFEINE CITRATE 20mg in 1ml (CAFFEINE BASE 10mg/ml) INJECTION	R	Restricted to apnoea in neonates and infants. Medicines Effetiveness, July 2011
DOXAPRAM		
DOXAPRAM 100mg IN 5ml INJECTION	Y	For use in resuscitation of patients in COVID areas and theatres during COVID-19.
03.05.02 Pulmonary surfactants PORACTANT		
PORACTANT ALFA 120mg IN 1.5ml endotracheopulmonary suspension vials	R	For the treatment and prophylaxis of neonatal respiratory distress syndrome. MAC, May 2010.
PORACTANT ALFA 240mg IN 3ml endotracheopulmonary suspension vials	R	For the treatment and prophylaxis of neonatal respiratory distress syndrome. MAC, May 2010.

03.07.00 Mucolytics

# CARBOCISTEINE

CARDUCISTEINE		
CARBOCISTEINE 250mg/5ml LIQUID	R	For use as per NICE guidelines in patients with swallowing difficulties or feeding tube only. Medicines Effectiveness, December 2004.
CARBOCISTEINE 375mg CAPSULES	R	For use as per NICE guidelines. Medicines Effectiveness, December 2004.
DORNASE ALFA		
DORNASE ALFA 2.5mg (2500units) IN 2.5ml NEBULISER SOLUTION	R	For cystic fibrosis patients with associated spirometric monometric monitoring; and for loculated empyema (unlicensed indication - to be used under direction from Dr Naj Rahman only, Pleural Consultant). Medicines Effectiveness, September 2013.
IVACAFTOR		
IVACAFTOR 150mg TABLETS (COMPASSIONATE SUPPLY)	NF	For the treatment of cystic fibrosis (CF) in patients age 6 years and older who have a G551D mutation in the CFTR gene.
		MMTC, January 2013
MANNITOL (BIDA PACK) 40mg CAPULES + INHAL	ER R	For the treatment of cystic fibrosis as per NICE TA266. FOR TRIAL DOSES ONLY. MMTC, April 2013.
SODIUM CHLORIDE		
SODIUM CHLORIDE 7% NEBULES	R	For CF and bronchiectasis patients only on Geoffrey Harris Ward (CH) or Melanies (JR). WARNING - High Strength Product Do NOT issue as ward stock - issue to individually named patients only. MMTC, September 2010.
2.00 Course proportions		

03.09 Cough preparations 03.09.00 Cough preparations SIMPLE LINCTUS

SIMPLE LINCTUS SUGAR FREE 200ml	Y	
03.10 Systemic nasal decongestants 03.10.00 Systemic nasal decongestants <b>PSEUDOEPHEDRINE</b> PSEUDOEPHEDRINE 30mg/5ml LIQUID	Y	
03.11 Antifibrotics 03.11.00 Antifibrotics <b>PIRFENIDONE</b>		
PIRFENIDONE 267mg CAPSULES	R	For treating idiopathic pulmonary fibrosis as per NICE TA504. MMTC, February 2018
PIRFENIDONE 267mg CAPSULES (2 WEEK INITIATION PACK)	R	For treating idiopathic pulmonary fibrosis as per NICE TA504. MMTC, February 2018
03.11.00 Antifibrotics		
NINTEDANIB NINTEDANIB 150mg CAPSULES	R	OFEV Brand only - For the treatment of idiopathic pulmonary fibrosis as per NICE TA379. MMTC, March 2016
NINTEDANIB 100mg CAPSULES	R	OFEV Brand only -For the treatment of idiopathic pulmonary fibrosis as per NICE TA379. MMTC, March 2016
04 Central nervous system		
04.01 Hypnotics and anxiolytics 04.01 Hypnotics and anxiolytics <b>Melatonin</b>		
MELATONIN 5mg/5ml LIQUID (MARTINDALE)	SR	For use prior to EEGs, auditory brainstem response (ABR) testing and sleep management in paediatric patients only. MMTC, June 2023
MELATONIN 5mg TABLETS M/R	R	For management of sleep disturbance in children age 2 years and over as per sleep management shared care protocol criteria. MMTC, December 2023

MELATONIN 1mg TABLETS M/R		For management of sleep disturbance in children age 2 years and over as per sleep management shared care protocol criteria. MMTC, December 2023
Nitrazepam NITRAZEPAM 2.5mg/5ml LIQUID	I	For established patients only. Medicines Effectiveness, February 2013.
TELOTRISTAT TELOTRISTAT 250 MG TABLETS	NF	
04.01.00 Antihypertensives CLONIDINE		
CLONIDINE 750micrograms in 50ml PRE-FILLE SYRINGES	ä	For sedation in critical care areas, Medicines Effectiveness January 2021
04.01.01 Hypnotics CHLORAL		
CHLORAL HYDRATE 25mg SUPPOSITORIES		For the sedation of paediatrics prior painless procedures. Medicines Effectiveness, May 2017
CHLORAL HYDRATE 50mg SUPPOSITORIES		For the sedation of paediatrics prior painless procedures. Medicines Effectiveness, May 2017
CHLORAL HYDRATE 500mg/5ml LIQUID	-	Until licensed version available again
CLOMETHIAZOLE		
CLOMETHIAZOLE 192mg CAPSULES	l	For sedation only. NOT to be used for acute alcohol withdrawal. Medicines Effectiveness, August 2001.
CLOMETHIAZOLE 250mg/5ml LIQUID		For sedation only. NOT to be used for acute alcohol withdrawal. Medicines Effectiveness, August 2001.
FLURAZEPAM		
FLURAZEPAM 15mg CAPSULES	NF	

LOPRAZOLAM

LOPRAZOLAM 1mg TABLETS	NF	
MELATONIN MELATONIN 2mg TABLETS M/R	R	For sleep management in paediatric patients only. MMTC, March 2016
NITRAZEPAM NITRAZEPAM 5mg TABLETS	Y	
SODIUM OXYBATE SODIUM OXYBATE 500mg/ml LIQUID 180ml	R	For use by Consultant Neurologists only following an IFR approval from OCCG. Prescription must be on sodium oxybate-specific form. Medicines Effectiveness, March 2013.
TEMAZEPAM TEMAZEPAM 10mg/5ml LIQUID S/F	Y	
TEMAZEPAM 10mg TABLETS	Y	
TRICLOFOS SODIUM TRICLOFOS SODIUM 500mg/5ml LIQUID	NF	
ZOLPIDEM ZOLPIDEM 10MG TABLETS	NF	
ZOLPIDEM TARTRATE 5mg TABLETS	NF	
ZOPICLONE ZOPICLONE 7.5mg TABLETS	Y	
ZOPICLONE 3.75mg TABLETS	Y	
04.01.02 Anxiolytics ALCOHOL		
ALCOHOL ABSOLUTE 5ml INJECTION	Y	
ALCOHOL ABSOLUTE 2ml INJECTION	Y	
BUSPIRONE 5mg TABLETS	NF	
CHLORDIAZEPOXIDE		

CHLORDIAZEPOXIDE 10mg CAPSULES	Y	
CHLORDIAZEPOXIDE 5mg CAPSULES	Y	
CLORAZEPATE CLORAZEPATE DIPOTASSIUM 15mg CAPSULES	NF	
DIAZEPAM DIAZEPAM 10mg IN 2ml INJECTION	Y	
DIAZEPAM 10mg RECTAL TUBES	Υ	
DIAZEPAM 2mg/5ml LIQUID	Y	
DIAZEPAM 5mg TABLETS	Y	
DIAZEPAM 10mg TABLETS	Y	
DIAZEPAM 2mg TABLETS	Y	
LORAZEPAM LORAZEPAM 4mg IN 1ml INJECTION	Y	
LORAZEPAM 1mg TABLETS	Y	
OXAZEPAM OXAZEPAM 10mg TABLETS	NF	
04.01.03 Barbiturates <b>AMYLOBARBITONE</b> AMYLOBARBITONE SODIUM (AMOBARBITAL SODIUM) 500mg INJECTION	UNR	Restricted for Wada intra arterial testing only. Medicines Effectiveness. May 2018
MEPROBAMATE MEPROBAMATE 400mg TABLETS	NF	
4.01.02 Anxiolytics LORAZEPAM LORAZEPAM 2.5mg TABLETS	NF	
04.02 Drugs used in psychoses and related disorders 04.02 Drugs used in psychoses and related disorders <b>NORADRENALINE</b> NORADRENALINE 4mg IN 50ml INJECTION (VIALS)	Y	

ELTROMBOBAG 75mg TABLETSRFor treating chronic immune (idiopathic) thrombocytopenic pupura as per NICE TA233. (Also included under Medicines for Children Policy) available for paediatrics. MMTC August 201904.02.01 Antipsychotic drugsAMISULPRIDE AMISULPRIDE 200mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.AMISULPRIDE 500mg/5ml LIQUIDNFAMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.AMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.ARIPIPRAZOLE ARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSNFARIPIPRAZOLE 15mg TABLETSNFCHLORPROMAZINE CHLORPROMAZINE 100mg TABLETSYCHLORPROMAZINE 100mg TABLETSY	04.02.00 Drugs used in psychoses and related disorders <b>ELTROMBOBAG</b>		
AMISULPRIDE       AMISULPRIDE 200mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.         AMISULPRIDE 500mg/5ml LIQUID       NF         AMISULPRIDE 500mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.         ARIPIPRAZOLE       R       For continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.         ARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150ml       NF         ARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLE       NF         ARIPIPRAZOLE 10mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 10mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       NF       ChLORPROMAZINE 50mg TABLETS       NF	ELTROMBOBAG 75mg TABLETS	R	(idiopathic) thrombocytopenic purpura as per NICE TA293. (Also included under Medicines for Children Policy) available for
AMISULPRIDE 200mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.AMISULPRIDE 500mg/5ml LIQUIDNFAMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.AMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.ARIPIPRAZOLEMRFor continuation of therapy as 			
AMISULPRIDE 500mg/5ml LIQUIDNFAMISULPRIDE 500mg/5ml LIQUIDNFAMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.ARIPIPRAZOLENFARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150mlNFARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSNFCHLORPROMAZINE CHLORPROMAZINE 50mg TABLETSY		D	For continuation of therapy of
AMISULPRIDE 50mg TABLETSRFor continuation of therapy as per the Mental Health Trust. Medicines Effectiveness, July 2012.ARIPIPRAZOLEARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150mlNFARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.Asenapine ASENAPINE 10MG SUBLINGUAL TABLETSNFCHLORPROMAZINE 50mg TABLETSY	AWISOLFRIDE 200111g TABLETS	ĸ	per the Mental Health Trust. Medicines Effectiveness, July
ARIPIPRAZOLEPer the Mental Health Trust. Medicines Effectiveness, July 2012.ARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150mlNFARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. 	AMISULPRIDE 500mg/5ml LIQUID	NF	
ARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150mlNFARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ASENAPINE CHLORPROMAZINE 50mg TABLETSNF	AMISULPRIDE 50mg TABLETS	R	per the Mental Health Trust. Medicines Effectiveness, July
ARIPIPRAZOLE 1mg/ml ORAL SOLUTION 150mlNFARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLENFARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. 			
ARIPIPRAZOLE 10mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 5mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.ARIPIPRAZOLE 15mg TABLETSRFor continuation of therapy as per the Mental Health Trust. MMTC, November 2013.Asenapine ASENAPINE 10MG SUBLINGUAL TABLETSNFCHLORPROMAZINE CHLORPROMAZINE 50mg TABLETSY		NF	
ARIPIPRAZOLE 5mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         Asenapine       ASENAPINE 10MG SUBLINGUAL TABLETS       NF         CHLORPROMAZINE       Y	ARIPIPRAZOLE 15mg TABLETS ORODISPERSIBLE	NF	
ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         ARIPIPRAZOLE 15mg TABLETS       R       For continuation of therapy as per the Mental Health Trust. MMTC, November 2013.         Asenapine       ASENAPINE 10MG SUBLINGUAL TABLETS       NF         CHLORPROMAZINE       Y	ARIPIPRAZOLE 10mg TABLETS	R	per the Mental Health Trust.
Asenapine       ASENAPINE 10MG SUBLINGUAL TABLETS       NF         CHLORPROMAZINE       Y	ARIPIPRAZOLE 5mg TABLETS	R	per the Mental Health Trust.
ASENAPINE 10MG SUBLINGUAL TABLETS NF CHLORPROMAZINE CHLORPROMAZINE 50mg TABLETS Y	ARIPIPRAZOLE 15mg TABLETS	R	per the Mental Health Trust.
ASENAPINE 10MG SUBLINGUAL TABLETS NF CHLORPROMAZINE CHLORPROMAZINE 50mg TABLETS Y	Asenapine		
CHLORPROMAZINE 50mg TABLETS Y	•	NF	
CHLORPROMAZINE 100mg TABLETS Y		Y	
	CHLORPROMAZINE 100mg TABLETS	Y	
CHLORPROMAZINE 25mg TABLETS Y	CHLORPROMAZINE 25mg TABLETS	Y	

CHLORPROMAZINE 25mg/5ml LIQUID	Y	
CLOZAPINE CLOZAPINE 100mg TABLETS (SCORED)	NF	For no-charge label of OH stock only. Not for ordering. Medicines Effectiveness April 2019
CLOZAPINE 25mg TABLETS (SCORED)	NF	For relabelling purposes only. Never to be ordered for OUH
FLUPENTIXOL FLUPENTIXOL 3MG TABLETS	NF	
HALOPERIDOL HALOPERIDOL 5mg IN 1ml INJECTION	Y	
HALOPERIDOL 5mg TABLETS	Y	
HALOPERIDOL 10mg/5ml LIQUID	Y	
HALOPERIDOL 1.5mg TABLETS	Y	
Levomepromazine		
LEVOMEPROMAZINE HYDROCHLORIDE 25mg in 5n ORAL SOLUTION SF	าไ	R Only to be used if Levomepromazine 25mg tablets are unavailable.
	nl Y	Levomepromazine 25mg tablets
ORAL SOLUTION SF		Levomepromazine 25mg tablets
ORAL SOLUTION SF	Y	Levomepromazine 25mg tablets
ORAL SOLUTION SF LEVOMEPROMAZINE 25mg TABLETS LEVOMEPROMAZINE 25mg IN 1ml INJECTION LURASIDONE	Y Y	Levomepromazine 25mg tablets
ORAL SOLUTION SF LEVOMEPROMAZINE 25mg TABLETS LEVOMEPROMAZINE 25mg IN 1ml INJECTION LURASIDONE LURASIDONE 37mg TABLETS	Y Y NF	Levomepromazine 25mg tablets
ORAL SOLUTION SF LEVOMEPROMAZINE 25mg TABLETS LEVOMEPROMAZINE 25mg IN 1ml INJECTION LURASIDONE LURASIDONE 37mg TABLETS LURASIDONE 74mg TABLETS OLANZAPINE	Y Y NF NF	Levomepromazine 25mg tablets are unavailable. For NBM patients who cannot tolerate haloperidol. MAC, May
ORAL SOLUTION SF LEVOMEPROMAZINE 25mg TABLETS LEVOMEPROMAZINE 25mg IN 1ml INJECTION <b>LURASIDONE</b> LURASIDONE 37mg TABLETS LURASIDONE 74mg TABLETS <b>OLANZAPINE</b> OLANZAPINE 10mg in 2ml INJECTION	Y Y NF NF R	Levomepromazine 25mg tablets are unavailable. For NBM patients who cannot tolerate haloperidol. MAC, May

OLANZAPINE ORODISPERSIBLE 10mg TABLETS	R	For palliative or end of life care patients with swallowing difficulties and for patients with feeding tubes only. MMTC, June 2014.
OLANZAPINE ORODISPERSIBLE 15mg TABLETS	R	For palliative or end of life care patients with swallowing difficulties and for patients with feeding tubes only. MMTC, June 2014.
OLANZAPINE ORODISPERSIBLE 5mg TABLETS	R	For palliative or end of life care patients with swallowing difficulties and for patients with feeding tubes only. MMTC, June 2014.
OLANZAPINE 15mg TABLETS	Y	
PALIPERIDONE PALIPERIDONE 100mg INJECTION PRE-FILLED SYRINGE	NF	
PALIPERIDONE 50mg INJECTION PRE-FILLED SYRINGE	NF	
PERICYAZINE PERICYAZINE 10mg/5ml SYRUP	NF	
PERICYAZINE 2.5mg TABLETS	NF	
PROMAZINE PROMAZINE 25mg/5ml LIQUID 150ml	NF	
PROMAZINE 25mg TABLETS	NF	
QUETIAPINE		
QUETIAPINE 200mg MR TABLETS	NF	
QUETIAPINE 100mg TABLETS	R	For use by or on recommendation from a Consultant in Mental Health only and for continuation of therapy. Medicines Effectiveness, April 2007.
QUETIAPINE 150mg TABLETS	R	For use by or on recommendation from a Consultant in Mental Health only and for continuation of therapy. Medicines Effectiveness, April 2007.

QUETIAPINE 200mg TABLETS	R	For use by or on recommendation from a Consultant in Mental Health only and for continuation of therapy. Medicines Effectiveness, April 2007.
QUETIAPINE 25mg TABLETS	R	For use by or on recommendation from a Consultant in Mental Health only and for continuation of therapy. Medicines Effectiveness, April 2007.
QUETIAPINE 300mg TABLETS M/R	NF	
QUETIAPINE 50mg TABLETS M/R	NF	
QUETIAPINE 300mg TABLET	R	For use by or on recommendation from a Consultant in Mental Health only and for continuation of therapy. Medicines Effectiveness, April 2007.
RISPERIDONE 2mg ORODISPERSIBLE TABLETS	NF	
RISPERIDONE 1mg TABLETS	Y	
RISPERIDONE 2mg TABLETS	Υ	
RISPERIDONE 500microgram ORODISPERSIBLE TABLETS	NF	
RISPERIDONE 3mg TABLETS	Y	
RISPERIDONE 500microgram TABLETS	Y	
RISPERIDONE 5mg/5ml LIQUID	Y	
SULPIRIDE 200mg TABLETS	R	For use by or on the recommendation of a Consultant in Mental Health only. Medicines Effectiveness, June 2007.
SULPIRIDE 200mg/5ml LIQUID	R	For use by or on the recommendation of a Consultant in Mental Health only. Medicines Effectiveness, June 2007.

SULPIRIDE 400mg TABLETS	R	For use by or on the recommendation of a Consultant in Mental Health only. Medicines Effectiveness, June 2007.
TRIFLUOPERAZINE TRIFLUOPERAZINE 5mg TABLETS	Y	
TRIFLUOPERAZINE 10mg CAPSULES M/R	Y	
TRIFLUOPERAZINE 15mg CAPSULES M/R	Y	
TRIFLUOPERAZINE 1mg TABLETS	Y	
TRIFLUOPERAZINE 1mg/5ml LIQUID 200ml	Y	
TRIFLUOPERAZINE 5mg/5ml LIQUID 150ml	Y	
ZUCLOPENTHIXOL ZUCLOPENTHIXOL ACETATE 50mg IN 1ml INJECTI	ON NF	
ZUCLOPENTHIXOL 10mg TABLETS	Y	
ZUCLOPENTHIXOL 2mg TABLETS	Y	
04.02.01 Antipsychotic drugs > Second-generation antip	osychotic	drugs
ARIPIPRAZOLE ARIPIPRAZOLE 7.5mg IN 1ml INJECTION	NF	
04.02.01 Antipsychotics OLANZAPINE OLANZAPINE 210mg PR INJECTION	NF	
04.02.02 Antipsychotic depot injections <b>FLUPENTIXOL</b> FLUPENTIXOL DECANOATE 20mg in 1ml INJECTIO	N NF	
HALOPERIDOL HALOPERIDOL DECANOATE 50mg IN 1ml INJECTIO	ON NF	
HALOPERIDOL DECANOATE 100mg IN 1ml INJECT	ION NF	
OLANZAPINE OLANZAPINE 7.5mg TABLETS	Y	

PALIPERIDONE

PALIPERIDONE 263mg INJECTION PRE-FILLED SYRINGE	NF	
PALIPERIDONE 75mg INJECTION PRE-FILLED SYRINGE	NF	
PALIPERIDONE 150mg INJECTION PRE-FILLED SYRINGE	NF	
RISPERIDONE		
RISPERIDONE 25mg DEPOT INJECTION	NF	
RISPERIDONE 37.5mg DEPOT INJECTION	NF	
RISPERIDONE 50mg DEPOT INJECTION	NF	
ZUCLOPENTHIXOL		
ZUCLOPENTHIXOL DECANOATE 200mg in 1ml INJECTION	NF	
ZUCLOPENTHIXOL DECANOATE 500mg IN 1ml INJECTION	NF	
04.02.03 Antidepressant drugs		
VALPROIC ACID		
VALPROIC ACID 500mg TABLETS E/C	R	For use by or on the recommendation of a Consultant Mental Health only and for continuation of therapy. Medicines Effectiveness, February 2008
VALPROIC ACID 250mg TABLETS E/C	R	For use by or on the recommendation of a Consultant Mental Health only and for continuation of therapy. Medicines Effectiveness, February 2008.
04.02.03 Antimanic drugs		
LITHIUM		
LITHIUM CARBONATE 250mg TABLETS (CAMCOLI	T) R	For continuation therapy or initiation following advice of a psychiatrist only. Medicines Effectiveness, December 2010.
LITHIUM CARBONATE 400mg M/R TABLETS (PRIADEL)	R	For continuation therapy or initiation following advice of a psychiatrist only. Medicines Effectiveness, December 2010.
LITHIUM CITRATE 5.4mmol/5ml LIQUID (Li-Liquid)	R	For continuation therapy or initiation following advice of a psychiatrist only. Medicines Effectiveness, December 2010.

	LITHIUM CARBONATE 200mg MR TABLETS (PRIADEL)	R	For continuation therapy or initiation following advice of a psychiatrist only. Medicines Effectiveness, December 2010.
	LITHIUM CARBONATE (LISKONUM) 450mg M/R TABLETS	NF	
	LITHIUM CARBONATE 400mg M/R TABLETS (CAMCOLIT)	R	For continuation therapy or initiation following advice of a psychiatrist only. Medicines Effectiveness, December 2010.
	4.02.03 Drugs used for mania and hypomania _ITHIUM		
	LITHIUM CITRATE 520mg/5ml LIQUID	NF	
	4.08.01 Control of epilepsy PHENYTOIN		
	PHENYTOIN 50mg TABLETS	UNR	Restricted for established patients during supply problem
	4.08.01 Control of the epileps F <b>OPIRAMATE</b> TOPIRAMATE 50mg/5ml ORAL SUSPENSION	NF	
0	4.08.01 Control of the epilepsies		
	Brivaracetam		
	BRIVARACETAM 25MG TABLETS	R	For the treatment of drug resistant partial onset seizures (3rd line option). For initiation by neurologists only. MMTC, January 2017
c	SAFINAMIDE		
	SAFINAMIDE 100mg TABLETS	NF	
0	02 Epilepsy and other seizure disorders 4.02.00 Antiepileptics <b>FENFLURAMINE</b>		
	FENFLURAMINE 2.2mg/ml ORAL SOLUTION 120ml	R	?For treatment of seizures associated with Dravet syndrome in people aged 2 years and older as per NICE TA808. MMTC, December 2022
04.0	03 Antidepressant drugs		
~	4.00.04 Trievalie and valated antidamenes and during		

04.03.01 Tricyclic and related antidepressant drugs **TRIMIPRAMINE** 

TRIMIPRAMINE 25mg TABLETS	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
TRIMIPRAMINE 10mg TABLETS	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
04.03.01 Tricyclic and related antidepressant drugs <b>AMITRIPTYLINE</b>		
AMITRIPTYLINE 50mg TABLETS	Y	
AMITRIPTYLINE 25mg/5ml LIQUID S/F	Y	
AMITRIPTYLINE 25mg TABLETS	Y	
AMITRIPTYLINE 10mg TABLETS	Y	
CLOMIPRAMINE		
CLOMIPRAMINE 10mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
CLOMIPRAMINE 25mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
CLOMIPRAMINE 50mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
DOSULEPIN		
DOSULEPIN 75mg TABLETS	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
DOSULEPIN 25mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
DOXEPIN		
DOXEPIN 25mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016

#### **IMIPRAMINE**

IMIPRAMINE 25mg TABLETS	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
IMIPRAMINE 25mg/5ml LIQUID SUGAR FREE	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
IMIPRAMINE 10mg TABLETS	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
LOFEPRAMINE		
LOFEPRAMINE 70mg TABLETS	Υ	
LOFEPRAMINE 70mg/5ml LIQUID	Y	
METHYLPHENIDATE 27mg M/R TABLETS	NICE	Approved for use as per NICE TA only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, March 2013
MIANSERIN MIANSERIN 10mg TABLETS	Y	
MOTIVAL		
MOTIVAL TABLETS (NF)	NF	
NORTRIPTYLINE NORTRIPTYLINE 25mg TABLETS	Y	
NORTRIPTYLINE 10mg TABLETS	Y	
TRAZODONE		
TRAZODONE 50mg/5ml LIQUID	NF	
TRAZODONE 100mg CAPSULES	Y	
TRAZODONE 50mg CAPSULES	Y	

TRIMIPRAMINE

TRIMIPRAMINE 50mg CAPSULES	R	For continuation of therapy or initiation by psychological medicine only. MMTC, October 2016
TRIPTAFEN TRIPTAFEN 25mg/2mg TABLETS	NF	
04.03.02 Monoamine-oxidase inhibitors ISOCARBOXAZID ISOCARBOXAZID 10mg TABLETS	NF	
MOCLOBEMIDE MOCLOBEMIDE 150mg TABLETS	R	For use by Consultant Psychiatrist only. Medicines Effectiveness, March 2013.
PHENELZINE PHENELZINE 15mg TABLETS	Y	
TRANYLCYPROMINE TRANYLCYPROMINE 10mg TABLETS	Y	
04.03.03 Selective serotonin re-uptake inhibitors CITALOPRAM CITALOPRAM 40mg/ml ORAL DROPS 15ml	Y	
CITALOPRAM 10mg TABLETS	Y	
CITALOPRAM 20mg TABLETS	Y	
ESCITALOPRAM ESCITALOPRAM 5mg TABLETS	NF	
ESCITALOPRAM 10mg TABLETS	NF	
ESCITALOPRAM 20mg TABLETS	NF	
Paroxetine PAROXETINE 10mg TABLETS	Y	
PAROXETINE 20mg TABLETS	Y	
PAROXETINE 10mg/5ml LIQUID SUGAR FREE	Y	
PAROXETINE 30mg TABLETS	Y	

SERTRALINE	N/	
SERTRALINE 100mg TABLETS	Y	
SERTRALINE 50mg TABLETS	Y	
04.03.04 Other antidepressant drugs <b>AGOMELATINE</b> AGOMELATINE 25mg TABLETS	NF	
DULOXETINE		
DULOXETINE 20mg CAPSULES	NF	
DULOXETINE 40mg CAPSULES	NF	
DULOXETINE 30mg CAPSULES	R	For painful diabetic neuropathy following the recommendation by a Pain or Diabetes specialist. MMTC, July 2013.
DULOXETINE 60mg CAPSULES	R	For painful diabetic neuropathy following the recommendation by a Pain or Diabetes specialist. MMTC, July 2013.
FLUOXETINE		
FLUOXETINE 20mg/5ml LIQUID	Y	
FLUOXETINE 20mg CAPSULES	Y	
FLUPENTIXOL FLUPENTIXOL DECANOATE 200MG/ML SOLUTIO FOR INJECTION		
FLUPENTIXOL DECANOATE 100mg in 1ml INJECTIO	N NF	
FLUPENTIXOL 500microgram TABLETS	Y	
FLUPENTIXOL 1mg TABLETS	Y	
FLUPHENAZINE FLUPHENAZINE HYDROCHLORIDE 1mg TABLETS	Y	
FLUVOXAMINE FLUVOXAMINE 50mg TABLETS	NF	
MIRTAZAPINE		

MIRTAZAPINE 45mg TABLETS	R	For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC,
MIRTAZAPINE 15mg ORODISPERSIBLE TABLETS	R	Restricted to patients with swallowing difficulties or feeding- tubes. For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC, October 2017
MIRTAZAPINE 15mg TABLETS	R	For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC,
MIRTAZAPINE 30mg ORODISPERSIBLE TABLETS	R	Restricted to patients with swallowing difficulties or feeding- tubes. For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC, October 2017
MIRTAZAPINE 30mg TABLETS	R	For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC,

MIRTAZAPINE 45mg ORODISPERSIBLE TABLETS	R	Restricted to patients with swallowing difficulties or feeding- tubes. For use in established patients, as per MILV3N1 Initiating antidepressants for the treatment of depression in adults in hospital or on the recommendation by psychogeriatricians or psychiatrists only. MMTC, October 2017
MIRTAZAPINE 75mg/5ml LIQUID 66ml	NF	
TRYPTOPHAN TRYPTOPHAN 500mg TABLETS	NF	
VENLAFAXINE		
VENLAFAXINE 75mg TABLETS	R	For initiation by a psychiatrist or a psychogeriatrician only. Medicines Effectiveness, December 2002.
VENLAFAXINE 150mg CAPSULES XL	R	For initiation by a psychiatrist or a psychogeriatrician only. Medicines Effectiveness, December 2002.
VENLAFAXINE 37.5mg TABLETS M/R	R	For initiation by a psychiatrist or a psychogeriatrician only. Medicines Effectiveness, December 2002.
VENLAFAXINE 75mg CAPSULES XL	R	For initiation by a psychiatrist or a psychogeriatrician only. Medicines Effectiveness, December 2002.
VENLAFAXINE 37.5mg TABLETS	R	For initiation by a psychiatrist or a psychogeriatrician only. Medicines Effectiveness, December 2002.
VORTIOXETINE		
VORTIOXETINE 5mg TABLETS	R	Approved for continuation of treatment for major depressive episodes in adults as per NICE TA367 MMTC, December 2018
040202 Attention definit hyperactivity discretes drype		

# 040302 Attention deficit hyperactivity disorder drugs

## METHYLPHENIDATE

METHYLPHENIDATE 36mg TABLETS M/R (XAGGITIN) NF

Noradrenaline reuptake inhibitors		
ATOMOXETINE 10mg CAPSULES	NF	
ATOMOXETINE 20mg/5ml ORAL SOLUTION (3 x 100ml)	NF	
04.04 CNS stimulants and drugs used for attention defici	it hyperacti	vity disorder
Lisdexamfetamine LISDEXAMFETAMINE 40mg CAPSULES	NF	
04.04 CNS stimulants and drugs used for attention de DEXAMFETAMINE	ficit hypera	ctivity disorder
DEXAMFETAMINE 5mg TABLETS	NF	
DEXAMFETAMINE 5mg TABLETS	NF	
LISDEXAMFETAMINE LISDEXAMFETAMINE 50mg CAPSULES	NF	To be prescribed at Oxford Health NHS Foundation Trust
		only.
METHYLPHENIDATE		
METHYLPHENIDATE 5mg TABLETS	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
METHYLPHENIDATE MR 10MG CAPSULES	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, FeFor treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
METHYLPHENIDATE 20mg TABLETS	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
METHYLPHENIDATE 10mg TABLETS	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021

METHYLPHENIDATE MR 20mg CAPSULES	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
METHYLPHENIDATE 30mg M/R CAPSULES	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
METHYLPHENIDATE 36mg TABLETS M/R	NF	
METHYLPHENIDATE 18mg TABLETS M/R	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
04.04.00 CNS stimulants and drugs used for attention de	eficit hype	ractivity disorder
MODAFINIL 100mg TABLETS	R	Patients with proven diagnosis of narcolepsy Medicines Advisory Committee, September 2010.
RIOCIGUAT		
RIOCIGUAT 1.5MG TABLETS	NF	
04.04.00 Noradrenaline reuptake inhibitors <b>REBOXETINE</b> REBOXETINE 4mg TABLETS	NF	
4.04 CNS stimulants and drugs used for attention deficit <b>CAFFEINE</b>	hyperacti	vity disorder
CAFFEINE CITRATE 20mg/ml (100mg/5ml) LIQUID	Υ	
LISDEXAMFETAMINE		
LISDEXAMFETAMINE 20mg CAPSULES	NF	
LISDEXAMFETAMINE 30mg CAPSULES	NF	
METHYLPHENIDATE METHYLPHENIDATE 5mg CAPSULES M/R	R	For treatment of children over 5 years with ADHD as per NICE guideline NG87 MMTC, February 2021
Noradrenaline reuptake inhibitors		
ATOMOXETINE ATOMOXETINE 18mg CAPSULES	NF	
A CMONETHINE TOINING ON TOOLEO	1.41	

04.05 Drugs used in the treatment of obesity 04.05.01 Anti-obesity drugs acting on the gastro-intestina <b>ORLISTAT</b>	al tract	
ORLISTAT 120mg CAPSULES	NF	
04.05.02 Centrally acting appetite suppressants <b>FENFLURAMINE</b> FENFLURAMINE 2.2mg/ml ORAL SOLUTION 120ml	NF	Requires overlabelling
(FREE OF CHARGE)		
04.06 Drugs used in nausea and vertigo		
Prochlorperazine		
PROCHLORPERAZINE 3mg BUCCAL TABLETS	Y	
04.02.00 Drugs used in psychoses and related disorders NETUPITANT + PALONOSETRON	:	
NETUPITANT 300mg / PALONOSETRON 500microgram CAPSULES	NF	
04.02.01 Antipsychotic drugs PROCHLORPERAZINE		
PROCHLORPERAZINE 3mg BUCCAL TABLETS	Y	
04.06 Drugs used in nausea and vertigo		
PROCHLORPERAZINE	Y	
PROCHLORPERAZINE 12.5mg IN 1ml INJECTION	Ĭ	
PROCHLORPERAZINE 5mg TABLETS	Y	
04.06.00 Antimuscarinics		
	P	
HYOSCINE 1.5mg PATCHES	R	For excess secretions. Medicines Effectiveness, March 2010.
04.06.00 Drugs used in nausea and vertigo		
PETHIDINE PETHIDINE 50mg TABLETS	NF	
FETHIDINE SUNY FADLETS	INF	
04.06.00 Nausea and labyrinth disorders <b>APREPITANT</b>		

APREPITANT 125mg & 80mg CAPSULES 3 DAY PACK	R	To prevent nausea and vomiting associated with highly emetogenic chemotherapy not responding to standard antiemetic therapy. It may be used as first line in: a) Head and Neck patients receiving 2 cycles neoadjuvant CF; b) Sarcoma patients receiving highly emetic chemotherapy. NB: its use in children is off-label (approved by MMTC). And for use in primary prophylaxis of CINV during COVID-19 pandemic
APREPITANT 80mg CAPSULES	R	To prevent nausea and vomiting associated with highly emetogenic chemotherapy not responding to standard antiemetic therapy. It may be used as first line in: a) Head and Neck patients receiving 2 cycles neoadjuvant CF; b) Sarcoma patients receiving highly emetic chemotherapy. THIS PACK SIZE IS FOR SMALL PAEDIATRIC PATIENTS ONLY. NB: its use in children is off-label (approved by MMTC). MMTC, May 2014.
BETAHISTINE		
BETAHISTINE 8mg TABLETS	Y	
BETAHISTINE 16mg TABLETS	Y	
CINNARIZINE CINNARIZINE 15mg TABLETS	Y	
CINNARIZINE + DIMENHYDRINATE CINNARIZINE+DIMENHYDRINATE 20mg/40mg TABLETS	NF	
CYCLIZINE		
CYCLIZINE 50mg IN 1ml INJECTION	Y	
CYCLIZINE 50mg IN 1ml INJECTION	Y	
CYCLIZINE 50mg TABLETS TTO (50)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
CYCLIZINE 50mg TABLETS	Y	

DOMPERIDONE		
DOMPERIDONE 5mg/5ml LIQUID	Y	
DOMPERIDONE 10mg TABLETS	Y	
DROPERIDOL 5mg in 2ml INJECTION	Y	
GRANISETRON 3.1MG/24HR PATCHES	NF	
IVEMEND FOSAPREPITANT 150mg INJECTION 10ml VIAL	R	For NBM patients to prevent nausea and vomiting associated with highly emetogenic chemotherapy not responding to standard antiemetic therapy. MAC, December 2011.
Ketotifen KETOTIFEN 1mg in 5ml LIQUID SUGAR FREE	NF	
Metoclopramide METOCLOPRAMIDE 10mg IN 2ml INJECTION	Y	
METOCLOPRAMIDE 10mg TABLETS TTO 9s	SR	For areas allowed to keep TTO packs Medicines Effectiveness, March 2013.
METOCLOPRAMIDE 10mg TABLETS TTO (28)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
METOCLOPRAMIDE 10mg TABLETS	Y	
METOCLOPRAMIDE 10mg IN 2ml INJECTION	Y	
METOCLOPRAMIDE 5mg/5ml LIQUID	Y	
NABILONE NABILONE 1mg CAPSULES	NF	
Ondansetron ONDANSETRON 4mg IN 2ml INJECTION	Y	
ONDANSETRON 8mg IN 4ml INJECTION	Y	

ONDANSETRON 4mg MELTS	R	For paediatrics and patients with swallowing difficulties only. Medicines Effectiveness, November 2013.
ONDANSETRON 8mg TABLETS TTO (10)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
ONDANSETRON 8mg TABLETS	Y	
ONDANSETRON 8mg IN 4ml INJECTION	Y	
ONDANSETRON 4mg/5ml LIQUID SUGAR FREE	R	For small doses in only. Medicines Effectiveness, November 2013.
ONDANSETRON 4mg TABLETS	Y	
ONDANSETRON 4mg IN 2ml INJECTION	Y	
PALONOSETRON PALONOSETRON 500microgram CAPSULE	NF	
04.07.02 Opioid analgesics BUPRENORPHINE		
BUPRENORPHINE 2mg ORAL LYOPHILISATE TABLETS	NF	
DIHYDROCODEINE		
DIHYDROCODEINE 30MG TABLETS TTO 14'S	SR	TTO pack restricted for use by Maternity only. Medicines Effectiveness,January 2020
OXYCODONE		
OXYCODONE 50mg IN 50ml INJECTION VIAL	SR	For adult PCA use only, Medicines Effectiveness November 2019
15.02 Anaesthesia		
HYOSCINE HYDROBROMIDE		
HYOSCINE HYDROBROMIDE 300microgram TABLETS	Y	
Palonosetron PALONOSETRON 250microgram in 5ml INJECTION	NF	
04.07 Analgosics		
04.07 Analgesics 04.06 .00Non-opiod Pain		
Paracetamol		

PARACETAMOL 500mg SOLUBLE TABLETS	Υ	
04.06.00 Opiod TRAMADOL		
TRAMADOL 50mg CAPSULES	Y	
04.06.00 Opiod drugs		
Co-codamol CO-CODAMOL 8mg/500mg EFFERVESCENT TABLETS	Y	
04.06.00 opiod Pain		
Codeine CODEINE PHOSPHATE 30mg TABLETS TTO 28's	SR	
CODEINE THOSTHATE Soling TABLETS TTO 203	OR	
04.07.00 Analgesics		
BUPIVACAINE	0.0	
BUPIVACAINE 0.25% INFUSION BAGS 250ml	SR	For analgesia in adult and paediatric surgery. Medicines Effectiveness, February 2013.
BUPIVACAINE + FENTANYL		
BUPIVACAINE 0.1% & FENTANYL 2microgram/ml IN SOD CHLOR 0.9% 250ml	R	For epidural analgesia in Maternity, adult and paediatric surgery. Medicines Effectiveness, March 2013.
Levobupivacaine		
LEVOBUPIVACAINE 0.125% (125mg in 100ml) INJECTION 100ml	R	
LEVOBUPIVACAINE 0.125% (250mg in 200ml) INFUSION BAG	R	
LEVOBUPIVACAINE + FENTANYL		
LEVOBUPIVACAINE 0.1% & FENTANYL 2mcg/ml IN SOD CHLORIDE 0.9% EPIDURAL INFUSION 250ml	UNR	For use in maternity areas only. All other areas to use bupivacaine & fentanyl mixtures only at the moment.
LEVOBUPIVACAINE 0.1% & FENTANYL 5micrograms/ml in SOD CHLORIDE 0.9% 250ml	SR	For post-op epidural analgesia. Medicines Effectiveness, December 2013.
LEVOBUPIVACAINE 0.1% & FENTANYL 4micrograms/ml in SOD CHLORIDE 0.9% 500ml	SR	For epidural analgesia in adult and paediatric surgery. Medicines Effectiveness, March 2013.
04.07.01 Non-opioid analgesics and compound analgesic	c prepara	tions

04.07.01 Non-opioid analgesics and compound analgesic preparations **ASPIRIN** 

ASPIRIN 300mg TABLETS TTO PACK 32	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
ASPIRIN DISPERSIBLE 300mg TABLETS	Y	
ASPIRIN 150mg SUPPOSITORIES	R	Restricted for use in acute stroke or other emergency antiplatelet Rx in patients with unsafe swallow. Medicines Effectiveness, September 2015
ASPIRIN 300mg SUPPOSITORIES	R	Restricted for use in acute stroke or other emergency antiplatelet Rx in patients with unsafe swallow. Medicines Effectiveness, September 2015
CO-CODAMOL CO-CODAMOL 30/500mg TABLETS EFFERVESCENT	Y	
CO-CODAMOL 8/500mg TABLETS EFFERVESCENT	Y	
CO-CODAMOL 30/500mg TABLETS	NF	
CO-CODAMOL 8/500mg TABLETS	Y	
CO-DYDRAMOL CO-DYDRAMOL 10/500mg TABLETS	NF	
NEFOPAM HYDROCHLORIDE 30mg TABLETS	Y	
Paracetamol PARACETAMOL 100mg IN 10ml PAEDIATRIC INJECTION	R	Restricted to neonates and infants under 10kg, for children over 10 kg use 50ml vials. MMTC, May 2020
PARACETAMOL 250mg SUPPOSITORIES	R	
PARACETAMOL SOLUBLE 500mg TABLETS	Y	
PARACETAMOL 250mg/5ml LIQUID	Y	
PARACETAMOL 120mg/5ml LIQUID (sugar free)	Y	

PARACETAMOL 30mg SUPPOSITORIES	R	Paracetamol suppositories are considerably more expensive than oral and injectable preparations. The rectal route should only be used in patients with no oral/ enteral route or absorption and in whom the provision of intravenous access is impossible or inappropriate. Medicines Effectiveness, June 2009.
PARACETAMOL 125mg SUPPOSITORIES	R	Paracetamol suppositories are considerably more expensive than oral and injectable preparations. The rectal route should only be used in patients with no oral/ enteral route or absorption and in whom the provision of intravenous access is impossible or inappropriate. Medicines Effectiveness, June 2009.
PARACETAMOL 500mg IN 50ml INFUSION	R	For patients requiring pain relief but who have no reliable enteral route of administration. The infusion is considerably more expensive than oral preparations and owing to its 100% bioavailability there may be a higher risk of toxicity in organ impairment. Stop any inappropriate use as per recommended on the Therapeutic Substitution MIL. Medicines Effectiveness, June 2009.
PARACETAMOL 500mg SUPPOSITORIES	R	Paracetamol suppositories are considerably more expensive than oral and injectable preparations. The rectal route should only be used in patients with no oral/ enteral route or absorption and in whom the provision of intravenous access is impossible or inappropriate. Medicines Effectiveness, June 2009.
PARACETAMOL 500mg TABLETS	R	For use in MDS (Nomad) boxes only. PPDU, Novemeber 2011.
PARACETAMOL SOLUBLE 500mg TABLET TTO 24's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.

PARACETAMOL 120mg SACHETS (12)	R	For Oxfordshire ambulance service only. Medicines Effectiveness, March 2013.
PARACETAMOL 1000mg IN 100ml INFUSION	R	For patients requiring pain relief but who have no reliable enteral route of administration. The infusion is considerably more expensive than oral preparations and owing to its 100% bioavailability there may be a higher risk of toxicity in organ impairment. Stop any inappropriate use as per recommended on the Therapeutic Substitution MIL. Medicines Effectiveness, June 2009.
PARACETAMOL 60mg SUPPOSITORIES	R	Paracetamol suppositories are considerably more expensive than oral and injectable preparations. The rectal route should only be used in patients with no oral/ enteral route or absorption and in whom the provision of intravenous access is impossible or inappropriate. Medicines Effectiveness, June 2009.
PARACETAMOL 500mg TABLETS TTO 32's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
PARACETAMOL 500mg TABLETS	Y	
TRAMADOL		
TRAMADOL 50mg CAPSULES	Y	
TRAMADOL 50mg DISPERSIBLE TABLETS	R	For patients with swallowing difficulties or feeding tubes only. Medicines Effectiveness, March 2013.

### 04.07.02 Opioid analgesics

BUPIVACAINE 100mg, CLONIDINE 20mg & MORPHINE SNF SULPHATE (Preservative free) 900mg in 45mL

BUPRENORPHINE

BUPRENORPHINE 52.5microgram/hour PATCHES	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 15microgram/hour PATCHES	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 35microgram/hour PATCHES	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 20microgram/hour PATCHES (WEEKLY)	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 70microgram/hour PATCH	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 200microgram SUBLINGUAL TABLETS	NF	For continuation of treatment of opiod dependence only. Medicines Effectiveness, March 2010.
BUPRENORPHINE 5microgram/hour PATCHES (WEEKLY)	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
BUPRENORPHINE 10microgram/hour PATCHES (WEEKLY)	R	Restricted to use for pain relief in patients with renal impairment on recommendation of Palliative care or Pain team only. MMTC, April 2019
CODEINE		
CODEINE PHOSPHATE 15mg/5ml LIQUID S/F	R	For use when codeine 25mg in 5mL oral solution is unavailable in patients who require medication administration via enteral tubes. Medicines Effectiveness, January 2019

### **CODEINE PHOSPHATE**

CODEINE PHOSPHATE 10mg SUPPOSITORIES	R	For paediatric use only. Medicines Effectiveness, August 2000.
CODEINE PHOSPHATE 30mg SUPPOSITORIES	R	For NBM patients only. Medicines Effectiveness, March 2013.
CODEINE PHOSPHATE 30mg TABLETS	Y	
CODEINE PHOSPHATE 3mg SUPPOSITORIES (1g mould size) (12)	R	For paediatric use only. Medicines Effcetiveness, December 2003.
CODEINE PHOSPHATE 5mg SUPPOSITORIES	Y	
CODEINE PHOSPHATE 15mg TABLETS	Y	
CODEINE PHOSPHATE 25mg/5ml LIQUID	Y	
DIAMORPHINE DIAMORPHINE 100mg INJECTION	Y	
DIAMORPHINE 600mg IN SODIUM CHLORIDE 0.9% 250ml RESERVOIR (CADD-LEGACY PCA MODEL	SR	For patient S.A.E. (Haematology) only. Medicines Effectiveness, March 2013.
DIAMORPHINE 10mg TABLETS	NF	
DIAMORPHINE 30mg INJECTION	Y	
DIAMORPHINE 5mg INJECTION	Y	
DIAMORPHINE 500mg INJECTION	Y	
DIAMORPHINE 10mg INJECTION	Y	
DIAMORPHINE 650mg IN SODIUM CHLORIDE 0.9% 250ml RESERVOIR (CADD-LEGACY PCA MODEL	SR	For patient S.A.E. (Haematology) only. Medicines Effectiveness, March 2013.
DICONAL DICONAL TABLETS	NF	
DIHYDROCODEINE DIHYDROCODEINE 60mg TABLETS M/R	NF	
DIHYDROCODEINE 30mg TABLETS	Y	

DIHYDROCODEINE 120mg	TABLETS M/R	NF
BITTERCOODELITE TZOING		

FENTANYL		
FENTANYL 50micrograms/DOSE NASAL SPRAY (6- DOSE)	R	For the treatment of acute pain in children in palliative care of Helen House. It would be used in teenage patients receiving end of life care where oral morphine is too slow or not effective for breakthrough pain. MMTC, March 2018
FENTANYL 50micrograms/DOSE NASAL SPRAY (10- DOSE)	R	For the treatment of acute pain in children in palliative care under the care of Helen House. It would be used in teenage patients receiving end of life care where oral morphine is too slow or not effective for breakthrough pain. MMTC, March 2018
FENTANYL 37.5microgram/hour PATCHES (MATRIX)	R	?Initiation by palliative care as per MMTC
FENTANYL 600microgram SUBLINGUAL TABLETS	NF	
FENTANYL 1600microgram LOZENGES	R	For the management of breakthrough pain following recommendation by acute pain
		and palliative care consultants. Medicines Effectiveness, April 2017
FENTANYL 12microgram/hour PATCHES (MATRIX)	R	Medicines Effectiveness, April
FENTANYL 12microgram/hour PATCHES (MATRIX) FENTANYL 1200microgram LOZENGE (3)	R	Medicines Effectiveness, April 2017 Initiation on advice from the Acute or Chronic Pain Teams only. Medicines Effectiveness,

FENTANYL 200microgram LOZENGES (30)	R	For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017
FENTANYL 75micrograms PATCHES (MATRIX)	R	Initiation on advice from the Acute or Chronic Pain Teams only. Medicines Effectiveness, March 2009.
FENTANYL 600microgram LOZENGES (3)	R	For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017
FENTANYL 50microgram/hour PATCHES (MATRIX)	R	Initiation on advice from the Acute or Chronic Pain Teams only. Medicines Effectiveness, March 2009.
FENTANYL 200microgram SUBLINGUAL TABLETS	NF	
FENTANYL 400microgram SUBLINGUAL TABLETS	NF	
FENTANYL 100microgram SUBLINGUAL TABLETS	NF	
FENTANYL 25microgram/hour PATCHES (MATRIX)	R	Initiation on advice from the Acute or Chronic Pain Teams only. Medicines Effectiveness, March 2009.
FENTANYL 200microgram LOZENGES	R	For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017
FENTANYL 400microgram LOZENGES	R	For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017
FENTANYL 800microgram LOZENGES (3)	R	For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017

FENTANYL 200mcg BUCCAL TABLETS	NF
FENTANYL 400microgram LOZENGES (30)	R
FENTANYL 800microgram BUCCAL TABLETS	NF
FENTANYL 600microgram BUCCAL TABLETS	NF
HYDROMORPHONE HYDROMORPHONE 4mg CAPSULES MR	NF
HYDROMORPHONE 24mg CAPSULES M/R	NF
HYDROMORPHONE 2mg CAPSULES M/R	NF
HYDROMORPHONE 8mg CAPSULES M/R	NF
HYDROMORPHONE 1.3mg CAPSULES	NF
HYDROMORPHONE 2.6mg CAPSULES	NF
HYDROMORPHONE 16mg CAPSULES M/R	NF
MEPTAZINOL MEPTAZINOL 200mg TABLETS	Y
METHADONE METHADONE 5mg TABLETS	Y
METHADONE 10mg IN 1ml INJECTION	Y
METHADONE 50mg IN 1ml INJECTION	Y
Morphine MORPHINE SULPHATE 50mg in 50ml IV INFUSION VIALS	Y
MORPHINE SULPHATE 10mg in 10ml INJECTION	Y
MORPHINE SULPHATE 50mg IN 50ml IV INFUSION (vials)	Y
MORPHINE SULPHATE 10mg/5ml ORAL SOLUTION	Y

For the management of breakthrough pain following recommendation by acute pain and palliative care consultants. Medicines Effectiveness, April 2017

MORPHINE SULPHATE 10mg TABLETS M/R	Y	
MORPHINE SULPHATE 10mg/5ml ORAL SOLUTION	Y	
MORPHINE SULPHATE 10mg TABLETS (SEVREDOL)	Y	
MORPHINE SULPHATE 10mg SUPPOSITORIES	Y	
MORPHINE SULPHATE 10mg IN 1ml INJECTION	Y	
MORPHINE SULPHATE 15mg SUPPOSITORIES	Y	
MORPHINE SULPHATE 15mg TABLETS M/R	Y	
MORPHINE SULPHATE 30mg CAPSULES M/R	R	For patients with swallowing difficulties. Medicines Effectiveness, June 2005.
MORPHINE SULPHATE 60mg SACHETS M/R	NF	
MORPHINE SULPHATE 90mg CAPSULES M/R	NF	
MORPHINE SULPHATE 100mg CAPSULES M/R	R	For patients with swallowing difficulties or where capsules are specified. Medicines Effectiveness, May 2005.
MORPHINE SULPHATE 1mg IN 1ml INJECTION PRESERVATIVE FREE	Y	
MORPHINE SULPHATE 30mg CAPSULES M/R	NF	
MORPHINE SULPHATE 30mg in 1ml INJECTION	Y	
MORPHINE SULPHATE 60mg TABLETS M/R	Y	
MORPHINE SULPHATE 60mg IN 2ml INJECTION	Y	
MORPHINE SULPHATE 60mg CAPSULES M/R	R	For patients with swallowing difficulties. Medicines Effectiveness, June 2005.
MORPHINE SULPHATE 100mg/5ml ORAL SOLUTION	Y	
MORPHINE SULPHATE 5mg TABLETS M/R	Y	
MORPHINE SULPHATE 10mg CAPSULES M/R	R	For patients with swallowing difficulties or where capsules are specified. Medicines

Effectiveness, May 2005.

MORPHINE SULPHATE 50mg TABLETS (SEVREDOL	) Y	
MORPHINE SULPHATE 30mg TABLETS M/R	Y	
MORPHINE SULPHATE 20mg TABLETS (SEVREDOL)	) Y	
MORPHINE SULPHATE 20mg SACHETS MR	NF	
MORPHINE SULPHATE 200mg CAPSULES M/R (24hr PREP)	NF	
MORPHINE SULPHATE 200mg CAPSULES M/R	R	For patients with swallowing difficulties. Medicines Effectiveness, June 2005.
MORPHINE SULPHATE 100mg IN 50ml INJECTION V	IAL	Y
MORPHINE SULPHATE 100mg TABLETS M/R	Y	
MORPHINE SULPHATE 100mg/5ml ORAL SOLUTION	Y	
MORPHINE SULPHATE 30mg SUPPOSITORIES	Y	
Morphine sulfate MORPHINE 5mg ORODISPERSIBLE TABLETS S/F	R	?For treatment of pain for palliative care patients and other paediatric patients with swallowing difficulties. MMTC, December 2022
MORPHINE 2.5mg ORODISPERSIBLE TABLETS S/F	R	For treatment of pain for palliative care patients and other paediatric patients with swallowing difficulties. MMTC, December 2022
MORPHINE 1mg ORODISPERSIBLE TABLETS S/F	R	For treatment of pain for palliative care patients and other paediatric patients with swallowing difficulties. MMTC, December 2022
MORPHINE 30mg ORODISPERSIBLE TABLETS S/F	R	For treatment of pain for palliative care patients and other pediatric patients with swallowing difficulties. MMTC, December 2022
MORPHINE 20mg OROLDISPERSIBLE TABLETS S/F	R	For treatment of pain for palliative care patients and other pediatric patients with swallowing difficulties. MMTC, December 2022

MORPHINE 10mg ORODISPERSIBLE TABLETS S/F	R	For treatment of pain for palliative care patients and other paediatric patients with swallowing difficulties. MMTC, December 2022
OXYCODONE OXYCODONE 5mg/5ml LIQUID	R	For patients allergic or who cannot tolerate morphine and have swallowing difficulties. Medicines Effectiveness, March 2013
OXYCODONE 5mg TABLETS M/R	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 80mg TABLETS M/R	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 5mg CAPSULES (OXYNORM)	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 50mg/ml INJECTION	R	For high-dose syringe drivers in Sobell House ONLY for patients allergic or who cannot tolerate morphine. It should not be used for outliers in any other clinical areas. MAC, April 2012
OXYCODONE 50mg/5ml CONCENTRATE LIQUID	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 40mg TABLETS M/R	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 20mg in 2ml INJECTION	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 20mg CAPSULES (OXYNORM)	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.

OXYCODONE 10mg TABLETS M/R	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 10mg CAPSULES (OXYNORM)	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE 20mg TABLETS M/R	R	For patients allergic or who cannot tolerate morphine. Medicines Effectiveness, March 2013.
OXYCODONE + NALOXONE OXYCODONE/NALOXONE 20mg/10mg TABLETS M/R	R NF	
OXYCODONE/NALOXONE 10mg/5mg TABLETS M/R	NF	
OXYCODONE/NALOXONE OXYCODONE/NALOXONE 40mg/20mg TABLETS M/R	NF	
PENTAZOCINE PENTAZOCINE 50mg CAPSULES	Y	
TAPENTADOL TAPENTADOL 50mg TABLETS	NF	
TAPENTADOL 50mg M/R TABLETS	NF	
TAPENTADOL 100mg M/R TABLETS	NF	
TRAMADOL TRAMADOL 100mg TABLETS M/R	NF	
TRAMADOL 150mg CAPSULES M/R	NF	
TRAMADOL 200mg TABLETS M/R	NF	
TRAMADOL 100mg in 2ml INJECTION	R	For use by NOC only. For post- operative pain only. Medicines Effectiveness, April 2004.
04.07.04 Antimigraine drugs <b>CLONIDINE</b>		

CLONIDINE 25microgram TABLETS Y

### FLUNARIZINE

FLUNARIZINE 10mg TABLETS	UNR	Last line pharmaceutical option for migraine prophylaxis. For initiation by neurologists only. MMTC, May 2015
MIGRALEVE MIGRALEVE (PINK PACK) TABLETS	Y	
PIZOTIFEN PIZOTIFEN 500microgram TABLETS	Y	
PIZOTIFEN 1.5mg TABLETS	Y	
RIZATRIPTAN RIZATRIPTAN 10mg ORODISPERSIBLE TABLETS	Y	
RIZATRIPTAN 10mg ORODISPERSIBLE TABLETS	Y	
SUMATRIPTAN SUMATRIPTAN 6mg IN 0.5ml PRE FILLED SYRINGE (Pack of 2 syringes)	Y	
SUMATRIPTAN 100mg TABLETS	NF	
SUMATRIPTAN 10mg/0.1ml NASAL SPRAY	NF	
SUMATRIPTAN 50mg TABLETS	NF	
SUMATRIPTAN 20mg/0.1ml NASAL SPRAY	NF	
ZOLMITRIPTAN ZOLMITRIPTAN 2.5mg TABLETS	NF	
4.07.02 Opioid analgesics TRAMADOL TRAMADOL 100mg IN 2ml INJECTION	R	For use by NOC only. For post- operative pain only. Medicines Effectiveness, April 2004
04.08 Antiepileptic drugs 04.08.01 Contro		
Cenobamate CENOBAMATE 150mg TABLETS	R	
CENOBAMATE 50mg TABLETS	R	
CENOBAMATE 200mg TABLETS	R	

04.08.01 Control of epilepsy BRIVARACETAM		
BRIVARACETAM 50mg/5ml LIQUID 300ml	NF	
CENOBOMATE 50mg TABLETS	R	?For treatment of focal onset seizures with or without secondary generalised seizures in adults with drug-resistant epilepsy, as per NICE TA 753. MMTC, April 2022.
CENOBAMATE 12.5mg TABLETS and 25mg TABLETS INTITIATION PACK	R	?For treatment of focal onset seizures with or without secondary generalised seizures in adults with drug-resistant epilepsy, as per NICE TA 753. MMTC, April 2022.
CENOBAMATE 200mg TABLETS	R	?For treatment of focal onset seizures with or without secondary generalised seizures in adults with drug-resistant epilepsy, as per NICE TA 753. MMTC, April 2022.
CENOBAMATE 100mg TABLETS	R	?For treatment of focal onset seizures with or without secondary generalised seizures in adults with drug-resistant epilepsy, as per NICE TA 753. MMTC, April 2022.
CLONAZEPAM CLONAZEPAM 2mg TABLETS	Y	
ESLICARBAZEPINE ESLICARBAZEPINE 250mg/5ml LIQUID	R	
LAMOTRIGINE LAMOTRIGINE 50mg TABLETS	Y	

SODIUM VALPROATE

SODIUM VALPROATE 300mg TABLETS M/R (CHRONO)	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPROATE 200mg TABLETS M/R (CHRONO)	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPROATE 200mg TABLETS E.C	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPROATE 100mg CRUSHABLE TABLETS	S R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018

SODIUM VALPROATE 500mg TABLETS M/R (CHRONO)	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPROATE 500mg TABLETS E.C	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
ZONISAMIDE		
ZONISAMIDE 100mg/5ml ORAL SUSPENSION	NF	
04.08.01 Control of the epileps Cenobamate		
CENOBAMATE 100mg TABLETS	R	
CENOBAMATE 150mg TABLETS	R	
CLONAZEPAM 500microgram CLONAZEPAM 500microgram TABLETS	Y	
DRONABINOL + CANNABIDIOL		
DRONABINOL 2.7mg & CANNABIDIOL 2.5mg OROMUCOSAL SPRAY	R	
PHENYTOIN		
PHENYTOIN 30mg/5ml SUSPENSION	UNR	To be used in place of the licensed product during supply problem only. Medicines Effectiveness August 2019
PHENYTOIN 30mg/5ml LIQUID	UNR	To be used in place of the licensed product during supply problem only. Medicines Effectiveness August 2019

04.08.01 Control of the epileps of epilepsy **CLONAZEPAM** 

CLONAZEPAM 2mg/5ml LIQUID	NF	
Levetiracetam LEVETIRACETAM 250mg GRANULES S/F	NF	
04.08.01 Control of the epilepsies BRIVARACETAM		
BRIVARACETAM 50mg TABLETS	R	For the treatment of drug resistant partial onset seizures (3rd line option). For initiation by neurologists only. MMTC, January 2017
BRIVARACETAM 100mg TABLETS	R	For the treatment of drug resistant partial onset seizures (3rd line option). For initiation by neurologists only. MMTC, January 2017
CARBAMAZEPINE CARBAMAZEPINE 200mg TABLETS M/R	Y	
CARBAMAZEPINE 250mg SUPPOSITORIES	R	For short-term management of epilepsy only (max 7 days) where oral route is not possible. Also, see therapeutic substitution MILV5N3 Medicines Effectiveness, September 2017
CARBAMAZEPINE 125mg SUPPOSITORIES	R	For short-term management of epilepsy only (max 7 days) where oral route is not possible. Also, see therapeutic substitution MILV5N3 Medicines Effectiveness, September 2017
CARBAMAZEPINE 100mg TABLETS	Y	
CARBAMAZEPINE 400mg TABLETS M/R	Y	
CARBAMAZEPINE 200mg TABLETS	Y	
CARBAMAZEPINE 100mg/5ml LIQUID	Y	
CARBAMAZEPINE 400mg TABLETS	Y	
CLOBAZAM CLOBAZAM 10mg TABLETS	Y	
CLOBAZAM 10mg/5ml LIQUID	NF	

CLONAZEPAM CLONAZEPAM 2mg TABLETS	Y	
DIAZEPAM DIAZEPAM 5mg RECTAL TUBES	Y	
ESLICARBAZEPINE ESLICARBAZEPINE 800mg TABLETS	R	For adjunctive treatment in adults as a 3rd line treatment those who have failed treatment with at least 3 drugs. MMTC, December 2016
ETHOSUXIMIDE ETHOSUXIMIDE 250mg/5ml LIQUID	R	For initiation by Neurology only. Medicines Effectiveness, August 2001.
ETHOSUXIMIDE 250mg CAPSULES	R	For initiation by Neurology only. Medicines Effectiveness, August 2001.
GABAPENTIN GABAPENTIN 300mg CAPSULES	R	For use by Neurology, pain relief and palliative care only. Medicines Effectiveness, March 2003.
GABAPENTIN 250mg/5ml ORAL SOLUTION	R	For treatment of epilepsy: in paediatric patients and adults who are unsuitable for capsules or have an enteral tube in situ. Medicines Effectiveness, December 2019
GABAPENTIN 100mg CAPSULES	R	For use by Neurology, pain relief and palliative care only. Medicines Effectiveness, March 2003.
GABAPENTIN 400mg CAPSULES	R	For use by Neurology, pain relief and palliative care only. Medicines Effectiveness, March 2003.

LACOSAMIDE

LACOSAMIDE 200mg in 20ml INJECTION	R	For adjunctive treatment of partial epilepsy with secondary generalisation in those with no oral access or those who are not absorbing enteral feeds / meds ONLY. Medicines Effectiveness, November 2017
LACOSAMIDE 100mg TABLETS F/C	R	For adjunctive treatment of partial epilepsy with secondary generalisation. MAC, January 2010.
LACOSAMIDE 10mg/ml SYRUP	R	For adjunctive treatment of partial epilepsy with secondary generalisation. MAC, January 2010.
LACOSAMIDE 200mg TABLETS F/C	R	For adjunctive treatment of partial epilepsy with secondary generalisation. MAC, January 2010.
LACOSAMIDE 50mg TABLET F/C	R	For adjunctive treatment of partial epilepsy with secondary generalisation. MAC, January 2010.
LAMOTRIGINE		
LAMOTRIGINE 25MG TABLETS	NF	
LAMOTRIGINE 100mg DISPERSIBLE TABLETS	Υ	
LAMOTRIGINE 100mg TABLETS	Y	
LAMOTRIGINE 200mg TABLETS	Y	
LAMOTRIGINE 25mg DISPERSIBLE TABLETS	Y	

Υ

- LAMOTRIGINE 25mg TABLETS
- LAMOTRIGINE 5mg DISPERSIBLE TABLETS Y
- LAMOTRIGINE 50mg TABLETS NF
- LAMOTRIGINE 100mg TABLETS (LAMICTAL) NF

## LEVETIRACETAM

LEVETIRACETAM 500mg/5ml LIQUID	Υ
LEVETIRACETAM 1g TABLETS	Y

LEVETIRACETAM 500mg TABLETS	Y	
LEVETIRACETAM 500mg in 5ml INFUSION	Y	
LEVETIRACETAM 250mg TABLETS	Y	
OXCARBAZEPINE OXCARBAZEPINE 300mg/5ml LIQUID	R	To be initiated by Consultant Neurologists only. For patients with swallowing difficulties or feeding tubes only. Medicines Effectiveness, March 2013.
OXCARBAZEPINE 300mg TABLETS	R	To be initiated by Consultant Neurologists only. Medicines Effectiveness, March 2013.
OXCARBAZEPINE 150mg TABLETS	R	To be initiated by Consultant Neurologists only. Medicines Effectiveness, March 2013.
PERAMPANEL		
PERAMPANEL 2mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013
PERAMPANEL 4mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013
PERAMPANEL 10mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013

PERAMPANEL 12mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013.
PERAMPANEL 8mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013.
PERAMPANEL 6mg TABLETS	R	For initiation by epileptologists only as adjunctive therapy in the treatment of partial-onset seizures, with or without secondary generalisation, in patients with epilepsy aged 12 years and older. MMTC, March 2013.
PHENOBARBITAL PHENOBARBITAL SODIUM 60mg IN 1ml INJECT	ION Y	
PHENOBARBITAL 30mg TABLETS	V	
	Y	
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml		For paediatric use only. Medicines Effectiveness, March 2013.
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC	OHOLSR	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml	OHOLSR	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml PHENOBARBITAL SODIUM 200mg IN 1ml INJEC	OHOLSR	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml PHENOBARBITAL SODIUM 200mg IN 1ml INJEC PHENOBARBITAL 15mg TABLETS PHENYTOIN	OHOLSR TION Y Y	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml PHENOBARBITAL SODIUM 200mg IN 1ml INJEC PHENOBARBITAL 15mg TABLETS PHENYTOIN PHENYTOIN 50mg CHEWABLE TABLETS	OHOLSR TION Y Y Y	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml PHENOBARBITAL SODIUM 200mg IN 1ml INJEC PHENOBARBITAL 15mg TABLETS PHENYTOIN PHENYTOIN 50mg CHEWABLE TABLETS PHENYTOIN SODIUM 50mg CAPSULES	OHOLSR TION Y Y Y Y	Medicines Effectiveness, March
PHENOBARBITAL BASE 50mg/5ml LIQUID (ALC FREE) 50ml PHENOBARBITAL SODIUM 200mg IN 1ml INJEC PHENOBARBITAL 15mg TABLETS PHENYTOIN PHENYTOIN 50mg CHEWABLE TABLETS PHENYTOIN 50mg CHEWABLE TABLETS PHENYTOIN SODIUM 50mg CAPSULES PHENYTOIN SODIUM 100mg CAPSULES	OHOLSR TION Y Y Y Y Y	Medicines Effectiveness, March

PHENYTOIN 100mg TABLETS	NF	
PHENYTOIN SODIUM 300mg CAPSULES	Y	
PHENYTOIN SODIUM 25mg CAPSULES	Y	
PREGABALIN PREGABALIN 100mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PREGABALIN 75mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PREGABALIN 25mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PREGABALIN 50mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PREGABALIN 200mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PREGABALIN 100mg/5ml LIQUID 473ml	NF	
PREGABALIN 150mg CAPSULES	R	For adjunctive treatment of epilepsy. Initiation by Consultant Neurologist only. For neuropathic Pain following the advice form the Pain Relief Unit. Medicines Effectiveness, August 2009.
PRIMIDONE		

Y

PRIMIDONE 50mg TABLETS

PRIMIDONE 250m	ng TABLETS	Y	
RUFINAMIDE			
RUFINAMIDE 200	mg TABLETS	R	For use in Lennox-Gastaut Syndrome in children who do not respond to other treatment. MAC, September 2008.
RUFINAMIDE 400	mg TABLETS	R	For use in Lennox-Gastaut Syndrome in children who do not respond to other treatment. MAC, September 2008.
RUFINAMIDE 40m	ng IN 1ml ORAL SUSPENSION 460m	nIR	For use in Lennox-Gastaut Syndrome in children who do not respond to other treatment. MAC. September 2008.
RUFINAMIDE 100	mg TABLETS	R	For use in Lennox-Gastaut Syndrome in children who do not respond to other treatment. MAC, September 2008.
SODIUM VALPRO	OATE		
SODIUM VALPRC	ATE 200mg/5ml LIQUID Sugar Free	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPRO	DATE 300mg IN 3ml INJECTION	R	Restricted for initiation of treatment for: Bipolar disorder by psychological medicine; Epilepsy by neurologist or paediatric medicine. If female under 55 years, may only be on advice of Consultant Neurologist for epilepsy (not paediatric medicine) or consultant in psychological medicine. MMTC, December 2018
SODIUM VALPRC	OATE 1g GRANULES M/R	NF	
SODIUM VALPRC	OATE 100mg GRANULES M/R	NF	
SODIUM VALPRC	OATE 250mg GRANULES M/R	NF	

SODIUM VALPROATE 50mg GRANULES M/R

SODIUM VALPROATE 50mg GRANULES M/R	NF	
STIRIPENTOL	_	
STIRIPENTOL 500mg SACHETS	R	For initiation by Consultant Neurologists only. Medicines Effectiveness, March 2008.
STIRIPENTOL 250mg SACHETS	R	For initiation by Consultant Neurologists only. Medicines Effectiveness, March 2008.
STIRIPENTOL 500mg CAPSULES	NF	
STIRIPENTOL 250mg CAPSULES	NF	
TIAGABINE		
TIAGABINE 5mg TABLETS	R	For use by Consultant Neurologists only. Medicines Effectiveness, December 2003.
TOPIRAMATE		
TOPIRAMATE 25mg SPRINKLE PREP CAPSULES	Y	
TOPIRAMATE 50mg TABLETS	Y	
TOPIRAMATE 100mg TABLETS	Y	
TOPIRAMATE 25mg TABLETS	Υ	
TOPIRAMATE 15mg SPRINKLE PREP CAPSULES	Y	
VIGABATRIN		
VIGABATRIN 500mg SACHETS	Y	
VIGABATRIN 500mg TABLETS	Υ	
ZONISAMIDE		
ZONISAMIDE 25mg CAPSULES	R	To be initiated by Consultant Neurologists only. Medicines Effectiveness, March 2008.
ZONISAMIDE 100mg CAPSULES	R	To be initiated by Consultant Neurologists only. Medicines Effectiveness, March 2008.
ZONISAMIDE 50mg CAPSULES	R	To be initiated by Consultant Neurologists only. Medicines Effectiveness, March 2008.

04.08.02 Drugs used in status epilepticus

## **CLONAZEPAM**

CLONAZEPAM 1mg IN 1ml INJECTION (UNLICENSED FRENCH IMPORT)

**CLONAZEPAM 1mg IN 1ml INJECTION** 

UNR For use by Paediatric-Neurology, Neonatology and PITU to control seizures when other treatments failed (e.g. Phenobarbiatl, Phenytoin). Medicines Effectiveness, December 2013

For use in Critical Care Areas

For treatment of epileptic fits in children and for oral sedation in

For treatment of epileptic fits in

children and for oral sedation in children undergoing stressful procedures or as a pre-med. MMTC, December 2016

For treatment of epileptic fits in

children and for oral sedation in children undergoing stressful procedures or as a pre-med. MMTC, December 2016

For treatment of epileptic fits in children and for oral sedation in

children undergoing stressful procedures or as a pre-med. MMTC, December 2016

children undergoing stressful procedures or as a pre-med. MMTC, December 2016

UNR For use by Paediatric-Neurology, Neonatology and PITU to control seizures when other treatments failed (e.g. Phenobarbiatl, Phenytoin). Medicines Effectiveness, December 2013.

2020

R

R

R

## **MIDAZOLAM**

MIDAZOLAM 100mg IN 50ml PRE- FILLED SYRINGE	R	For use in Critical Care Areas
-		only during COVID-19. CTG
		March 2020

MIDAZOLAM 100mg IN 50ml INJECTION PRE-FILLED SR SYRINGE (CTASU PREP) during COVID only. CTG March

MIDAZOLAM 7.5mg in 1.5ml PRE-FILLED BUCCAL R SYRINGE

MIDAZOLAM 10mg in 2ml PRE-FILLED BUCCAL SYRINGE

MIDAZOLAM 2.5mg in 0.5ml PRE-FILLED BUCCAL SYRINGE

MIDAZOLAM 5mg in 1ml PRE-FILLED BUCCAL SYRINGE

#### PARALDEHYDE

PARALDEHYDE AND OLIVE OIL ENEMA 30ml Υ

04.09 Drugs used in parkinsonism and related disorders 04.09.01 Dopaminergic drugs ROPINIROLE

ROPINIROLE	2mg TABL	ETS
------------	----------	-----

R

For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's Disease MAC, April 2009.

# 04.09.01 Dopaminergic drugs used in Parkinson's disease **AMANTADINE**

AMANTADINE 100mg CAPSULES	R	For Parkinson's Disease; Adult patients with traumatic brain injury and disordered GCS or cognition. MMTC, December 2021.
AMANTADINE 50mg/5ml LIQUID	R	For Parkinson's Disease only in patients unable to use capsules. Medicines Effectiveness, January 2015.

## **APOMORPHINE**

	APOMORPHINE 2mg TABLETS	NF
	APOMORPHINE 30mg IN 3ml PEN	Y
	APOMORPHINE 30mg in 3ml PEN (FREE STARTER PACK)	Y
	APOMORPHINE 50mg in 10ml PRE-FILLED SYRINGE	Y
	APOMORPHINE 50mg in 5ml INJECTION	Y
(	CABERGOLINE	
	CABERGOLINE 2mg TABLETS (20)	Y
	CABERGOLINE 1mg TABLETS (20)	Y
(	CO-BENELDOPA	
	CO-BENELDOPA 12.5/50 TABLETS DISPERSIBLE (MADOPAR 62.5)	Y
	CO-BENELDOPA 50/200mg CAPSULES (MADOPAR 250)	Y
	CO-BENELDOPA 25/100 TABLETS DISPERSIBLE (MADOPAR 125)	Y
	CO-BENELDOPA 25/100 CAPSULES (MADOPAR 125)	Y
	CO-BENELDOPA 12.5/50 CAPSULES (MADOPAR 62.5)	Y

CO-BENELDOPA 25/100 CAPSULES M/R (MADOPAR CR)	Y
CO-CARELDOPA CO-CARELDOPA 50/200mg TABLETS M/R	Y
CO-CARELDOPA 25mg/100mg TABLETS M/R	Y
CO-CARELDOPA 25/250mg TABLETS	Y
CO-CARELDOPA 10/100mg TABLETS	Y
CO-CARELDOPA 25/100mg TABLETS	Y
CO-CARELDOPA 12.5/50mg TABLETS (SINEMET 62.5)	Y
ENTACAPONE 200mg TABLETS	Y
LEVODOPA	
LEVODOPA 150mg / CARBIDOPA 37.5mg / ENTACAPONE 200mg TABLETS	NF
LEVODOPA 175MG / CARBIDOPA 43.75MG / ENTACAPONE 200MG TABLETS	NF
LEVODOPA 75mg CARBIDOPA 18.75mg ENTACAPONE 200mg TABLETS	NF
LEVODOPA + CARBIDOPA + ENTACAPONE LEVODOPA 200mg CARBIDOPA 50mg ENTACAPONE 200mg TABLETS	ENF
LEVODOPA 150mg CARBIDOPA 37.5mg ENTACAPONE 200mg TABLETS	NF
LEVODOPA 125mg CARBIDOPA 31.25mg ENTACAPONE 200mg TABLETS	NF
LEVODOPA 100mg CARBIDOPA 25mg ENTACAPONE 200mg TABLETS	ENF
LEVODOPA 50mg CARBIDOPA 12.5mg ENTACAPONE 200mg TABLETS	NF
OPICAPONE OPICAPONE 50mg CAPSULES	NF
Pramipexole PRAMIPEXOLE 180microgram TABLETS	R
PRAMIPEXOLE 3.15mg TABLETS M/R	NF

PRAMIPEXOLE 350microgam TABLETS	R	For initiation by a Consultant Neurologist only Treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol Parkinson's Disease MAC, April 2009.
PRAMIPEXOLE 700microgram TABLETS	R	For initiation by a Consultant Neurologist only Treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol Parkinson's Disease MAC, April 2009.
PRAMIPEXOLE 1.57mg M/R TABLETS	NF	
PRAMIPEXOLE 88microgram TABLETS	R	For initiation by a Consultant Neurologist only Treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol Parkinson's Disease MAC, April 2009.
PRAMIPEXOLE 2.62mg TABLETS M/R	NF	
PRAMIPEXOLE 520microgram TABLETS M/R	NF	
PRAMIPEXOLE 1.05mg M/R TABLETS	NF	
PRAMIPEXOLE 260micrograms M/R TABLETS	NF	
PRAMIPEXOLE 180microgram TABLETS	R	For initiation by a Consultant Neurologist only Treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol Parkinson's Disease MAC, April 2009.
		Cocond line to color!!!
RASAGILINE 1mg TABLETS	R	Second line to selegiline for Parkinson's Disease. Specialist initiation only. MMTC, September 2013.

ROPINIROLE		
ROPINIROLE 500microgram TABLETS	R	For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's Disease MAC, April 2009.
ROPINIROLE 1mg TABLETS	R	For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's Disease MAC, April 2009.
ROPINIROLE 250microgram TABLETS	R	For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared
		Care Protocol and Parkinson's Disease MAC, April 2009.
ROPINIROLE 4mg TABLETS M/R	NF	Care Protocol and Parkinson's
ROPINIROLE 4mg TABLETS M/R ROPINIROLE 5mg TABLETS	NF R	Care Protocol and Parkinson's
		Care Protocol and Parkinson's Disease MAC, April 2009. For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's
ROPINIROLE 5mg TABLETS	R	Care Protocol and Parkinson's Disease MAC, April 2009. For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's

For initiation by a Consultant Neurologist only for the treatment of severe and persistent symptoms of Restless Leg Syndrome (RLS) and Periodic Leg Movements During Sleep (PLMS) as per APCO Shared Care Protocol and Parkinson's Disease MAC, April 2009.

## ROTIGOTINE

R	For patients with Parkinson's or Restless Legs Syndrome who get insufficient response or cannot tolerate ropinirole, or patients who are unable to take their usual oral therapy (i.e.: nil by mouth, where NG access is not possible or appropriate) - Revert to the patient's usual oral therapy when the patient recovers the ability to swallow. MMTC, May 2013.
R	For patients with Parkinson's or Restless Legs Syndrome who get insufficient response or cannot tolerate ropinirole, or patients who are unable to take their usual oral therapy (i.e.: nil by mouth, where NG access is not possible or appropriate) - Revert to the patient's usual oral therapy when the patient recovers the ability to swallow. MMTC, May 2013.
R	For patients with Parkinson's or Restless Legs Syndrome who get insufficient response or cannot tolerate ropinirole, or patients who are unable to take their usual oral therapy (i.e.: nil by mouth, where NG access is not possible or appropriate) - Revert to the patient's usual oral therapy when the patient recovers the ability to swallow. MMTC, May 2013.
	R

ROTIGOTINE 2mg per 24hour PATCHES	R	For patients with Parkinson's or Restless Legs Syndrome who get insufficient response or cannot tolerate ropinirole, or patients who are unable to take their usual oral therapy (i.e.: nil by mouth, where NG access is not possible or appropriate) - Revert to the patient's usual oral therapy when the patient recovers the ability to swallow. MMTC, May 2013.
ROTIGOTINE 1mg per 24hour PATCHES	R	For patients with Parkinson's or Restless Legs Syndrome who get insufficient response or cannot tolerate ropinirole, or patients who are unable to take their usual oral therapy (i.e.: nil by mouth, where NG access is not possible or appropriate) - Revert to the patient's usual oral therapy when the patient recovers the ability to swallow. MMTC, May 2013.
SELEGILINE SELEGILINE 5mg TABLETS	Y	
SELEGILINE 10mg TABLETS	Y	
SELEGILINE 1.25mg ORODISPERSIBLE TABLETS	NF	
04.09.02 Antimuscarinic drugs used in parkinsonism <b>PROCYCLIDINE</b>		
PROCYCLIDINE 5mg IN 5ml LIQUID (SUGAR FREE)	Y	
PROCYCLIDINE 5mg TABLETS	Y	
PROCYCLIDINE 10mg IN 2ml INJECTION	Y	
TRIHEXYPHENIDYL TRIHEXYPHENIDYL 2mg TABLETS	Y	
TRIHEXYPHENIDYL 5mg TABLETS	Y	

04.09.03 Drugs used in essential tremor, chorea, tics, and related disorders **BOTULINUM** 

BOTULINUM A TOXIN 200units INJECTION (BOTOX)	R	As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM A TOXIN 50units INJECTION (BOTOX)	R	As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM A TOXIN 100units INJECTION (XEOMIN	) R	As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM TOXIN		
BOTULINUM A TOXIN 300units INJECTION (DYSPOR	RT)	R As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM A TOXIN 100units INJECTION (BOTOX)	R	As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM A TOXIN 500units INJECTION (DYSPOR	RT)	R As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM A TOXIN 50units INJECTION (XEOMIN)	R	As per NICE TA260. For other indications, see botulinum toxin table. Medicines Effectiveness, July 2009.
BOTULINUM TOXIN TYPE B 10,000 units in 2ml INJECTION	NF	
PIRACETAM		
PIRACETAM 1.2g TABLETS	Y	
PIRACETAM 333.3mg/ml LIQUID	Y	
PIRACETAM 800mg TABLETS	Y	

RILUZOLE

For Amyotrophic lateral sclerosis (ALS) form of Motor Neurone Disease (MND) as per NICE TA20. Should only be initiated by Consultant Neurologists with expertise in the management of MND. Medicines Effectiveness, February 2005.

R

<b>TAFAMIDIS</b> TAFAMIDIS 61mg CAPSULES (FREE OF CHARGE SUPPLY)	NF	
TETRABENAZINE		
TETRABENAZINE 25mg TABLETS	Y	
04.09.03 Torsion dystonias and other involuntary moverr <b>Pitolisant</b>	nents	
PITOLISANT 4.5mg TABLETS	NF	
PITOLISANT 18mg TABLETS	NF	
RILUZOLE		
RILUZOLE 25mg/5ml ORAL SUSPENSION	R	For Amyotrophic lateral sclerosis (ALS) form of Motor Neurone Disease (MND) as per NICE TA20. In patients who have difficulty swallowing. Should only be initiated by Consultant Neurologists with expertise in the management of MND. MMTC, August 2022
Tofersen		
TOFERSEN (BIIB067) 100mg in 15ml INTRATHECAL INJECTION (COMPASSIONATE USE)	UNR	Approved June 2023 - Early access scheme for amyotrophic lateral sclerosis.
04.10 Drugs used in substance dependence 04.10 Drugs used in substance dependence ACAMPROSATE		
ACAMPROSATE 333mg TABLETS E.C	R	For Gastroenterology use on a consultant request only. Medicines Effectiveness, February 2013.
04.10.00 Drugs used in substance dependence BUPROPION		
BUPROPION 150mg TABLETS M/R	NF	

DISULFIRAM

DISULFIRAM 200mg TABLETS	Y	
04.10.00 Smoking cessation <b>NICOTINE</b>		
NICOTINE 2mg CHEWING GUM	R	Smoking cessation for pregnant and postpartum women until discharged from midwifery care. MMTC, Nov 2023
04.10.00 Substance Dependence BUPRENORPHINE		
BUPRENORPHINE 8MG ORAL LYOPHILISATE TABLETS	NF	Espranor is not interchangeable with other buprenorphine product
BUPRENORPHINE 8mg ORAL LYOPHILISATE TABLETS	NF	Espranor is not interchangeable with other buprenorphine product
METHADONE METHADONE 1mg/1ml LIQUID S/F	Y	
NALMEFENE		
NALMEFENE 18mg TABLETS	R	Nalmefene is an option for reducing alcohol consumption, for people with alcohol dependence, as per NICE TA325. MMTC, August 2018
15.01 General anaesthesia		
BUPRENORPHINE 2mg SUBLINGUAL TABLETS	R	For continuation of treatment of opiod dependence only. Medicines Effectiveness, March 2010.
BUPRENORPHINE 400microgram SUBLINGUAL TABLETS	R	For continuation of treatment of opiod dependence only. Medicines Effectiveness, March 2010.
BUPRENORPHINE 8mg SUBLINGUAL TABLETS	R	For continuation of treatment of opiod dependence only. Medicines Effectiveness, March 2010.
LOFEXIDINE 200micrograms TABLETS F/C	NF	
METHADONE METHADONE 10mg/ml LIQUID	Y	

## NALTREXONE

NALTREXONE 50mg TABLETS

R

R

R

For Hepatology use in treatment of pruritus due to cholestatic liver disease only. NOT for Opioid dependence. Medicines Effectiveness, November 2004,

## 4.10.00 Smoking c

## NICOTINE

NICOTINE 1.5mg MINI LOZENGE SUGAR FREE (3x20)	R For use as p	per MIL Nicotine
-	Deplease ant There	any (NIDT) for

- NICOTINE 15mg/16hours PATCHES (NICORETTE NF As per NRT Medicines **INVISI PATCH**)
- NICOTINE 1mg/ DOSE MOUTHSPRAY 13.2ml (NICORETTE QUICKMIST)
- NICORETTE 4mg MINI LOZENGE SUGAR FREE (60) R
- NICOTINE 15mg INHALATOR STARTER PACK
- NICOTINE 15mg INHALATOR REFILL PACK (36)

## VARENICLINE

VARENICLINE 11 x 500mcg & 14 x 1mg TABLETS R

#### 4.10.00 Smoking cessation

#### NICOTINE

- NICOTINE 10mg/16hours PATCHES (NICORETTE) NF
- NICOTINE 4mg CHEWING GUM

- Replacement Therapy (NRT) for Smoking Cessation. MMTC, May 2017
- Information Leaflet. Medicines Effectiveness, February 2013.
- R Smoking cessation for pregnant and postpartum women until discharged from midwifery care. MMTC, Nov 2023
  - As per NRT Medicines Information Leaflet. Medicines Effectiveness, February 2013.
  - As per NRT Medicines Information Leaflet, Medicines Effectiveness, February 2013.
  - As per NRT Medicines Information Leaflet. Medicines Effectiveness, February 2013.
  - For continuation of therapy started in community only, as per NICE TA123. MMTC, April 2013.
- R Smoking cessation for pregnant and postpartum women until discharged from midwifery care. MMTC, Nov 2023

	NICOTINE 2mg MICROTABS	R	?Smoking sessation for pregnant and postpartum women until discharged form midwifay care. MMTC, Nov 2023
	NICOTINE 25mg/16hours PATCHES (NICORETTE INVISI PATCH)	NF	Use 24 hour patches and remove after 16 hours as per NRT MIL. MMTC, September 2018
	NIQUITIN		
	NICOTINE 21mg/24hours TRANSDERMAL PATCHES (NIQUITIN CQ)	R	As per NRT Medicines Information Leaflet. Medicines Effectiveness, February 2013.
	NICOTINE 7mg/24hours TRANSDERMAL PATCHES (NIQUITIN CQ)	R	As per NRT Medicines Information Leaflet. Medicines Effectiveness, February 2013
	NICOTINE 14mg/24hours TRANSDERMAL PATCHES (NIQUITIN CQ)	R	As per NRT Medicines Information Leaflet. Medicines Effectiveness, February 2013.
,	VARENICLINE		
	VARENICLINE 1mg TABLETS	R	For continuation of therapy started in community only, as per NICE TA123. MMTC, April 2013.
01	11 Drugs for dementia		
	04.1.00rugs for dementia		
	GLYCERIN		
	GLYCERIN BP INJECTION 5ml	SR	To be used by Neuro-Radiology for the treatment of trigeminal neuralgia Medicines Effectiveness Jan '24
C	04.11 Drugs for dementia		
	DONEPEZIL		
	DONEPEZIL 5mg TABLETS	R	For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

## GALANTAMINE

R

For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

R For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

GALANTAMINE 24mg CAPSULES M/R

GALANTAMINE 8mg CAPSULE M/R

R

GALANTAMINE	16mg	CAPSUL	.ES M/R

For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

## **MEMANTINE**

MEMANTINE TABLET INITIATION PACK	R	For the management of managing mild to moderate Alzheimer's disease in those who cannot take acetylcholinesterase (AChE) inhibitor as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the Memory Clinic only. MMTC,
MEMANTINE HYDROCHLORIDE 10mg TABLETS	R	For the management of managing mild to moderate Alzheimer's disease in those who cannot take acetylcholinesterase (AChE) inhibitor as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the Memory Clinic only. MMTC,
MEMANTINE 10mg/ml ORAL DROPS	R	For the management of managing mild to moderate Alzheimer's disease in those who cannot take acetylcholinesterase (AChE) inhibitor as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the Memory Clinic only. MMTC,

## RIVASTIGMINE

For patients with swallowing difficulties or feeding tubes. For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

R For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

> Patches are restricted strictly for those unable to swallow.For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older MMTC, March 2017 people).

**RIVASTIGMINE 4.5mg CAPSULES** 

RIVASTIGMINE 4.6mg/24hr TRANSDERMAL PATCHES

R

RIVASTIGMINE 3mg CAPSULES

RIVASTIGMINE 13.3mg/24hr TRANSDERMAL PATCHES

04.11.00 Anticholinesterases
DONEPEZIL

Patches are restricted strictly for those unable to swallow. For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

R For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

R

For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

DONEPEZIL	10mg	TABL	ETS.
-----------	------	------	------

04.11.00 Drugs for dementia

R

For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017

**RIVASTIGMINE RIVASTIGMINE 1.5mg CAPSULES** R For the management of managing mild to moderate Alzheimer's disease as per NICE TA217 and the Primary Care Prescribing Protocol to Support the Diagnosis and Management of People with Dementia. To be initiated by specialists in the care of patients with dementia (i.e. psychiatrists including those specializing in learning disability, neurologists, and physicians specializing in the care of older people). MMTC, March 2017 05 Infections 05.01 Antibacterial drugs 05.00.00 Infections **LEVOFLOXACIN** LEVOFLOXACIN 500mg IN 100ml INJECTION R For treatment of HAP and sepsis CAP in severe penicillin allergy patients. MMTC, November 2023. **MEROPENEM + VABORBACTAM** MEROPENEM 1g / VABORBACTAM 1g INJECTION R For treatment of Gram negative multi-drug-resistant infections on advice of Micro/ID only. ASG, January 2020 05.01 01 Penicillins **PIPERACILLIN + TAZOBACTAM** PIPERACILLIN/TAZOBACTAM 2.25g INJECTION R

05.01 Antibacterial drugs PHENOXYMETHYLPENICILLIN

PHENOXYMETHYLPENICILLIN 250mg/5ml LIQUID 100ml 05.01.00 Antibacterial drugs Atropine	Y	
ATROPINE 500microgram IN 5ml INJECTION PRE- FILLED SYRINGE	R	For use during Covid-19 only. MMTC, March 2020
CO-TRIMOXAZOLE 480mg IN 5ml INJECTION	UNR	Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).
05.01.00 Antibiotic		
BEDAQUILINE		
BEDAQUILINE 100mg TABLETS	R	Pulmonary multidrug-resistant tuberculosis (MDR-TB) Approved ASG and MMTC Aug 2015
CEFIDEROCOL		
CEFIDEROCOL 1g INJECTION	R	For treatment of multi-drug resistance gram-negative organisms on the advice/recommendation of Micro/ID only. MMTC February 2021
CLARITHROMYCIN		
CLARITHROMYCIN 125mg/5ml LIQUID TTO 70ml	SR	
DAPTOMYCIN		
DAPTOMYCIN 500mg INFUSION	R	For use following Micro/ID recommendation for treatment of MRSA or VRE when alternatives (eg vancomycin, teicoplanin or linezolid) are contraindicated or there is resistance to these drugs. MMTC, June 2013. Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).

DAPTOMYCIN 350mg INFUSION	R	For treatment of MRSA or VRE when alternatives (eg vancomycin, teicoplanin or linezolid) are contraindicated or there is resistance to these drugs. MMTC, June 2013.
FLUCLOXACILLIN FLUCLOXACILLIN 250mg/5ml LIQUID TTO 100ml	UNR	
PROCAINE PENICILLIN PROCAINE PENICILLIN 1.2million units INJECTION	UNR	This antimicrobial requires prescribing by: - Genito-urinary medicine consultant or registrar. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.01.00 Antibiotics		
CEFTOLOZANE CEFTOLOZANE 1g & TAZOBACTAM 500mg INJECTION	R	For the treatment of: -hospital acquired pneumonia -intra- abdominal infections -sepsis - UTI For initiation following recommendation by Micro/ID only. MMTC, April 2017
05.01.01 Penicillins		
AMOXICILLIN AMOXICILLIN 500mg INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 500mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

AMOXICILLIN 500mg CAPSULES TTO 15's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 125mg/5ml LIQUID 100ml	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 125mg/5ml SUGAR FREE LIQUID TTO 100ml	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 250mg CAPSULES	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 3g SACHET S/F	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 250mg/5ml LIQUID SUGAR FREE TTO 100ml	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

AMOXICILLIN 250mg CAPSULES TTO 15's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMOXICILLIN 250mg/5ml LIQUID 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AZTREONAM		
AZTREONAM 1g INJECTION	R	For use by the Respiratory Unit (adult and children) only. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
BENZYLPENICILLIN		
BENZYLPENICILLIN 1.2g INJECTION	Y	
BENZYLPENICILLIN 600mg INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV		
CO-AMOXICLAV 500/125mg TABLETS TTO 21's	Υ	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CO-AMOXICLAV 125/31mg/5ml LIQUID SUGAR FREE TTO 100ml	Ξ	SR For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV 1000/200 (1.2g) INJECTION amoxicillin 1g & clavulanic acid 200mg	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV DUO 400/57 LIQUID 70ml	NF	
CO-AMOXICLAV 500/125mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV 500/100 (600mg) INJECTION amoxicillin 500mg & clavulanic acid 100mg (600mg)	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV 250/62 in 5ml LIQUID SUGAR FREE TTO 100ml	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-AMOXICLAV 250/62 in 5ml LIQUID SUGAR FREE 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CO-AMOXICLAV 125/31 in 5ml (Paed) LIQUID S/F 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCLOXACILLIN		
FLUCLOXACILLIN 500mg CAPSULES TTO 28's	R	FOR AREAS ALLOWED TO DISPENSE TTO PACKS
FLUCLOXACILLIN 1g INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCLOXACILLIN 125mg/5ml LIQUID TTO 100ml	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCLOXACILLIN 125mg/5ml LIQUID 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCLOXACILLIN 500mg INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

FLUCLOXACILLIN 500mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCLOXACILLIN 250mg/5ml LIQUID 100ml	Y	
FLUCLOXACILLIN 250mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
PHENOXYMETHYLPENICILLIN		
PHENOXYMETHYLPENICILLIN 250mg/5ml LIQUID 100ml TTO PACK	S/F	Y For areas allowed to keep TTO packs only
PHENOXYMETHYLPENICILLIN 250mg TABLETS T 28's	ТО	SR For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2012.
PHENOXYMETHYLPENICILLIN 250mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
PHENOXYMETHYLPENICILLIN 125mg/5ml LIQUID 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

# PIPERACILLIN + TAZOBACTAM

PIPERACILLIN/TAZOBACTAM 4.5g INJECTION	R	This antimicrobial is approved for: Neutropenic fever empirical treatment (with gentamicin) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar ASG Jan 2009.
PIVMECILLINAM		
PIVMECILLINAM 200mg TABLETS	R	Used as an alternative option for treatment of non-severe lower UTI in female (non-pregnant) and male patients, where susceptibility tests have shown resistance to other formulary antibiotics. MMTC, June 2013.
TEMOCILLIN		
TEMOCILLIN 1g INJECTION	R	This antimicrobial requires approval/prescribing by: - Cystic Fibrosis consultants (adults). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.01.02 Cephalosporins, carbapenems and other beta-	lactams	
CEFALEXIN 250mg/5ml LIQUID TTO 100ml	UNR	
CEFTAZIDIME		
CEFTAZIDIME 2g / AVIBACTAM 0.5g INJECTION	R	For MDR gram negative organisms following recommendation by Micro/ID only. MMTC, June 2017

CEFTRIAXONE

CEFTRIAXONE 1g INJECTION	R	This antimicrobial is approved for: Bacterial meningitis:- empirical treatment (+/- amoxicillin);- prophylaxis of meningococcal meningitis in pregnant women 2nd-line treatment of severe infections /surgical prophylaxis (after co- amoxiclav iv). It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. NB: Avoid in neonates and infants under 3 months gestational age. ASG Jan 2009
05.01.02 Cephalosporins, carbapenems and other beta-l	actums	
BENZYLPENICILLIN 600mg INJECTION	Y	
CEFAZOLIN		
CEFAZOLIN 1g INJECTION	R	For the second line treatment of MSSA, For surgical prophylaxis and for treatment of skin and soft tissue infections, also available following approval/prescribing by: - Microbiology/ID consultant or registrar MMTC June 2021
CEFOXITIN		
CEFOXITIN 1g INJECTION	R	For the treatment of non- tuberculous mycobacteria (NTM) in adult patients with cystic fibrosis. MMTC, July 2010
CEFTAZIDIME		
CEFTAZIDIME 2g INJECTION	R	This antimicrobial requires prescribing by: Respiratory consultant or registrar (adults and paediatrics Treatment of neurosurgical infections. Or approval/prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. ASG, January 2009.

## CEFUROXIME

CEFUROXIME 250mg INJECTION	R	This antimicrobial requires prescribing by: - Paediatric consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar . Antimicrobial Steering Group, January 2012
CEFUROXIME 250mg INJECTION	R	
CEFUROXIME 50mg INTERCAMERAL INJECTION VIAL	R	For cataract surgery only. MMTC, July 2014.
05.01.02 Cephalosporins, carbapenems, and other beta-	lactams	
AZTREONAM 2g INJECTION	R	For use by the Respiratory Unit (adult and children) only. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFACLOR CEFACLOR 125mg/5ml LIQUID	NF	
CEFALEXIN 125mg/5ml LIQUID 100ml S/F	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFALEXIN 500mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CEFALEXIN 250mg/5ml LIQUID 100ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFALEXIN 250mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFALEXIN 500mg CAPSULES TTO 21's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFAZOLIN		
CEFAZOLIN 2g INJECTION	R	For the second line treatment of MSSA, For surgical prophylaxis and for treatment of skin and soft tissue infections, also available following approval/prescribing by: - Microbiology/ID consultant or registrar. MMTC June 2021
CEFEPIME		
CEFEPIME 2g INJECTION	R	For treatment of Gram-negative bacterial infections with MDR in adults. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant only. ASG, September 2019
CEFIXIME		
CEFIXIME 200MG TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, June 2014.

# CEFOTAXIME

As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### **CEFTAROLINE FOSAMIL**

CEFTAROLINE FOSAMIL (AS ACETATE) 600MG INJECTION

R

For the treatment of complicated skin infections in adults, including MRSA. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant only. ASG, September 2019

For the treatment of complicated skin infections in adults, including MRSA. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant only. ASG, September 2019

### Ceftazidime

CEFTAZIDIME 2g INJECTION

R

This antimicrobial requires prescribing by:
Respiratory Unit (adult and children)
Neurosciences (empirical treatment of neurosurgical infections).
It is also available following approval/prescribing by:
Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar
Antimicrobials Steering Group, January 2012.

Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'.

CEFTAZIDIME 500mg INJECTION	R	This antimicrobial requires prescribing by: - Respiratory Unit (adult and children) - Neurosciences (empirical treatment of neurosurgical infections). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFTRIAXONE CEFTRIAXONE 2g INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available
		following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012
CEFTRIAXONE 250mg INJECTION	Y	
CEFTRIAXONE 1g INJECTION	Y	
CEFTRIAXONE 250mg INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CEFUROXIME		
CEFUROXIME 750mg INJECTION	R	Only for Surgical prophylaxis in Adults as per Trust Guidelines or when recommended by Micro / ID. MMTC August 2019
CEFUROXIME 250mg INJECTION	R	This antimicrobial requires prescribing by: - Paediatric consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar Antimicrobials Steering Group, January 2012.

# ERTAPENEM

ERTAPENEM	<b>1g INJECTION</b>
-----------	---------------------

IMIPENEM 500mg / CILASTIN 500mg / RELEBACTAM R

R

For home or outpatient IV therapy following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.

For tretament of resistance gram negtive bacteria as 3rd line tretament ONLY on advice of Micro/ID. MMTC, July 2021

IMIPENEM / CILASTATIN 500mg INJECTION (20ml R Approved for Treatment of nontuberculous mycobacteria (NTM) in adult patients with cystic fibrosis. Or approval/prescribing by CF consultants. MAC, March 2011

### **MEROPENEM**

**IMIPENEM** 

vials)

250mg INJECTION

MEROPENEM 1g INJECTION	Y	As per OUH Antimicrobial
-		Guidelines. It is also available
		following approval/prescribing by:
		- Microbiology/ID consultant or
		registrar - Paediatric ID
		consultant or registrar
		Antimicrobials Steering Group,
		January 2012.

**MEROPENEM 500mg INJECTION** Υ As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### **OFLOXACIN**

OFLOXACIN 200MG/100ML	INJECTION

### TICARCILLIN

TICARCILLIN 3g / CLAVULANIC ACID 200mg INJECTION

NF

R

This antimicrobial requires approval/prescribing by: - Cystic Fibrosis consultants (adults). It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

DOXYCYCLINE		
DOXYCYCLINE HYCLATE 100mg IN 5ml INJECTION	UNR	For the treatment of rickettsia, legionella and following recommendation by Micro/ID where the oral route is not appropriate. All use must have Micro/ID approval. MMTC, August 2017 For intralesional sclerotherapy of lymphatic malformations in adults for use in JR Interventional Radiology MMTC, October 2021 (review date: April 2022)
DOXYCYCLINE 100mg CAPSULES TTO 14s (Unlicensed)	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar . Antimicrobials Steering Group, January 2012
05.01.03 Tetracyclines		
DEMECLOCYCLINE DEMECLOCYCLINE 150mg CAPSULES	Y	
DOXYCYCLINE		
DOXYCYCLINE 100mg CAPSULES TTO 14's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
DOXYCYCLINE 50mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

DOXYCYCLINE 100mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
DOXYCYCLINE 100mg CAPSULES TTO 28's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
DOXYCYCLINE 100mg DISPERSIBLE TABLETS	Υ	Patients with feeding tubes or swallowing difficulties only. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
Eravacycline ERAVACYCLINE 100mg INJECTION	NF	
LYMECYCLINE 408mg CAPSULES	R	For continuation of treatment of Bullous pemphigoid and other rarer immunobullous diseases in patients under the care of dermatology only. Initiation of treatment should be completed by GP. MMTC, January 2017
MINOCYCLINE		
MINOCYCLINE 50mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

MINOCYCLINE 100mg CAPSULES M/R	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
MINOCYCLINE 100mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
OXYTETRACYCLINE		
OXYTETRACYCLINE 250mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TETRACYCLINE		
TETRACYCLINE 250mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TIGECYCLINE		
TIGECYCLINE 50mg INJECTION	R	For treatment of non-tuberculous mycobacteria (NTM) in adult patients with cystic fibrosis. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.01.04 Aminoalycosides		

05.01.04 Aminoglycosides
AMIKACIN

AMIKACIN PAED 100mg IN 2ml INJECTION	R	For the treatment of Non- Tuberculosis Mycobacterium infections in CF patients and MDRTB. This antimicrobial requires prescribing by: - Respiratory Unit (adult and children) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
AMIKACIN 500mg in 2ml INJECTION	R	For the treatment of Non- Tuberculosis Mycobacterium infections in CF patients and MDRTB. This antimicrobial requires prescribing by: - Respiratory Unit (adult and children) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
Amikacin liposomal		
AMIKACIN LIPOSOMAL 590mg NEBULISER VIALS WITH DEVICE	R	For the treatment of non- tuberculous mycobacterial pulmonary disease caused by mycobacterium avium complex refractory to current treatment options (adults and post pubescent children) ?as per NHSE policy 221007P. MMTC, September 2023
GENTAMICIN GENTAMICIN 80mg IN 2ml INJECTION (AMPOULES)	V	
	I	
GENTAMICIN INTRATHECAL 5mg in 1ml INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

GENTAMICIN 20mg in 2ml Paediatric INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
GENTAMICIN 80mg in 2ml INJECTION (AMPOULES)	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TOBRAMYCIN		
TOBRAMYCIN 80mg in 2ml INJECTION	R	This antimicrobial requires prescribing by: - Respiratory Unit (adult + paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar. Antimicrobials Steering Group.
TOBRAMYCIN 300mg IN 5ml NEBULISER SOLUTION	R	This antimicrobial requires prescribing by:- Respiratory Unit (adult + paediatric) consultant or registrar It is also available following approval/prescribing by:- Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar ASG Jan 2009
TOBRAMYCIN 300mg IN 4ml NEBULISER SOLUTION	NF	This antimicrobial requires prescribing by: - Respiratory Unit (adult + paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

05.01.05 Macrolides
AZITHROMYCIN

AZITHROMYCIN 500mg TABLETS	R	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar. - Respiratory consultants for the treatment of COPD, CF and Bronchiectasis Antimicrobials Steering Group, November 2019.
AZITHROMYCIN 250mg TABLETS	R	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar. - Respiratory consultants for the treatment of COPD, CF and Bronchiectasis Antimicrobials Steering Group, November 2019.
AZITHROMYCIN 200mg/5ml LIQUID 30ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012
AZITHROMYCIN 250MG TABLETS TTO PK 8	SR	For OSHS use only
AZITHROMYCIN 250mg CAPSULES	NF	RESTRICTED: For use by Chest consultants; Gynaecology consultants and on Micro/ID recommendation only 'Bunmi 2007
AZITHROMYCIN 200mg/5ml LIQUID 15ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

# Clarithromycin

CLARITHROMYCIN 500mg INJECTION	Y	Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).
CLARITHROMYCIN 500mg INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLARITHROMYCIN 250mg/5ml LIQUID 70ml	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLARITHROMYCIN 500mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLARITHROMYCIN 500mg TABLETS TTO 14's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLARITHROMYCIN 250mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CLARITHROMYCIN 125mg/5ml PAED LIQUID 70ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ERYTHROMYCIN ERYTHROMYCIN 250mg/5ml LIQUID 100ml	R	For pregnant women and for ITU as a prokinetic agent. It is also
		available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, July 2011
ERYTHROMYCIN 125mg/5ml LIQUID 100ml	R	For pregnant women and for ITU as a prokinetic agent. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, July 2011
ERYTHROMYCIN 500mg/5ml LIQUID 100ml	R	For pregnant women and for ITU as a prokinetic agent. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, July 2011
ERYTHROMYCIN 250mg TABLETS E/C	R	For pregnant women and for ITU as a prokinetic agent. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, July 2011

ERYTHROMYCIN LACTOBIONATE 1g INJECTION	R	For pregnant women and for ITU as a prokinetic agent. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, July 2011
PAROMYCIN		
PAROMOMYCIN 250mg CAPSULES	UNR	For the treatment of diarrhoea caused by Giardia, Cryptosporidium and E. histolytica where standard treatment has failed as recommended by Micro / ID. MMTC, August 2019
05.01.05 Mecillinams		
AZITHROMYCIN HC AZITHROMYCIN 250MG TABLETS	R	
05.01.06 Clindamycin CLINDAMYCIN		
CLINDAMYCIN 150mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLINDAMYCIN 600mg IN 4ml INJECTION	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLINDAMYCIN 75mg CAPSULES	NF	
CLINDAMYCIN 150mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CLINDAMYCIN 300mg IN 2ml INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CLINDAMYCIN + BENZOYL PEROXIDE CLINDAMYCIN 1% & BENZOYL PEROXIDE 5% GEL 60g 05.01.07 Some other antibacterials	NF	
CHLORAMPHENICOL		
CHLORAMPHENICOL 250mg CAPSULES	R	This antimicrobial requires prescribing by: - Respiratory Unit (adult and paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CHLORAMPHENICOL 1g INJECTION	R	2nd-line empirical treatment of bacterial meningitis (severe penicillin allergy). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
COLISTIMETHATE COLISTIMETHATE 125mg CAPSULES FOR INHALATION (TEST DOSE)	R	For treating pseudomonas lung infections in cystic fibrosis patients as per NICE TA276. MMTC, June 2013.
COLOMYCIN COLOMYCIN 500,000units (0.5mu) INJECTION	NF	

COLISTIMETHATE	R	This antimicrobial requires prescribing by: - Respiratory Unit (adult and children) - Neurosciences (empirical treatment of neurosurgical infections) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar NB: only the injection is stocked (it can be given IV and can be nebulised). Antimicrobials Steering Group, January 2012.
COLOMYCIN 2,000,000units (2million units) INJECTIO	N	R This antimicrobial requires prescribing by: - Respiratory Unit (adult and children) - Neurosciences (empirical treatment of neurosurgical infections) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar NB: only the injection is stocked (it can be given IV and can be nebulised). Antimicrobials Steering Group, January 2012.
DALBAVANCIN DALBAVANCIN 500mg INJECTION	R	For treatment of gram positive bacterial infection in people who inject drugs, for whom other options have failed and oral options are not appropriate, on advice of Micro/ID only. MMTC, April 2021

# icile p,

# DALBAVANCIN

DALBAVANCIN 500mg INJECTION	R	For treatment of gram positive bacterial infection in people wh inject drugs, for whom other options have failed and oral options are not appropriate, or advice of Micro/ID only. MMTC April 2021
FIDAXOMICIN		
FIDAXOMICIN 200mg TABLETS	R	For recurrent Clostridium diffic infection. This antimicrobial requires prescribing by: - Micro/ID consultant. Antimicrobials Steering Group January 2014.
FOSFOMYCIN		
FOSFOMYCIN 3g SACHETS	R	For the treatment of extended spectrum beta-lactamases (ESBL) UTIs resistant to other formulary antimicrobials, following ID/Microbiology recommendation only. ASG, 2013.

FOSFOMYCIN 4g INJECTION	R	For multi-resistant pseudomonas aeruginosa infection of the lung in cystic fibrosis. This antimicrobial requires prescribing by: Respiratory Unit Consultant or Microbiologist; Microbiology/ID consultant or registrar. MMTC, January 2015.
LINEZOLID 600mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
LINEZOLID 600mg in 300ml INJECTION	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
LINEZOLID 100mg/5ml ORAL SUSPENSION	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ORITAVANCIN		
ORITAVANCIN 400mg INJECTION	R	
PRISTINAMYCIN		
PRISTINAMYCIN 500mg TABLETS	UNR	For staphylococcal infection or multi resistant organisms. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAXIMIN		

RIFAXIMIN 200mg TABLETS

RIFAXIMIN 550mg TABLETS	R	For preventing episodes of overt hepatic encephalopathy as per NICE TA337. MMTC, November 2015
SODIUM FUSIDATE FUSIDIC ACID 250mg/5ml LIQUID	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
SODIUM FUSIDATE 250mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TEDIZOLID TEDIZOLID 200mg TABLETS	NF	
TEICOPLANIN 200mg INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TEICOPLANIN 400mg INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
VANCOMYCIN VANCOMYCIN 1g INJECTION	Y	
VANCOMYCIN 500mg INJECTION	Y	

VANCOMYCIN INTRATHECAL 20mg in 4ml INJECT (STERILE WRAPPED PRE FILLED SYRINGE)	ION	UNR For CSF infection. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2018
VANCOMYCIN 500mg INJECTION	Y	
VANCOMYCIN 125mg CAPSULES	R	For Clostridium difficile infection (CDI) or following Microbiology advice. Medicines Effectiveness, April 2014.
05.01.08 Sulfonamides and trimethoprim		
Co-trimoxazole		
CO-TRIMOXAZOLE 240mg/5ml PAED LIQUID (UNLICENSED IMPORT)	UNR	
CO-TRIMOXAZOLE 480mg in 5ml INJECTION	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-TRIMOXAZOLE 480mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-TRIMOXAZOLE 480mg TABLETS TTO (28)	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CO-TRIMOXAZOLE 480mg/5ml ADULT LIQUID	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CO-TRIMOXAZOLE 240mg/5ml PAED LIQUID	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
SULFADIAZINE		
SULFADIAZINE 500mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TRIMETHOPRIM		
TRIMETHOPRIM 100mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TRIMETHOPRIM 200mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TRIMETHOPRIM 50mg/5ml LIQUID	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.01.09 Antituberculosis drugs		
AMINOSALICYLIC ACID		
AMINOSALICYLIC ACID 4g GRANULES	UNR	For use by Infectious Diseases physicians use in multi resistant TB only. Medicines Effectiveness, May 2002.
CAPREOMYCIN		

CAPREOMYCIN 1g INJECTION	R	Restricted to Micro / ID consultant initiated for MDRTB. MMTC, June 2012.
CYCLOSERINE 250mg PULVULES	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
Delamanid		
DELAMANID 50mg TABLETS	R	As per NHSE commissioning policy 201203P
ETHAMBUTOL		
ETHAMBUTOL 1g in 10ml INJECTION	UNR	This antimicrobial is approved for: TB treatment It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar NB: tablets are the preferred formulation ASG Jan 2009
ETHAMBUTOL 100mg TABLETS	R	This antimicrobial is approved for: - TB treatment It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar ASG, January 2009.
ETHAMBUTOL 400mg TABLETS	R	This antimicrobial is approved for: - TB treatment It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar ASG, January 2009.
ISONIAZID 50mg/5ml LIQUID	SR	This antimicrobial is approved for: TB prophylaxis in immunosuppressed patients/TB treatment It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar ASG Jan 2009

ISONIAZID 50mg/5ml LIQUID	SR	This antimicrobial is approved for: TB prophylaxis in immunosuppressed patients/TB treatment It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar ASG, January 2009
ISONIAZID 50mg TABLETS	R	For TB prophylaxis in immunosuppressed patients OR mycobacterial infections. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
ISONIAZID 50mg IN 2ml INJECTION	UNR	For TB prophylaxis in immunosuppressed patients OR mycobacterial infections. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
ISONIAZID 100mg TABLETS	R	For TB prophylaxis in immunosuppressed patients OR mycobacterial infections. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
PROTIONAMIDE 250mg TABLETS	UNR	For Multi Drug Resistant TB. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### PYRAZINAMIDE

PYRAZINAMIDE 500mg TABLETS	R	For mycobacterial infections. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFABUTIN RIFABUTIN 150mg CAPSULES	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAMPICIN 600mg INFUSION	R	This antimicrobial is approved for: -Mycobacterial infections - Prophylaxis of meningococcal meningitis (single agent) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAMPICIN 300mg CAPSULES	R	This antimicrobial is approved for: -Mycobacterial infections - Prophylaxis of meningococcal meningitis (single agent) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAMPICIN 150mg CAPSULES	R	This antimicrobial is approved for: -Mycobacterial infections - Prophylaxis of meningococcal meningitis (single agent) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

RIFAMPICIN 100mg/5ml LIQUID	R	This antimicrobial is approved for: -Mycobacterial infections - Prophylaxis of meningococcal meningitis (single agent) It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAMPICIN + ISONIAZID		
RIFAMPICIN 150mg + ISONIAZID 100mg TABLETS	R	For mycobacterial infections. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIFAMPICIN 300mg + ISONIAZID 150mg TABLETS	R	For mycobacterial infections. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### **RIFAMPICIN + ISONIAZID + PYRIZINAMIDE**

RIFAMPICIN 120mg + ISONIAZID 50mg +	R	For mycobacterial infections.
PYRAZINAMIDE 300mg TABLETS		This antimicrobial requires
		approval/prescribing by: -

### 05.01.10 Antileprotic drugs

#### **CLOFAZIMINE**

CLOFAZIMINE 100mg CAPSULES

CLOFAZIMINE 50mg CAPSULES

- approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
- UNR RESTRICTED for use by infectious diseases wards only
- UNR This antimicrobial requires approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### DAPSONE

DAPSONE 50mg TABLETS	R	For PCP prophylaxis in immunosuppressed patients This antimicrobial requires approval/prescribing by: - Dermatology (adults and paediatrics) - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.01.11 Metronidazole and tinidazole		
Delafloxacin		
DELAFLOXACIN 450mg TABLETS	R	
DELAFLOXACIN 300mg INJECTION	R	
Metronidazole		
METRONIDAZOLE 400mg TABLETS TTO 14'S	SR	For use as a TTO pack on GUM only. Medicines Effectiveness, August 2023
METRONIDAZOLE 400mg TABLETS TTO 6'S	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, April 2015
METRONIDAZOLE 200mg/5ml LIQUID	R	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 400mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 400mg TABLETS TTO 21's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

METRONIDAZOLE 400mg TABLETS TTO 10's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 200mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 500mg SUPPOSITORIES	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 1g SUPPOSITORIES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
METRONIDAZOLE 500mg in 100ml INFUSION ECOFLAC PLUS (429626)	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TINIDAZOLE 500mg TABLETS	UNR	This antimicrobial requires approval or prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar.Do not dispense this medicine unless the relevant approval has been obtained. Medicines Effectiveness. February 2009.

CEFUROXIME		
CEFUROXIME 1.5g INJECTION	R	Only for Surgical prophylaxis in Adults as per Trust Guidelines or when recommended by Micro / ID. MMTC August 2019
CIPROFLOXACIN		
CIPROFLOXACIN 500mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar
CIPROFLOXACIN 500mg TABLETS TTO PACK 10'S	SR	
CIPROFLOXACIN 250mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar . Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 250mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 100mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CIPROFLOXACIN 250mg/5ml LIQUID 100ml	R	For small paediatric doses or patients intolerant of tablets dispersed in water only. Disperse tablets in water to give via feeding tube or for patients with swallowing difficulties. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 500mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 400mg IN 200ml INJECTION	R	For NBM or not absorbing patients only. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 200mg in 100ml INJECTION	R	For NBM or not absorbing patients only. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 500mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

CIPROFLOXACIN 750mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CIPROFLOXACIN 500mg TABLETS TTO 4'S	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, April 2015.
LEVOFLOXACIN		
LEVOFLOXACIN 250mg TABLETS	R	Restricted for the treatment of Helicobacter Pylori infection as a 2nd-line treatment where there is a history of penicillin allergy (non-severe and severe). Also restricted for prophylaxis in Myeloma patients. It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant
LEVOFLOXACIN 500mg TABLETS	R	Restricted for the treatment of Helicobacter Pylori infection as a 2nd-line treatment where there is a history of penicillin allergy (non-severe and severe). Also restricted for prophylaxis in Myeloma patients. It is also available following approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant
LEVOFLOXACIN 250mg TABLETS	R	Antimicrobials Steering Group, January 2012
MOXIFLOXACIN		
MOXIFLOXACIN 400mg TABLETS	R	3rd-line treatment of LRTIs (severe penicillin allergy - per adult empirical treatment guide). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

MOXIFLOXACIN 400mg in 250ml INJECTION	R	For nil-by-mouth or not absorbing patients only. 3rd-line treatment of LRTIs (severe penicillin allergy - per adult empirical treatment guide). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
NORFLOXACIN		
NORFLOXACIN 400mg TABLETS	NF	
OFLOXACIN OFLOXACIN 200mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only.It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar; - Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2012
05.01.13 Urinary-tract infections		
METHENAMINE		
METHENAMINE HIPPURATE 1g TABLETS	R	For treatment of recurrent UTI prophylaxis on initiation by micro/ID ONLY. MMTC, January 2023
NITROFURANTOIN		
NITROFURANTOIN 100MG CAPSULES M/R	NF	Please put out of use after this order
NITROFURANTOIN 25mg/5ml LIQUID	NF	
NITROFURANTOIN 100mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

NITROFURANTOIN 50mg CAPSULES	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
NITROFURANTOIN 50mg CAPSULES TTO 12'S	SR	For areas allowed to keep TTO packs.
		As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by:- Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
5.01.07 Some other antibacterials		
Vancomycin VANCOMYCIN 1g INJECTION	Y	
VANCOMYCIN HYDROCHLORIDE 125mg / 5mL LIQUID 150ml	UNR	For Clostridium difficile infection (CDI) in patients with swallowing difficulties or feeding tubes as per MicroGuide. MMTC, October 2018
05.01Bacterial infection		
05.01.01 Antibacterials		
BENZATHINE BENZYLPENICILLIN		
BENZATHINE BENZYLPENICILLIN 2.4million units INJECTION	R	For the treatment of early and latent Syphilis. For use by Genito-Urinary Medicine only. It is also available following approval/prescribing by:- Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2012
05.02 Antifungal drugs		
05.02 Bacterial infections AMPHOTERICIN		
AMPHOTERICIN AMPHOTERICIN 50mg INJECTION (FUNGIZONE)	R	Restricted for intravitreal use in Eye Theatres only. ASG, November 2018

AMPHOTERICIN LIPOSOMAL 50mg INJECTION (AMBISOME)	R	4th-line treatment of possible fungal infection in febrile neutropaenia patient. (Haematology/Oncology (adult and paediatric) - consultant only. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCONAZOLE 150mg CAPSULES TTO 1's	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCONAZOLE 50mg in 5ml LIQUID	R	For small paediatric doses or patients with feeding tubes only. Disperse the contents of capsules in water for patients with swallowing difficulties. As per OUH Antimicrobial Guidelines. NB: for oral thrush, use nystatin mouthwash instead. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCONAZOLE 50mg CAPSULES	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
FLUCONAZOLE 150mg CAPSULES	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

For small paediatric doses or patients with feeding tubes only. Disperse the contents of capsules in water for patients with swallowing difficulties. As per OUH Antimicrobial Guidelines. NB: for oral thrush, use nystatin mouthwash instead. It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

FLUCONAZOLE 50mg CAPSULES TTO 7'sSRFor areas allowed to keep TTO<br/>packs. As per OUH Antimicrobial<br/>Guidelines. It is also available<br/>following approval/prescribing by:<br/>- Microbiology/ID consultant or<br/>registrar - Paediatric ID<br/>consultant or registrar<br/>Antimicrobials Steering Group,<br/>January 2012.FLUCONAZOLE 50mg in 25ml INJECTIONRStrictly restricted for nil-by-mouth

R Strictly restricted for nil-by-mouth or not absorbing patients. It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.

registrar - Paediatric ID consultant or registrar

January 2012.

Antimicrobials Steering Group,

FLUCONAZOLE 200mg in 100ml INFUSION As per OUH Antimicrobial Υ Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012. FLUCONAZOLE 200mg CAPSULES Y As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or

FLUCYTOSINE

FLUCYTOSINE 500mg TABLETS	UNR	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ITRACONAZOLE		
ITRACONAZOLE 100mg CAPSULES	R	This antimicrobial requires prescribing by: Haematology/oncology (adult and paediatric) Or approval/prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar ASG Jan 2009
ITRACONAZOLE 50mg/5ml LIQUID 150ml	R	This antimicrobial requires prescribing by: - Haematology/oncology (adult and paediatric) - Respiratory consultant It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
ITRACONAZOLE 100mg CAPSULES	R	This antimicrobial requires prescribing by: - Haematology/oncology (adult and paediatric) - Respiratory consultant It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
NYSTATIN NYSTATIN 500,000international units TABLETS	NF	
	1 11	
POSACONAZOL POSACONAZOLE 300mg VIALS	R	Restricted for prophylaxis and treatment of invasive fungal infections in adult haematology patients where the oral route is unavailable or impaired. MMTC, August 2017

## POSACONAZOLE

POSACONAZOLE '	100mg TABLETS E/C
----------------	-------------------

R

For the treatment of invasive fungal infection refractory to fluconazole / voriconazole, following approval/prescribing by:- Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar. For prophylaxis of invasive fungal infections in Patients receiving remission-induction chemotherapy for acute myelogenous leukemia (AML) or myelodysplastic syndromes (MDS) expected to result in prolonged neutropenia, following approval/prescribing by:-Haematology/Oncology consultant or registrar. MMTC, January 2014

POSACONAZOLE 200mg/5ml SUSPENSION 105mls R Prophylaxis of invasive fungal infections in Patients receiving remission-induction chemotherapy for acute myelogenous leukemia (AML) or myelodysplastic syndromes (MDS) expected to result in prolonged neutropenia. MMTC, August 2013.

R This antimicrobial requires prescribing by: - Dermatology (adult + paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

UNR This antimicrobial requires prescribing by: -Oncology/Haematology (adult + paediatric) consultant or registrar as per Febrile Neutropenia protocol. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

#### TERBINAFINE

**TERBINAFINE 250mg TABLETS** 

## VORICONAZOLE

VORICONAZOLE 200mg INJECTION VIAL (UNLICENSED)

VORICONAZOLE 50mg TABLETS	R	This antimicrobial requires prescribing by: - Oncology/Haematology (adult + paediatric) consultant or registrar as per Febrile Neutropenia protocol. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
VORICONAZOLE 200mg/5ml ORAL SOLUTION 70ml	R	This antimicrobial requires prescribing by: - Oncology/Haematology (adult + paediatric) consultant or registrar as per Febrile Neutropenia protocol. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
VORICONAZOLE 200mg TABLETS	R	This antimicrobial requires prescribing by: - Oncology/Haematology (adult + paediatric) consultant or registrar as per Febrile Neutropenia protocol. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
VORICONAZOLE 200mg INJECTION	R	This antimicrobial requires prescribing by: - Oncology/Haematology (adult + paediatric) consultant or registrar as per Febrile Neutropenia protocol. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.02.00 Antifundal drugs		

05.02.00 Antifungal drugs GRISEOFULVIN

GRISEOFULVIN 125mg TABLETS	R	This antimicrobial requires prescribing by: - Dermatology (adult and paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.02.01 Triazole antifungals		
ISAVUCONAZOLE 200mg INJECTION	R	For the treatment resistant fungal infections or if intolerant to alternatives (amphotericin, voriconazole, posiconazole). All use must be approved by Micro/ID and any off-label use requires an IFR. MMTC, January 2017
ISAVUCONAZOLE 100mg CAPSULES	R	For the treatment resistant fungal infections or if intolerant to alternatives (amphotericin, voriconazole, posiconazole). All use must be approved by Micro/ID and any off-label use requires an IFR. MMTC, January 2017
05.02.04 Echinocandin antifungals		
CASPOFUNGIN ACETATE 70mg INJECTION	R	For treatment of proven or suspected invasive fungal disease in adults and paediatrics when: initiated by consultant haematologist/oncologist, or, following approval by ID/Micro consultant/registrar. ASG, September 2019ASG, March 2019
CASPOFUNGIN ACETATE 50mg INJECTION	R	For treatment of proven or suspected invasive fungal disease in adults and paediatrics when: initiated by consultant haematologist/oncologist, or, following approval by ID/Micro consultant/registrar. ASG, September 2019ASG, March 2019

# MICAFUNGIN

**MICAFUNGIN 50mg INJECTION** 

R

This antimicrobial requires prescribing by:- Transplant consultant or registrar prophylaxis at induction (single dose); - Haematology/Oncology (adult and paediatrics; consultant initiation only); - for the treatment of severe fungal infection, 3rd-line treatment of possible fungal infections in febrile neutropenia patients. It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar; - Paediatric ID consultant or registrar. Antimicrobials Steering Group,

This antimicrobial requires

prescribing by:- Transplant consultant or registrar prophylaxis at induction (single dose); - Haematology/Oncology (adult and paediatrics; consultant initiation only); - for the treatment of severe fungal infection, 3rd-line treatment of possible fungal infections in febrile neutropenia patients. It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar; - Paediatric ID consultant or registrar. Antimicrobials Steering Group, 05.03 Antiviral drugs Aciclovir ACICLOVIR 400mg TABLETS TTO 56s SR For use as a TTO pack on GUM only. Medicines Effectiveness, August 2023 **Baloxavir** For use in the RECOVERY Trial BALOXAVIR 40mg TABLETS (RECOVERY TRIAL) R only. EudraCT: 2020-000113-21 ME 19.12.23 **Bulevirtide** BULEVIRTIDE 100mg/ml INJECTION (PROCEDURE R For treatment of Chronic PACK) hepatitis D in adults with compensated liver disease as per NICE TA896. MMTC, December 2023

BULEVIRTIDE 2mg INJECTION	R	For treatment of chronic hepatitis D in adults with compensated liver disease as per NICE TA896. MMTC, December 2023
GANCICLOVIR GANCICLOVIR 500mg INJECTION	NF	
INDINAVIR INDINAVIR 400mg CAPSULES	NF	
Oseltamivir OSELTAMIVIR 75mg CAPSULES (RECOVERY TRIAL	) C	For use in the RECOVERY Trial only. EudraCT: 2020-000113-21 ME 19.12.23
OSELTAMIVIR 30mg/5ml LIQUID 65ml (RECOVERY TRIAL)	С	For use in the RECOVERY Trial only. EudraCT: 2020-000113-21 ME 19.12.23
Raltegravir RALTEGRAVIR 100mg CHEWABLE TABLETS	R	For treatment of post exposure prophylaxis or treatment of HIV in paediatric patients. For use/recommended by paeds ID/ID/OSHS only. MMTC Oct 2017.
05.03 Antiviral drugs FOSCARNET		
FOSCARNET 6g in 250ml INFUSION	R	For the treatment of acute retinal necrosis only. MMTC, January 2016
05.03.00 Antiviral drugs GANCICLOVIR		
GANCICLOVIR 500mg in 100ml SODIUM CHLORIDE 0.9% INFUSION (EMERGENCY BAG)	SR	For emegency use only- see procedure on sharepoint site (Clinical/Baxter). Pharmacist to calculate exact volume to be administered to deliver prescribed dose. If stock expires book out to Transplant/Haematology/Critical Care PPDU, November 2011.

05.03.01 HIV infecti EFAVIRENZ

EFAVIRENZ 100mg CAPSULES	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, October 2007
EFAVIRENZ 50mg CAPSULES	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, October 2007.
05.03.01 HIV infection		
ABACAVIR		
ABACAVIR 100mg/5ml LIQUID	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, Jul 1999.
ABACAVIR 300mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, Jul 1999.
ABACAVIR + LAMIVUDINE		
ABACAVIR 600mg & LAMIVUDINE 300mg (KIVEXA) TABLETS	R	For use by Infectious Diseases and Genito-Urinary Medicine only. Medicines Effectiveness, August 2006.
COBICISTAT + ELVITEGRAVIR + EMTRICITABI	NE	
COBICISTAT / ELVITEGRAVIR / EMTRICITABINE / TENOFOVIR DISOPROXIL	R	For use by Infectious Diseases and Genito-urinary Medicine only. Restricted to patients who require a reduced pill burden and who are unsuitable for/intolerant of first line therapies. MMTC, July 2016
DARUNAVIR		
DARUNAVIR 500mg/5ml LIQUID	R	Patients with feeding tubes or swallowing difficulties only. For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, February 2012.
DARUNAVIR 800mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, February 2012

# DARUNAVIR + COBICISTAT

and Genito only. Re tablet bur	y Infectious Diseases o-urinary Medicine estricted for patients with rden related adherence MMTC, July 2016
	nent of HIV-1 infection n NHSE/1806. MMTC 020
DOLUTEGRAVIR 50mg/ LAMIVUDINE 300mg TABLETS R For August 202	r treatment of HIV. MMTC, 20
DORAVIRINE	
as per NH commissio To be initia	nent of HIV-1 infection IS England oning policy 190137P. ated following n in a HIV MDT only. arch 2021
DORAVIRINE + LAMIVUDINE + TENOFOVIR	
TENOFOVIR DISOPROXIL 245mg TABLETS as per NHS commissio To be initia	nent of HIV-1 infection IS England oning policy 190137P. ated following n in a HIV MDT only. arch 2021
EFAVIRENZ	
and Genito	y Infectious Diseases o-urinary Medicine dicines Effectiveness, 007.
EFAVIRENZ + EMTRICITABINE + TENOFOVIR	
200mg, TENOFOVIR DISOPROXIL 245mg TABLETS and Genito	y Infectious Diseases o-urinary Medicine dicines Effectiveness,
EMTRICITABINE + TENOFOVIR	
TABLETS (TRUVADA) and Genito	y Infectious Diseases o-urinary Medicine retroviral Formulary ay 2010
ETRAVIRINE	

ETRAVIRINE 100mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine consultants only. To be initiated only after discussion of case by a group consisting of a minimum of 3 consultants, 1 HIV pharmacist and with virology input. Antiretroviral Formulary
ETRAVIRINE 200mg TABLETS	R	Use by Infectious Diseases consultants only. To be initiated only after discussion of case by a group consisting of a minimum of 3 consultants, 1 HIV pharmacist and with virology input. Antiretroviral Formulary
LAMIVUDINE + ZIDOVUDINE		
ZIDOVUDINE 300mg / LAMIVUDINE 150mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, Jul 1999.
MARAVIROC		
MARAVIROC 300mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, January 2009
NEVIRAPINE		
NEVIRAPINE 50mg TABLETS M/R	R	For use by infectious disease only. Medicines Effectiveness, February 2013
NEVIRAPINE 100mg TABLETS M/R	R	For use by infectious disease only. Medicines Effectiveness, February 2013
NEVIRAPINE 400mg TABLETS S/R	R	Only use if SR specified. For all other 400mg doses use 2 x 200mg tablets. Infectious Diseases only. Medicines Effectiveness, February 2013.
RALTEGRAVIR		
RALTEGRAVIR 600mg TABLETS	R	For the treatment of HIV-1 and post exposure prophylaxis (PEP) in patients requiring a once daily regime. For use by Infectious Diseases and Genito-urinary Medicine only. MMTC, March 2018

### RILPIVIRINE

RILPIVIRINE 25mg TABLETS	R	2nd line treatment for HIV. Initiation restricted to ID / Paed ID / GUM. MMTC, August 2012
RITONAVIR RITONAVIR 100mg SACHETS	R	Restricted to Micro / ID / Paed ID / OSHS initiation. Medicines Effectiveness, July 2016
TENOFOVIR TENOFOVIR 245mg TABLETS	NF	
TENOFOVIR 123mg TABLETS	R	Restricted to Paed ID / Micro / ID / OSHS. Medicines Effectiveness, October 2016
TENOFOVIR 33mg/g ORAL GRANULES (60g)	R	Restricted use by Hepatologist Consultants for Hepatitis B treatment as per NICE TA173 and ID / Paed ID / GU prescribers for HIV. Medicines Effectiveness, January 2015
TENOFOVIR DISOPROXIL 245mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Hepatologist Consultants for oral Hepatitis B treatment as per NICE TA173 ID / Paed ID / GU prescribers for HIV. Medicines Effectiveness, January 2009.
TENOFOVIR + EMTRICITABINE + RILPIVIRINE		
TENOFOVIR 245mg / EMTRICITABINE 200mg / RILPIVIRINE 25mg F/C TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Antiretroviral Formulary Group, May 2010
TIPRANAVIR		
TIPRANAVIR 250mg CAPSULES	R	For use by Infectious Diseases and Genito-urinary Medicine consultants only. To be initiated only after discussion of case by a group consisting of a minimum of 3 consultants, 1 HIV pharmacist and with virology input. Antiretroviral Formulary
05.03.01 HIV infections		
EMTRICITABINE EMTRICITABINE 200mg & TENOFOVIR ALAFENAMIDE 25mg TABLETS	R	For treatment of HIV 1 in adults and adolescents as per NHSE policy 16043/P. MMTC, June 2017

EMTRICITABINE 200mg & TENOFOVIR ALAFENAMIDE 10mg TABLETS	R	For treatment of HIV 1 in adults and adolescents as per NHSE policy 16043/P. MMTC, June 2017
RALTEGRAVIR RALTEGRAVIR 25mg CHEWABLE TABLETS	R	For treatment of post exposure prophylaxis or treatment of HIV in paediatric patients. For use/ recommended by Paeds ID / ID / OSHS only. MMTC, October 2017
Tenofovir+Cobicistat+ELVITEGRAVIR+EMTRIC		For the management of LUV/ in
TENOFOVIR ALAFENAMIDE 10mg / EMTRICITABIN 200mg / COBICISTAT 150mg / ELVITEGRAVIR 150n		For the management of HIV in those where tenofovir disoproxil containing regimens are contraindicated due to renal or osteoporosis, or where an abacavir based regimen is clinically inappropriate. To be initiated by Infectious Diseases or GUM consultants in line with NHSE policy F03/P/a. MMTC, March 2017
05.03.03 Viral hepatitis		
CIDOFOVIR 375mg in 5ml INJECTION	NF	See RESI file for further info Requires approval or prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar Do not dispense this medicine unless the relevant approval has been obtained. Carlos, February 2009. Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).
ELBASVIR ELBASVIR 50mg & GRAZOPREVIR 100mg TABLET	S R	For the treatment of chronic hepatitis C as per NICE TA413. MMTC, May 2017
RIBAVIRIN RIBAVIRIN 200mg CAPSULES	R	?For use by Consultant Hepatologist for oral Hepatitis treatment as per TA75, TA106 and TA200. MAC, April 2003

### SIMEPREVIR

SIMEPREVIR		
SIMEPREVIR 150mg CAPSULES	Ν	Approved for use as per NICE TA only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness,March 2015
SOFOSBUVIR		
SOFOSBUVIR 400mg TABLETS	R	For the treatment of hepatitis C as per TA330 and NHS England policy B07/P/a. Initiation by a hepatologist only. MMTC, January 2016
SOFOSBUVIR + LEDIPASIVIR		
SOFOSBUVIR 400mg / LEDIPASIVIR 9 (Licensed stock)	0mg TABLETS R	For the treatment of hepatitis C as per TA363 and NHS England policy B07/P/a. Initiation by a hepatologist only. MMTC, January 2016
SOFOSBUVIR + VELPATASVIR		
SOFOSBUVIR 400mg & VELPATASVIR TABLETS	R 100mg R	For the treatment of chronic hepatitis C as per NICE TA430. MMTC, May 2017
05.02.05 Despiratory oversitist virus		
05.03.05 Respiratory syncytial virus RIBAVIRIN		
RIBAVIRIN 200mg TABLETS	R	For use by Consultant Hepatologist for oral Hepatitis treatment as per TA75, TA106 and TA200. MAC, April 2003
15.03.00 Antiviral drugs		
ACICLOVIR		
ACICLOVIR 500mg INJECTION	Y	Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).
	_	

ACICLOVIR 250mg INJECTION

Υ

ACICLOVIR 250mg POWDER FOR INJECTION	R	Please check patient being discharged on IV antibiotics is staying within Oxfordshire and thus have a postcode starting with 'OX'. (As per instruction from Ted Baker Medical Director Sep 11).
ACICLOVIR 400mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ACICLOVIR 200mg TABLETS	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ACICLOVIR 800mg TABLETS	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ACICLOVIR 200mg/5ml LIQUID	R	For patients who cannot tolerate dispersible tablets or if these are not available. Use DISPERSIBLE TABLETS for children and patients with swallowing difficulties or feeding tubes (dispersible tablets are more cost-effective than the liquid and they are also preferable for tubes, as the liquid preps are really viscous). As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

# ATAZANAVIR + COBICISTAT

ATAZANAVIR 300mg / COBICISTAT 150mg TABLETS NF

DARUNAVIR + COBICISTAT + EMTRICITABINE DARUNAVIR 800mg / COBICISTAT 150mg / EMTRICITABINE 200mg / TENOFOVIR ALAFENAMID	R	For treatment of HIV 1 in adults and adolescents as per NHSE policy 16043/P and NHSE policy F03/P/b. MMTC, May 2019
DIDANOSINE 250mg CAPSULES E.C	NF	
DIDANOSINE 200mg CAPSULES E.C	NF	
DIDANOSINE 400mg CAPSULES E.C.	NF	
EFAVIRENZ EFAVIRENZ 30mg/ml SOLUTION	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, October 2007.
EMTRICITABINE BICTEGRAVIR 50mg/ EMTRICITABINE 200mg/ TENOFOVIR ALAFENAMIDE 25mg TABLETS	R	For treatment of HIV. MMTC May 2020
ENTECAVIR ENTECAVIR 500microgram TABLETS	R	Restricted use by Hepatologist Consultants for oral Hepatitis B treatment as per TA153. MAC, February 2009.
ENTECAVIR 1mg TABLETS	R	Restricted use by Hepatologist Consultants for oral Hepatitis B treatment as per TA153. MAC, February 2009.
FAMCICLOVIR		
FAMCICLOVIR 500mg TABLETS	R	This antimicrobial requires approval or prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. Do not dispense this medicine unless the relevant approval has been obtained. Medicines Effectiveness, February 2009

FAMCICLOVIR 250mg TABLETS	R	This antimicrobial requires approval or prescribing by: Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. Do not dispense this medicine unless the relevant approval has been obtained. Medicines Effectiveness, February 2009
FAMCICLOVIR 250mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
GLECAPREVIR GLECAPREVIR 100mg / PIBRENTASVIR 40mg TABLETS	R	For the treatment chronic hepatitis C in adults as per NICE TA499
INDINAVIR INDINAVIR 200mg CAPSULES	NF	
LAMIVUDINE 50mg/5ml LIQUID 240ml	R	For viral hepatitis or HIV treatent. It is also available following approval/prescribing by: - ID consultant or registrar Antimicrobials Steering Group, January 2009.
LAMIVUDINE 100mg TABLETS FILM COATED	R	For viral hepatitis or HIV treatent. It is also available following approval/prescribing by: - ID consultant or registrar Antimicrobials Steering Group, January 2009.
LAMIVUDINE 150mg TABLETS	R	For viral hepatitis or HIV treatent. It is also available following approval/prescribing by: - ID consultant or registrar Antimicrobials Steering Group, January 2009.
LETERMOVIR LETERMOVIR 240mg TABLETS	R	For preventing Cytomegalovirus disease after a stem cell transplant as per NICE TA591 only. MMTC August 2019

LETERMOVIR 240mg/12ml SOLUTION FOR INFUSIO VIALS	Ν	R For preventing Cytomegalovirus disease after a stem cell transplant as per NICE TA591 only MMTC August 2019
LOPINAVIR + RITONAVIR		
LOPINAVIR 400mg / RITONAVIR 100mg in 5ml ORAL SOLUTION 60ml	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, February 2012
LOPINAVIR 200mg / RITONAVIR 50mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, February 2012
MARAVIROC		
MARAVIROC 150mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, January 2009.
NELFINAVIR		
NELFINAVIR 250mg TABLETS	NF	
NEVIRAPINE		
NEVIRAPINE 50mg/5ml LIQUID	R	Infectious Diseases only. Medicines Effectiveness, February 2013.
NEVIRAPINE 200mg TABLETS	R	Infectious Diseases only. Medicines Effectiveness, February 2013.
OSELTAMIVIR		
OSELTAMIVIR 75mg CAPSULES	R	For influenza prophylaxis as per NICE TA158 and for influenza treatment only when national threshold is reached (per DoH guideline) as per TA168. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

## PALIVIZUMAB

PALIVIZUMAB 100mg INJECTION	R	for passive immunisation against Respiratory Syncytial Virus (RSV) in at-risk infants as per the Green Book criteria MMTC, Oct 2023
RIBAVIRIN 1.2g in 12ml INJECTION	UNR	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
RIBAVIRIN 200mg TABLETS (COPEGUS)	R	For use by Consultant Hepatologist for oral Hepatitis treatment as per TA75, TA106 and TA200. MAC, April 2003.
STAVUDINE		
STAVUDINE 40mg CAPSULES	NF	
STAVUDINE 1mg/ml SUSPENSION	NF	
STAVUDINE 30mg CAPSULES	NF	
STAVUDINE 20mg CAPSULES	NF	
TENOFOVIR ALAFENAMIDE + EMTRICITABINE + TENOFOVIR ALAFENAMIDE 25mg / EMTRICITABINE 200mg / RILPIVIRINE 25mg TABLETS (ODEFSEY)		For treatment of HIV 1 in adults and adolescents as per NHSE policy 16043/P. To be initiated by Infectious Diseases or Sexual Health HIV consultant only. MMTC, June 2017
TENOFOVIR DISOPROXIL/EMTRICITABINE		
TENOFOVIR DISOPROXIL 245mg / EMTRICITABINE 200mg TABLETS TTO (30)	SR	For pre-exposure prophylaxis of HIV infection. Provided by OSHS or ID. MMTC October 2020
VALACICLOVIR		
VALACICLOVIR 500mg TABLETS	R	For prophylaxis of CMV disease post-transplant (Transplant Unit consultant or registrar only). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

## VALCANCICI OVID

VALGANCICLOVIR	
VALGANCICLOVIR 450mg TABLETS	R

For prophylaxis of CMV disease post-transplant (Transplant Unit consultant or registrar only). It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

MMTC, October 2019

#### ZANAMIVIR

ZANAMIVIR 200mg IN 20ml SOLUTION FOR INFUSION	R For t	ne treatment of influenza in
	critically ill pa	atients unable to
	receive ente	ral or inhaled
	antivirals as	per PHE guidance.

ZANAMIVIR 5mg/BLISTER DISKHALER + 5 DISKS R For influenza prophylaxis as per NICE TA158 and for influenza treatment only when national threshold is reached (per DoH guideline) as per TA168. It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

### ZIDOVUDINE

ZIDOVUDINE 10mg/ml 20ml INJECTION	R	For infectious diseases use only. Medicines Effectiveness, February 2013.
ZIDOVUDINE 10mg/1ml SYRUP	R	For infectious diseases use only. Medicines Effectiveness, February 2013.

#### 5.03.00 Antiviral drugs

#### ACICLOVIR

ACICLOVIR 250mg in 10ml SOLUTION FOR INJECTION

As per OUH Antimicrobial Υ Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

ACICLOVIR 500mg in 20ml SOLUTION FOR INJECTIO	Л	Y As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ACICLOVIR 200mg TABLETS - CANSAT PK TTO (25)	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ATAZANAVIR		
ATAZANAVIR 200mg CAPSULES	R	For use by Infectious Diseases and Genito-urinary Medicine only. ARV, June 2016
ATAZANAVIR 300mg CAPSULES	R	For use by Infectious Diseases and Genito-urinary Medicine only. ARV, June 2016
DARUNAVIR		
DARUNAVIR 600mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. The 600mg tablets can ONLY be initiated after discussion of case by a group consisting of a minimum of 3 consultants, 1 HIV pharmacist and with virology input. Medicines Effectiveness, February 2012.
OSELTAMIVIR		
OSELTAMIVIR 45mg CAPSULES	R	For influenza prophylaxis as per NICE TA158 and for influenza treatment only when national threshold is reached (per DoH guideline) as per TA168. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.

OSELTAMIVIR 30mg in 5ml LIQUID 65	iml R	For influenza prophylaxis as per NICE TA158 and for influenza treatment only when national threshold is reached (per DoH guideline) as per TA168. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
OSELTAMIVIR 30mg CAPSULES	R	For influenza prophylaxis as per NICE TA158 and for influenza treatment only when national threshold is reached (per DoH guideline) as per TA168. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
PALIVIZUMAB		
PALIVIZUMAB 50mg INJECTION	R	for passive immunisation against Respiratory Syncytial Virus (RSV) in at-risk infants as per the Green Book criteria MMTC, Oct 2023
RALTEGRAVIR		
RALTEGRAVIR 400mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Medicines Effectiveness, February 2012
RIBAVIRIN		
RIBAVIRIN 200mg/5ml LIQUID	R	For small paediatric doses (for continuation of therapy) as per NICE TA300. MMTC, January 2014.
RITONAVIR		
RITONAVIR RITONAVIR 100mg TABLETS	R	For use by Infectious Diseases and Genito-urinary Medicine only. Only in combination with a Protease Inhibitor. Antiretroviral Formulary Group, May 2010.
SAQUINAVIR		
SAQUINAVIR 500mg TABLETS	NF	

### VALACICLOVIR

VALACICLOVIR 500mg TABLETS R For prophylaxis of CMV disease post-transplant (Transplant Unit consultant or registrar only). It is also available following approval/prescribing by: -Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar

Antimicrobials Steering Group,

January 2012.

MMTC, August 2019

#### VALGANCICLOVIR

VALGANCICLOVIR 250mg/5ml LIQUID 1	00ml R	For patients with swallowing difficulties or feeding tubes. For prophylaxis of CMV disease post- transplant (Transplant Unit consultant or registrar only). It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ZIDOVUDINE		
	D	
ZIDOVUDINE 250mg CAPSULES	R	For infectious diseases use only. Medicines Effectiveness, February 2013.
ZIDOVUDINE 100mg CAPSULES	R	For infectious diseases use only. Medicines Effectiveness, February 2013.
05.04 Antiprotozoal drugs		
05.04.00 Antiprotozoal drugs		
NITAZOXANIDE		
NITAZOXANIDE 500mg TABLETS	UNR	For the treatment of Cryptosporidia, resistant giardia and Amoebiasis where standard treatment has failed as recommended by Micro / ID

05.04.01 Antimalarials
ARTEMETHER + LUMEFANTRINE

RIAMET 20mg/120mg TABLETS	R	For the treatment of malaria. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
ARTESUNATE		
ARTESUNATE 60mg INJECTION	UNR	For severe falciparum malaria. MAC, November 2008
CHLOROQUINE		
CHLOROQUINE SULPHATE 50mg/5ml (base) LIQUID	R	For paediatric patients, patients with swallowing difficulties or feeding tubes, for treatment of malaria. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
MEFLOQUINE		
MEFLOQUINE 250mg TABLETS	NF	
PIPERAQUINE PHOSPHATE PIPERAQUINE PHOSPHATE 320mg / ARTENIMOL 40mg (EURATESIM) PRIMAQUINE	NF	
PRIMAQUINE PHOSPHATE 7.5mg TABLETS	UNR	For treatment of malaria. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
PROGUANIL		
PROGUANIL 100mg TABLETS	NF	
PROGUANIL + ATOVAQUONE PROGUANIL 100mg / ATOVAQUONE 250mg TABLETS	R	For the treatment of malaria. ASG, August 2015.
PYRIMETHAMINE		

	PYRIMETHAMINE 25mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
	QUININE		
comr	QUININE DIHYDROCHLORIDE 300mg IN 1ml INJE plicated	CTION	UNR For the treatment of
0011			falciparum malaria (second line after artesunate IV). This antimicrobial requires approval/prescribing by: Microbiology/ID consultant or registrar; Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2012.
	05.04.02 Amoebicides		
	DILOXANIDE		
	DILOXANIDE FUROATE 500mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
	05.04.04 Antigiardial drugs		
	CHLOROQUINE		
	CHLOROQUINE PHOSPHATE 250mg TABLETS	R	For treatment of malaria This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
	MEPACRINE		
	MEPACRINE 100mg TABLETS	SR	For the treatment of Giardia unresponsive to first and second line treatment. This antimicrobial requires approval or prescribing by: Microbiology/ID consultant or registrar. MMTC, February 2017
	05.04.05 Leishmaniacides		

SODIUM STIBOGLUCONATE

SODIUM STIBOGLUCONATE 100ml INJECTIO	N R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.04.07 Drugs for toxoplasmosis SPIRAMYCIN		
SPIRAMYCIN 500mg (1.5mu) TABLETS	UNR	Prevention of vertical transmission of toxoplasmosis in pregnancy [Unlicensed product]
05.04.08 Drugs for pneumocystis pneumonia ATOVAQUONE		
ATOVAQUONE 750MG/5ML SUSPENSION	R	This antimicrobial requires approval or prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar .Antimicrobials Steering Group, January 2012.
ATOVAQUONE 750mg/5ml SUSPENSION	R	This antimicrobial requires approval or prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.05 Anthelmintics		
05.05.01 Drugs for threadworms MEBENDAZOLE		
MEBENDAZOLE 100mg/5ml LIQUID	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
MEBENDAZOLE 100mg TABLETS	R	This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.05.03 Drugs for tapeworm infections		

05.05.03 Drugs for tapeworm infections **ALBENDAZOLE** 

ALBENDAZOLE 400mg TABLETS	UNR	This antimicrobial requires approval or prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar. Antimicrobials Steering Group, January 2012
05.05.05 Schistosomicides PRAZIQUANTEL		
PRAZIQUANTEL 600mg TABLETS	UNR	For schistosomiasis or hydatid cyst. This antimicrobial requires approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
05.05.06 Filaricides		
IVERMECTIN		
IVERMECTIN 3mg TABLETS	UNR	For scabies, filariasis and strongyloides. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2009.
05.05.08 Drugs for strongyloidiasis		
ALBENDAZOLE		
ALBENDAZOLE 400mg TABLETS	UNR	This antimicrobial requires approval or prescribing by: - Microbiology/ID consultant or registrar Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
5.03 Antiviral drugs 05.03.00 Antiviral drugs		
Remdesivir		
REMDESIVIR 100mg POWDER FOR INJECTION	NF	For treatment of COVID-19 patients in hospitalised patients (ages 12 and older). For treatment of COVID-19 in the community as 3rd line treatment. MMTC, February 2022 Amended to NF following negative NICE appraisal. DAVID 1.6.23

EFAVIRENZ EFAVIRENZ 600mg TABLETS	R	
5.3 Antiviral drugs 05.03.01 HIV infection DOLUTEGRAVIR		
DOLUTEGRAVIR 50mg & ABACAVIR 600mg & LAMIVUDINE 300mg TABLETS (TRIUMEQ)	R	For initiation by Infectious Diseases / Paediatric Infectious Diseases / GUM only. ARVFG, May 2015.
DOLUTEGRAVIR 50mg TABLETS	R	For initiation by Infectious Diseases / Paediatric Infectious Diseases / GUM only. MMTC, May 2015.
ENTECAVIR		
ENTECAVIR 50microgram/ml ORAL SOLUTION	R	Restricted use by Hepatologist Consultants for oral Hepatitis B treatment as per TA153. MAC, February 2009.
06 Endocrine system		
06.01 Drugs used in diabetes		
06.01.00 Diabetes Mellitus and hypoglycaemia		
Semaglutide		
SEMAGLUTIDE 14mg TABLETS	NF	
SEMAGLUTIDE 250microgram (1.34mg IN 1ml) INJECTION PRE-FILLED PEN	R	
SEMAGLUTIDE 500micrograms per dose (2mg in 1.5ml) PRE-FILLED PEN	R	
SEMAGLUTIDE 1mg per dose (4mg in 3ml) PRE- FILLED PEN	R	
SEMAGLUTIDE 3mg TABLETS	NF	
SEMAGLUTIDE 0.5mg PREFILLED PEN	R	Restricted for use in paediatric patients during shortage of Semaglutide ME 21.11.23
SEMAGLUTIDE 250micrograms PRE-FILLED PEN (WEGOVY)	R	?Restricted to paedatric use ONLY during supply shortage. 12/12/23
06.01.00 Drugs used in diabetes		
GLUCOSE		
GLUCOSE 40% GEL (GLUCOGEL) 25g	Y	

06.01.01 Insulins

CLICKSTAR CLICKSTAR PEN DEVICE	R	For continuation only. Medicines Effectiveness, December 2010.	
GLUCOSE TABLETS	R	For use in Hypo Boxes. Medicines Effectiveness, November 2003.	
HUMAPEN SAVVIO GREEN	R	For use with 'Lilly' insulin ('Humalog' or 'Humulin') 3-ml cartridges. Suitable for use with 'BD' insulin pen needles. Medicines Effectiveness, October 2017	
INSULIN INSULIN FIASP 100 UNITS/ML CARTRIDGE 3ML	R	For continuation of therapy and following recommendation by the Specialist Diabetes team only. MMTC, June 2017	
INSULIN TRESIBA 100units/ml DISPOSABLE PEN 3	3ml R	Restricted to use in patients with multiple episodes of hypoglycaemia over 12 months and for those with repeated admissions for DKA. Initiation following diabetologist recommendation only. MMTC, July 2015	
INSULIN TRESIBA 200units/ml DISPOSABLE PEN 3	BML NF		
INSULIN FIASP 100units/ml VIAL	R	For continuation of therapy and following recommendation by the Specialist Diabetes team only. MMTC, June 2017	
INSULIN ISOPHANE 100units/ml PRE FILLED PEN 3mlNF			
INSULIN APIDRA 100units/ml CARTRIDGE 3ml	R	Restricted for continuation of therapy only. This will be ordered in for individual patients. Use solostar device if patient doesn't have pen with them. MMTC, January 2016	

INSULIN DEGLUDEC 100units/ml CARTRIDGE 3ml	R	Restricted to use in patients with multiple episodes of hypoglycaemia over 12 months and for those with repeated admissions for DKA. Initiation following diabetologist recommendation only. MMTC, July 2015
INSULIN TOUJEO (SOLOSTAR) 300units / ml PRE- FILLED PEN 1.5ml	R	Restricted for continuation of therapy or initiation by diabetologist only. MMTC, January 2016
INSULIN ASPART 100units/ml PRE-FILLED PEN PEN 3ml (NOVORAPID FLEXTOUCH)	NF	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN ABASAGLAR (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	For continuation of therapy and following recommendation by the Specialist Diabetes team only. MMTC, June 2017
INSULIN FIASP 100units/ml FLEXTOUCH PRE-FILLEI PEN 3ml	D	R For continuation of therapy and following recommendation by the Specialist Diabetes team only. MMTC, June 2017
INSULIN NOVORAPID 100units/ml PUMPCART 1.6ml	R	Restricted for continuation of therapy and diabetologists or diabetes specialist nurse recommendation only. MMTC, January 2016
INSULIN HUMULIN S 100units/ml VIAL 10ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HYPURIN PORCINE 30/70 MIX 100units/ml VIAL 10ml	Y	
INSULIN NOVOMIX 30 100units/ml DISPOSABLE PEN 3ml	١	R For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN NOVORAPID 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN INSULATARD 100units/ml DISPOSABLE PEI 3ml (INNOLET)	N	R For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007

INSULIN INSUMAN COMB 25/75 SOLOSTAR 3ml PRE FILLED PEN	E- NF	
INSULIN INSULATARD 100units/ml VIAL 10ml	Y	
INSULIN NOVOMIX 30 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HYPURIN PORCINE NEUTRAL 100units/ml VIAL 10ml	Y	
INSULIN LEVEMIR 100units/ml DISPOSABLE PEN (INNOLET) 3ml	NF	
INSULIN LEVEMIR 100units/ml DISPOSABLE FLEXPEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN LEVEMIR 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN INSULATARD 100units/ml CARTRIDGES 3ml	I R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN LANTUS 100units/ml VIAL 10ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN LANTUS 100units/ml DISPOSABLE PEN 3ml (SOLOSTAR)	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN LANTUS 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HYPURIN PORCINE ISOPHANE 100units/ml VIAL 10ml	Y	
INSULIN HUMALOG MIX 50 (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN ACTRAPID 100units/ml VIAL 10ml	Y	

INSULIN HUMULIN I (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMALOG (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	Restricted for continuation of therapy and diabetologists or diabetes specialist nurse recommendation only. MMTC, January 2016
INSULIN HUMALOG 100units/ml VIAL 10ml	R	Restricted for continuation of therapy and diabetologists or diabetes specialist nurse recommendation only. MMTC, January 2016
INSULIN HUMALOG MIX 25 (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMALOG 100units/ml CARTRIDGE 3ml	R	Restricted for continuation of therapy and diabetologists or diabetes specialist nurse recommendation only. MMTC, January 2016
INSULIN HUMALOG MIX 25 100units/ml VIAL 10ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMULIN M3 100units/ml VIAL 10ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMALOG MIX 50 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMAN SOLUBLE 50units IN 50ml PRE- FILLED SYRINGE	SR	For patients requiring a Variable Rate Intravenous Insulin Infusion as per MIL Vol. 6 No. 7. Medicines Effectiveness, March 2011.
INSULIN HUMULIN I 100units/ml CARTRIDGES 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN NOVORAPID 100units/ml VIAL 10ml	Y	

INSULIN NOVORAPID 100units/ml DISPOSABLE PEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMULIN I 100units/ml VIAL 10ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMULIN M3 (KWIKPEN) 100units/ml DISPOSABLE PEN 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMULIN M3 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMALOG MIX 25 100units/ml CARTRIDGE 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007
INSULIN HUMULIN S 100units/ml CARTRIDGES 3ml	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007.
INSULIN ABASAGLAR		
INSULIN ABASAGLAR 100 UNITS/ML CARTRIDGES 3ML	R	For continuation of therapy and following recommendation by the Specialist Diabetes team only. MMTC, June 2017
INSULIN GLULISINE INSULIN APIDRA 100units/ml DISPOSABLE PEN 3ml	R	Restricted for continuation of therapy only. MMTC, January 2016
NOVOPEN		
NOVOPEN 4 PEN DEVICE	R	For continuation only. Medicines Effectiveness, December 2010.

06.01.02 Antidiabetic drugs

ALOGLIPTIN 12.5mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. Alogliptin is considered the 1st line dipeptidylpeptidase-4 inhibitor at the OUHFT.MMTC, March 2017
06.01.02 Drugs used in diabetes		
CANAGLIFLOZIN		
CANAGLIFLOZIN 300mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA315 & NICE TA390. MMTC, November 2016.
DULAGLUTIDE		
DULAGLUTIDE 1.5mg IN 0.5ml PRE-FILLED PEN	NF	
06.01.02 Antidiabetic drugs		
ACARBOSE 50mg TABLETS	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007.
ACARBOSE 100mg TABLETS	R	For established patients and diabetologists or diabetes specialist nurse recommendation only. MMTC, July 2007.
ALOGLIPTIN		
ALOGLIPTIN 6.25mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
ALOGLIPTIN 25mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
CANAGLIFLOZIN		
CANAGLIFLOZIN 100mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA315 & NICE TA390. MMTC, November 2016.

## DAPAGLIFLOZIN

DAPAGLIFLOZIN 5mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA288, TA390 and TA418, For treatment of heart failure as per NICE TA679. MMTC, March 2021
DAPAGLIFLOZIN 10mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA288, TA390 and TA418, For treatment of heart failure as per NICE TA679. MMTC, March 2021
DULAGLUTIDE DULAGLUTIDE 0.75mg IN 0.5ml PRE-FILLED PEN	NF	
EMPAGLIFLOZIN		
EMPAGLIFLOZIN 25mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA336. NICE TA390. MMTC, November 2016
EMPAGLIFLOZIN 10mg TABLETS	R	For the treatment of type 2 diabetes as per NICE TA336 & NICE TA390. MMTC, November 2016.
EXENATIDE		
EXENATIDE 5microgram INJECTION	R	Initiated by diabetology consultants as per NICE TA248. Medicines Effectiveness, October 2007.
EXENATIDE 2mg INJECTION MR	NF	
EXENATIDE 10microgram INJECTION	R	Initiated by diabetology consultants as per NICE TA248. Medicines Effectiveness, October 2007.
GALVUS		
VILDAGLIPTIN 50mg TABLETS	NF	
GLICLAZIDE GLICLAZIDE 30mg TABLETS M/R	NF	
GLICLAZIDE 80mg TABLETS	Y	
GLIMEPIRIDE GLIMEPIRIDE 4mg TABLETS	NF	

GLIMEPIRIDE 1mg TABLETS	NF	
GLIMEPIRIDE 3mg TABLETS	NF	
GLIMEPIRIDE 2mg TABLETS	NF	
INSULIN GLULISINE INSULIN APIDRA 100units/ml VIAL 10ml	NF	
LINAGLIPTIN 5mg TABLETS F/C	R	For the management of type 2 diabetes in those with renal impairment following recommendation by diabetologist only. Linagliptin is also available for use as per the Oxford Heart Centre diabetes management protocol. MMTC, August 2016
LIRAGLUTIDE 6mg in 1ml PRE-FILLED PEN	R	?For weight management in obese teenagers as 3rd line treatment. MMTC, October 2022
LIRAGLUTIDE 6mg in 1ml PRE-FILLED PEN	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
LIXISENATIDE		
LIXISENATIDE 20microgram PRE-FILLED PEN	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
METFORMIN		
METFORMIN 750mg TABLETS M/R	R	For continuation of therapy in any patient who has a proven GI intolerance to standard release preparation. MMTC July 2022
METFORMIN 500mg TABLETS M/R	R	For continuation of therapy in any patient who has a proven GI intolerance to standard release preparation. MMTC July 2022

METFORMIN 500mg/5ml LIQUID	R	For patients with feeding tubes only. Tablets can be crushed and dispersed in water for patients swallowing difficulties. Medicines Effectiveness, April
METFORMIN 850mg TABLETS	Y	
METFORMIN 500mg TABLETS	Y	
METFORMIN 500mg SACHETS (POWDER FOR ORAL SOLUTION)	NF	
NATEGLINIDE		
NATEGLINIDE 60mg TABLETS (NF)	NF	
NATEGLINIDE 120mg TABLETS (NF)	NF	
ONGLYZA		
SAXAGLIPTIN 5mg TABLETS	NF	
SAXAGLIPTIN 2.5mg TABLETS	NF	
PIOGLITAZONE		
PIOGLITAZONE 30mg TABLETS	Y	
PIOGLITAZONE 15mg TABLETS	Y	
REPAGLINIDE		
REPAGLINIDE 500microgram TABLETS	R	For use by Diabetologists only. Medicines Effectiveness, December 2008.
REPAGLINIDE 2mg TABLETS	R	For use by Diabetologists only. Medicines Effectiveness, December 2008.
REPAGLINIDE 1mg TABLETS	R	For use by Diabetologists only. Medicines Effectiveness, December 2008.
SITAGLIPTIN		
SITAGLIPTIN 100mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017

SITAGLIPTIN 25mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
SITAGLIPTIN 50mg TABLETS	R	For the management of type 2 diabetes following recommendation by diabetologist only as per NICE guideline NG28. MMTC, March 2017
TETRACOSACTIDE GLIPIZIDE 5mg TABLETS	Y	
TOLBUTAMIDE TOLBUTAMIDE 500mg TABLETS	Y	
06.01.02 Thyroid and antithyroid drugs GLICLAZIDE GLICLAZIDE 40MG TABLETS	NF	
06.01.04 Treatment of hypoglycaemia DIAZOXIDE DIAZOXIDE 50mg TABLETS	Y	
GLUCAGON GLUCAGON NOVO 1mg INJECTION	Y	
06.01.06 Diagnostic and monitoring devices for diabetes URISTIX URISTIX	Y	
06.01.06 Diagnostic and monitoring devices for diabetes		
KETODIASTIX	Υ	
TEST STRIPS KETOSTIX	Y	
BM-ACCUTEST (50)	Y	
MEDISENSE PRECISION Xceed PRO KETONE STRIPS (50)	R	For in-patient use only. Not for discharge. Medicines Effectiveness, February 2012.
ONE TOUCH ULTRA REAGENT STRIPS (50)	NF	

MEDISENSE GLUCOSE & KETONE TEST SOLUTION Y		
MEDISENSE FREESTYLE OPTIUM H KETONE STRIPS (10)	R	For areas not converted to XCEED. Medicines Effectiveness, February 2012.
MEDISENSE FREESTYLE OPTIUM GLUCOSE STRI (50)	IPS	R For use on discharge only. Medicines Effectiveness, February 2012.
06.01.06 Drugs affecting bone metabolism		
BLOOD GLUCOSE TEST STRIPS		
BLOOD GLUCOSE TEST STRIPS - FREESTYLE PRECISION PRO (100)	R	For in-patient use only. Not for discharge. Medicines Effectiveness, February 2012.
06.02 Thyroid and antithyroid drugs		
06.02.00 Thyroid and antithyroid drugs		
SOFOSBUVIR + VELPATASVIR + VOXILAPREV	'IR	
SOFOSBUVIR 400MG / VELPATASVIR 100MG / VOXILAPREVIR 100MG TABLETS	R	For use as per NICE TA507 for treating chronic hepatitis C. MMTC, July 2018
06.02.01 Thyroid hormones		
LEVOTHYROXINE SODIUM 200microgram in 1ml INJECTION	NF	
LEVOTHYROXINE		
LEVOTHYROXINE 100microgram/5ml LIQUID	NF	
LEVOTHYROXINE 100microgram TABLETS	Y	
LEVOTHYROXINE 25microgram TABLETS	Y	
LEVOTHYROXINE 50microgram TABLETS	Y	
LIOTHYRONINE		
LIOTHYRONINE 20microgram TABLETS	R	Restricted to initiation by consultant endocrinologists for hypothyroidism and consultant oncologists for adjuvant treatment of thyroid cancer. MMTC, November 2019

LIOTHYRONINE 5microgram TABLETS	R	Restricted to initiation by consultant endocrinologists for hypothyroidism and consultant oncologists for adjuvant treatment of thyroid cancer. MMTC, November 2019
LIOTHYRONINE 5microgram CAPSULES	R	
LIOTHYRONINE 20microgram INJECTION	R	Restricted to initiation by consultant endocrinologists treatment of myxoedema coma only. MMTC, November 2020
Potassium iodide		
POTASSIUM IODIDE 65mg TABLETS (UNLICENSED)	UNR	
POTASSIUM IODIDE 65mg TABLETS	UNR	For use with MIBG treatment Medicines Effectiveness May 2019
TRIIODOTHYROACETIC ACID TRIIODOTHYROACETIC ACID 350micrograms TABLETS	UNR	For Thyroid hormone resistance syndrome. Medicines Effectiveness, April 2015
06.02.02 Antithyroid drugs		
CARBIMAZOLE		
CARBIMAZOLE 5mg TABLETS	Y	
CARBIMAZOLE 20mg TABLETS	Y	
ETELCALCETIDE		
ETELCALCETIDE 2.5mg IN 0.5ml INJECTION	R	For the treatment of secondary hyperparathyroidism as per NICE TA448. MMTC, November 2017
ETELCALCETIDE 10mg IN 2ml INJECTION	R	For the treatment of secondary hyperparathyroidism as per NICE TA448. MMTC, November 2017
ETELCALCETIDE 5mg IN 1ml INJECTION	R	For the treatment of secondary hyperparathyroidism as per NICE TA448. MMTC, November 2017
IODINE		
IODINE AQUEOUS ORAL SOLUTION (LUGOLS) 500n (HUDDERSFIELD)	nl	SR For theatres use only. Medicines Effectiveness, April 2014

### **POTASSIUM IODATE**

POTASSIUM IODATE 85mg TABLETS	R	For use by Radiology/X-ray only. Medicines Effectiveness, July 2011.
POTASSIUM IODIDE POTASSIUM IODIDE 65mg TABLETS	R	For use with MIBG treatment Medicines Effectiveness May 2019
PROPYLTHIOURACIL		
PROPYLTHIOURACIL 50mg TABLETS	Y	
06.03 Corticosteroids 06.03.01 Replacement therapy FLUDROCORTISONE FLUDROCORTISONE ACETATE 100microgram	Y	
TABLETS	·	
06.03.02 Glucocorticoid therapy BETAMETHASONE		
BETAMETHASONE 4mg IN 1ml INJECTION	R	To prevent respiratory distress in premature babies. Medicines Effectiveness, June 2011.
BETAMETHASONE SOLUBLE 500microgram TABL	ETS Y	
Deflazacort		
DEFLAZACORT 6mg TABLETS	NF	
DEXAMETHASONE DEXAMETHASONE 2mg/5ml LIQUID S/F	Y	
DEXAMETHASONE INTRACAMERAL 3.3mg/ml AMPOULE PRESERVATIVE FREE	UNR	For off-label intra-cameral use in Glaucoma surgery with laser ECP, and cataract surgery with iris manipulation only. MMTC, October 2018
DEXAMETHASONE PHOSPHATE 8mg IN 2ml INJECTION	Y	
DEXAMETHASONE 500microgram TABLETS	Y	
DEXAMETHASONE 2mg TABLETS TTO (50)	SR	For areas allowed to keep TTO packs. Mediicines Effectivness, March 2013.
DEXAMETHASONE PHOSPHATE 4mg IN 1ml INJECTION	Y	
DEXAMETHASONE 2mg TABLETS	Y	

DEXAMETHASONE 2mg/5ml LIQUID SF	Y	
Hydrocortisone HYDROCORTISONE 10mg SOLUBLE TABLETS	NF	
HYDROCORTISONE 5mg TABLETS	NF	
HYDROCORTISONE 5mg/5ml LIQUID	R	For use in paediatrics only. Medicines Effectiveness June 2015
HYDROCORTISONE SOD PHOSPHATE 100mg in 1n INJECTION	nl Y	
HYDROCORTISONE SOD SUCCINATE 100mg INJECTION	Y	
HYDROCORTISONE 20mg TABLETS	Y	
HYDROCORTISONE 10mg TABLETS	Y	
HYDROCORTISONE SOD SUCCINATE 100mg INJECTION TTO PACK	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, January 2015.
METHYLPREDNISOLONE		
METHYLPREDNISOLONE ACETATE 80mg in 2ml INJECTION DEPOT	Y	
METHYLPREDNISOLONE 100mg TABLETS	Y	
METHYLPREDNISOLONE ACETATE 120mg IN 3ml INJECTION DEPOT	Y	
METHYLPREDNISOLONE sodium succinate 125mg INJECTION	Y	
METHYLPREDNISOLONE sodium succinate 2g INJECTION	Y	
METHYLPREDNISOLONE 4mg TABLETS	Y	
METHYLPREDNISOLONE sodium succinate 40mg INJECTION	Y	
METHYLPREDNISOLONE sodium succinate 500mg INJECTION	Y	
METHYLPREDNISOLONE sodium succinate 1g INJECTION	Y	
METHYLPREDNISOLONE ACETATE 40mg IN 1ml INJECTION DEPOT	Y	
PREDNISOLONE		
PREDNISOLONE 50mg in 5ml LIQUID	NF	

PREDNISOLONE 20mg TABLETS	Y	
PREDNISOLONE 25mg TABLETS	Y	
PREDNISOLONE E.C 5mg TABLETS	NF	
PREDNISOLONE 5mg SOLUBLE TABLETS	NF	
PREDNISOLONE 5mg TABLETS	Y	
PREDNISOLONE 5mg TABLET TTO 28's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
PREDNISOLONE 1mg TABLETS	Y	
PREDNISOLONE 2.5mg TABLETS E/C	NF	
TRIAMCINOLONE TRIAMCINOLONE 40mg in 1ml INJECTION	Y	
06.04 Endocrine system 06.04.03 Endocrine system		
Oxandrolone OXANDROLONE 2.5mg TABLETS	UNR	For prophylaxis of Hereditary Angioedema in immunology only. MMTC, June 2020 MMTC, June 2020
Oxandrolone	UNR	Angioedema in immunology only. MMTC, June 2020
Oxandrolone OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones <b>TESTOSTERONE</b>	UNR	Angioedema in immunology only. MMTC, June 2020
Oxandrolone OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones		Angioedema in immunology only. MMTC, June 2020
Oxandrolone OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones TESTOSTERONE TESTOSTERONE 16.2mg/G GEL 88g TESTOSTERONE 40.5mg/2.5g GEL SACHETS 30's 06.04.01 Female sex hormones and their modulators	NF	Angioedema in immunology only. MMTC, June 2020
Oxandrolone OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones TESTOSTERONE TESTOSTERONE 16.2mg/G GEL 88g TESTOSTERONE 40.5mg/2.5g GEL SACHETS 30's	NF	Angioedema in immunology only. MMTC, June 2020
Oxandrolone OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones TESTOSTERONE TESTOSTERONE 16.2mg/G GEL 88g TESTOSTERONE 40.5mg/2.5g GEL SACHETS 30's 06.04.01 Female sex hormones and their modulators CLIMESSE	NF R	Angioedema in immunology only. MMTC, June 2020
OXANDROLONE 2.5mg TABLETS OXANDROLONE 2.5mg TABLETS 06.04 Sex hormones 06.04 Sex hormones TESTOSTERONE TESTOSTERONE 16.2mg/G GEL 88g TESTOSTERONE 40.5mg/2.5g GEL SACHETS 30's 06.04.01 Female sex hormones and their modulators CLIMESSE CLIMESSE 2mg TABLETS ELLESTE	NF R	Angioedema in immunology only. MMTC, June 2020

ELLESTE-DUET CONTI COMBINATION TABLETS	NF	
ESTRADIOL ESTRADIOL 25mg IMPLANTS	UNR	For use by Menopause Clinic only. Medicines Effectiveness, February 2013.
ESTRADIOL 1mg (ELLESTE SOLO) TABLETS	NF	
ESTRADIOL 2mg (ELLESTE SOLO) TABLETS	Y	NB: Only 2mg tablets available at OUH
ESTRADIOL 1mg / DYDROGESTERONE 10mg TABLETS 3X28	NF	
ESTRADIOL 100microgram PATCHES (EVOREL)	Y	
ESTRADIOL 1mg & NORETHISTERONE 500microgram TABLETS 3X28	NF	
ESTRADIOL 1mg GEL SACHETS (SANDRENA)	Υ	
ESTRADIOL 1mg TABLETS (PROGYNOVA)	Y	
ESTRADIOL 1mg/DYDROGESTERONE 5mg TABLETS 3x28	NF	
ESTRADIOL 25microgram PATCHES (EVOREL)	Y	
ESTRADIOL 2mg TABLETS (ZUMENON)	NF	
ESTRADIOL 40micrograms/24hr PATCHES	NF	
ESTRADIOL 50mg PELLETS	UNR	For use by Menopause Clinic only. Medicines Effectiveness, February 2013.
ESTRADIOL 50microgram PATCHES (EVOREL)	Y	
ESTRADIOL 80microgram/24hr PATCHES	NF	
ESTRADIOL PATCHES 80 (FEMATRIX)	NF	
ESTRADIOL 2mg TABLETS (PROGYNOVA)	Y	
OESTROGENS CONJUGATED 300microgram TABLETS (3X28)	NF	
ESTRADIOL VALERATE / MEDROXYPROGETERON ACETATE 1mg/2.5mg TABLETS PK84	ENF	
ESTROGEL ESTROGEL 80g GEL	NF	

ESTROPIPATE ESTROPIPATE 1.5mg TABLETS	NF
ETHINYLESTRADIOL ETHINYLESTRADIOL 50microgram TABLETS	Y
ETHINYLESTRADIOL 10microgram TABLETS	Y
ETHINYLESTRADIOL 1mg TABLETS	Y
EVOREL EVOREL CONTI PATCHES (8 PATCHES)	NF
KLIOFEM KLIOFEM (Estradiol 2mg Norethisterone 1mg) TABLETS (3x28)	NF
MEDROXYPROGESTERONE MEDROXYPROGESTERONE 10mg TABLETS	Y
MEDROXYPROGESTERONE 2.5mg TABLETS	Y
MEDROXYPROGESTERONE 5mg TABLETS	Y
MEDROXYPROGESTERONE 10mg TABLETS	Y
NORETHISTERONE NORETHISTERONE 1mg TABLETS (MICRONOR HRT) NORETHISTERONE 5mg TABLETS	Y Y
NUVELLE TABLETS (28)	Y
NUVELLE CONTINUOUS TABLETS	NF
OESTROGENS CONJUGATED OESTROGENS CONJUGATED 1.25mg TABLET (Premarin) OESTROGENS CONJUGATED 625microgram TABLET (Premarin)	Y Y
PREMIQUE 5mg TABLETS	NF
PROGESTERONE PROGESTERONE 50mg in 1ml INJECTION	Y

PROGESTERONE (MICRONISED) 100mg CAPSULES (UTROGESTAN)	S NF	
PROGESTERONE 200mg PESSARIES	R	For use on the IVF unit. Also, for the prevention of preterm labour [off-label] until 34 weeks gestation, and for prevention of miscarriage in patients who have had two or more miscarriages [Off-Label]. MMTC, September 2021
PROGESTERONE 400mg PESSARIES	R	For use on the IVF unit. Also, for the prevention of preterm labour [off-label] until 34 weeks gestation, and for prevention of miscarriage in patients who have had two or more miscarriages [Off-Label]. MMTC, September 2021
PROGESTERONE 100mg in 2ml INJECTION	Y	
RALOXIFENE		
RALOXIFENE 60mg TABLETS	NICE	Approved for use as per NICE TA only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, February 2013.
TIBOLONE		
TIBOLONE 2.5mg TABLETS	Y	
06.04.02 Male sex hormones and antagonists DIHYDROTESTOSTERONE		
DIHYDROTESTOSTERONE 2.5% TOPICAL GEL 80g	UNR	For patients with microphallus. Medicines Effectiveness, February 2013.
FINASTERIDE		
FINASTERIDE 5mg TABLETS	Y	
MESTEROLONE		
MESTEROLONE 25mg TABLETS	Y	

TESTOSTERONE

TESTOSTERONE 2% GEL 60g	R	For use in patients with gender dysphoria under gender dysphoria clinic. MMTC, June 2021
TESTOSTERONE UNDECANOATE 1g in 4ml INJECTION (oily)	R	To be used by OCDEM for the treatment of hypogonadism in line with the Shared Care Protocol for testosterone replacement therapy. MAC, November 2011.
TESTOSTERONE 5mg PATCHES	NF	
TESTOSTERONE 40mg CAPSULES	Y	
TESTOSTERONE 250mg in 1ml INJECTION	Y	
06.04.03 Anabolic steroids <b>STANOZOLOL</b> STANOZOLOL 2mg TABLETS	UNR	For the treatment of patients with hereditary angioedema when danazol is ineffective or
		inappropriate. MAC, December
06.05 Hypothalamic and pituitary hormones and anti-oestr 06.04.01 Female sex hormones and their modulators <b>SOMATROPIN</b> SOMATROPIN 10mg in 1.5ml PRE-FILLED PEN (FLEXPRO)	rogens R	inappropriate. MAC, December 2010.
06.04.01 Female sex hormones and their modulators SOMATROPIN SOMATROPIN 10mg in 1.5ml PRE-FILLED PEN	-	
06.04.01 Female sex hormones and their modulators <b>SOMATROPIN</b> SOMATROPIN 10mg in 1.5ml PRE-FILLED PEN (FLEXPRO) SOMATROPIN 15mg IN 1.5ml PRE-FILLED PEN	R	

06.05.01 Hypothalamic and anterior pituitary hormones and anti-oestrogens

#### CHORIOGONADOTROPIN

CHORIOGONADOTROPIN ALFA 250microgram (6,500international units) PRE-FILLED PEN	R	Restricted for use by Fertility and Endocrinology for fertility treatment. MMTC September 2018

Υ

#### CLOMIFENE

CLOMIFENE 50mg TABLETS

**CONJUGATED OESTROGENS + BAZEDOXIFENE** 

CONJUGATED OESTROGENS/BAZEDOXIFENE 0.45mg TABLETS m/r	R	For the treatment of oestrogen deficiency symptoms in postmenopausal women with a uterus for whom treatment with progestin-containing therapy is inappropriate. MMTC, September 2017
CORTICOTROPIN RELEASING		
CORTICOTROPIN RELEASING HORMONE 100microgram IN 1ml INJECTION	UNR	Restricted to diagnosis of cushings disease. Medicines Effectiveness, February 2013.
FOLLITROPIN ALFA		
FOLLITROPIN ALFA 450units PEN	NF	
GONADORELIN		
GONADORELIN 100microgram INJECTION	Y	
HUMAN MENOPAUSAL GONADOTROPHIN HUMAN MENOPAUSAL GONADOTROPHIN 75international units INJ (MENOPUR)	R	To induce ovulation in women who have not successfully recruited a follicle using other ovulation induction methods, and in male subfertility, to treat hypogonadotrophic hypogonadism to stimulate spermatogenesis. Restricted for use by Fertility and Endocrinology. MMTC July 2018
HUMAN MENOPAUSAL GONADOTROPHIN 600international units INJECTION (MENOPUR	R	For use by Oxford Fertility Unit. Medicines Effectiveness, January 2011.
HUMAN MENOPAUSAL GONADOTROPHIN 1200international units INJECTION (MENOPUR	R	For use by Oxford Fertility Unit. Medicines Effectiveness, January 2011.
NUTROPIN		
NUTROPIN AQ NUSPIN PRE-FILLED PEN	NF	
PEGVISOMANT		
PEGVISOMANT 10mg INJECTION	R	For the treatment of acromegaly (3rd line) as per NHS England Policy 16050/P. MMTC, January 2017
PEGVISOMANT 20mg INJECTION	R	For the treatment of acromegaly (3rd line) as per NHS England Policy 16050/P. MMTC, January 2017

PROTIRELIN PROTIRELIN 200microgram INJECTION	UNR	For investigation of pituitory/hypothalamic hypothyroidism. Medicines Effectiveness, February 2015.
SOMATROPIN SOMATROPIN 0.6MG PRE-FILLED PEN (MINIQUIC	K)	R For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016
SOMATROPIN 10mg/1.5ml PRE-FILLED PEN	NF	
SOMATROPIN 5mg in 1.5ml PRE-FILLED PEN (NORDITROPIN FLEXPRO)	R	For treatment of Growth failure in children as 2nd line treatment. Reserved for needle phobia in whom compliance is likely to be an issue. MMTC, March 2022.
SOMATROPIN 800micrograms INJECTION	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016
SOMATROPIN 15mg IN 1.5ml PRE-FILLED PEN	NF	
SOMATROPIN 400microgram (1.2international units) PRE-FILLED SYRINGE	R	For continuation of therapy only. Medicines Effectiveness, March 2013.
SOMATROPIN 5.3mg (16units) PEN REFIL CARTRIDGE	Y	
SOMATROPIN 200microgram (0.6units) SYRINGE	Y	
SOMATROPIN 5mg (15 units) in 1.5ml CARTRIDGE	NF	
SOMATROPIN 5mg in 1.5ml (15international units) CARTRIDGE (OMNITROPE)	Y	
SOMATROPIN 12mg (36units) PEN REFIL CARTRIDO	GE Y	
SOMATROPIN 20mg (60 UNITS) IN 2.5ml INJECTION	R	For patients with proven adherence problems. Medicines Effectiveness, May 2012.

### TETRACOSACTIDE

TETRACOSACTIDE 250microgram IN 1ml INJECTION Y

# THYROTROPIN ALFA

For use as per thyroid cancer radioiodine treatment protocol. MMTC, October 2015.

06.05.01 Hypothalamic and pituitary hormones and anti-o	oestrogen	S
SOMATROPIN 1.6mg (4.8unit) PRE-FILLED SYRINGE (MINIQUIK)	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016.
SOMATROPIN 1.4mg (4.2unit) PRE-FILLED SYRINGE (MINIQUIK)	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016.
SOMATROPIN 5.3mg INJECTION (GoQUICK - GENOTROPIN)	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016.
SOMATROPIN 1.8mg PRE-FILLED SYRINGE (MINIQUICK)	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016
SOMATROPIN 15mg IN 1.5ml (45international units) CARTRIDGE for SUREPAL (OMNITROPE)	R	For continuation of therapy and as per the OCCG Shared Care Protocol. Medicines Effectiveness, July 2016.
06.05.02 Posterior pituitary hormones and antagonists <b>ARGIPRESSIN</b>		
ARGIPRESSIN (VASOPRESSIN) 20units in 1ml INJECTION	R	Prevention of excesisive blood loss during the removal of uterine fibroids OR hipotension in critical care. MAC, July 2011.
DESMOPRESSIN		
DESMOPRESSIN 120micrograms SUBLINGUAL TABLETS	NF	
DESMOPRESSIN 100microgram in 1ml NASAL SOLUTION 2.5ml	Y	
DESMOPRESSIN 10microgram/dose NASAL SPRAY 6ml	Y	
DESMOPRESSIN 150microgram/DOSE NASAL SPRA	Y	R For use in Haemophilia centre only. Medicines Effectiveness, November 2005.
DESMOPRESSIN 15microgram in 1ml INJECTION	R	For use in Haemophilia centre only. Medicines Effectiveness, November 2005.

R

DESMOPRESSIN 4microgram IN 1ml INJECTION	Y	
DESMOPRESSIN 100microgram TABLETS	Y	
SOMATROPIN SOMATROPIN 10mg in 1.5ml (30international units) CARTRIDGE (OMNITROPE)	Y	
SOMATROPIN 10mg in 1.5ml INJECTION	NF	
SOMATROPIN 10mg in 2ml (30international Units) INJECTION (NUTROPIN AQ)	NF	
SOMATROPIN 15mg INJECTION	NF	
TERLIPRESSIN TERLIPRESSIN 1mg in 8.5ml INJECTION	Y	
TERLIPRESSIN 1mg IN 5ml INJECTION (VARIQUEL)	Y	
TOLVAPTAN		
TOLVAPTAN (JINARC) 45mg/15mg TABLETS	R	For the treatment of autosomal dominant polycystic kidney disease as per TA358. MMTC, November 2016
TOLVAPTAN (JINARC) 90mg/30mg TABLETS	R	For the treatment of autosomal dominant polycystic kidney disease as per TA358. MMTC, November 2016
TOLVAPTAN 15mg TABLETS	NF	
TOLVAPTAN (JINARC) 60mg/30mg TABLETS	R	For the treatment of autosomal dominant polycystic kidney disease as per TA358. MMTC, November 2016
6.05.01 Hypothalamic and anterior pituitary hormones an	d anti-oes	strogens

6.05.01 Hypothalamic and anterior pituitary hormones and anti-oestrogens **SOMATROPIN** 

SOMATROPIN 4mg (12units) VIAL (ZOMACTON)	R	For use in needle phobic patients as requested by paediatric endocrinologist.
		Medicines Effectiveness, May

06.06 Drugs affecting bone metabolism

06.06.01 Calcitonin and parathyroid hormone

#### CALCITONIN

CALCITONIN 100international units in 1ml INJECTION NF

#### PAMIDRONATE

PAMIDRONATE 90mg in 10ml INJECTION	Y	
TERIPARATIDE		
TERIPARATIDE 600mcg/2.4ML SOLUTION FOR INJECTION (CARTRIDGE)	R	For secondary prevention of fragility fracture in women, as per NICE TA161 following prior approval from OCCG, and men, as per NHSE commissioning statement 170064P. MMTC, May 2019
TERIPARATIDE 600mcg IN 2.4ml SOLUTION FOR INJECTION WITH PEN	R	For secondary prevention of fragility fracture in women, as per NICE TA161 following prior approval from OCCG, and men, as per NHSE commissioning statement 170064P. MMTC, May 2019
TERIPARATIDE 250micrograms in 1ml PEN 3ml	R	For secondary prevention of fragility fracture in women, as per NICE TA161 following prior approval from OCCG, and men, as per NHSE commissioning statement 170064P. MMTC, May 2019
06.06.02 Bisphosphonates and other drugs affecting b	one metab	oolism
ALENDRONIC ALENDRONIC ACID 70mg EFFERVESCENT TABL	ETSNF	
ALENDRONIC ACID ALENDRONIC ACID 70mg TABLETS	Y	
ALENDRONIC ACID 10mg TABLETS	Y	
DENOSUMAB		
DENOSUMAB 120mg INJECTION	R	For the prevention of skeletal- related events in adults with
		bone metastases from solid tumours as per NICE TA265; and for the for the treatment of giant cell tumours of the bone. MMTC, April 2013.
IBANDRONIC ACID		bone metastases from solid tumours as per NICE TA265; and for the for the treatment of giant cell tumours of the bone. MMTC,

IBANDRONIC ACID 150mg TABLET	NF	
PAMIDRONATE PAMIDRONATE 30mg in 10ml INJECTION	Y	
PAMIDRONATE 30mg in 2ml INJECTION	Y	
RISEDRONATE SODIUM RISEDRONATE 30mg TABLETS	R	Restricted to Metabolic Bone Unit at NOC only. Medicines Effectiveness, December 2011.
RISEDRONATE 35mg TABLETS	R	For patients who cannot tolerate Alendronic acid. Medicines Effectiveness, December 2011.
RISEDRONATE 5mg TABLETS	R	Restricted to NOC and established osteoporosis patients only. Medicines Effectiveness, December 2011.
SODIUM CLODRONATE		
SODIUM CLODRONATE 400mg CAPSULES	R	For use by Oncology/haematology only. Medicines Effectiveness, December 2011.
ZOLEDRONIC ACID		
ZOLEDRONIC ACID 4mg in 100ml INJECTION	R	ADULTS: For hypercalcaemia and skeletal events linked with malignancy; as an adjuvant treatment of early breast cancer in post-menopausal women And for Osteoporosis PAEDIATRICS: For Children with Osteogenesis Imperfecta. MMTC, October 2017
ZOLEDRONIC ACID 4mg in 5ml INJECTION	NF	
ZOLEDRONIC ACID 4mg IN 5ml INJECTION	R	ADULTS: For hypercalcaemia and skeletal events linked with malignancy; as an adjuvant treatment of early breast cancer in post-menopausal women And for Osteoporosis PAEDIATRICS: For Children with Osteogenesis Imperfecta. MMTC, October 2017

# 06.07 Other endocrine drugs

### NAFARELIN

NAFARELIN 200microgram NASAL SPRAY (60dose)	NF	
06.07.01 Bromocriptine and other dopaminergic drugs <b>BROMOCRIPTINE</b>		
BROMOCRIPTINE 1mg TABLETS	Y	
BROMOCRIPTINE 2.5mg TABLETS	Y	
BROMOCRIPTINE 10mg CAPSULES	Y	
CABERGOLINE		
CABERGOLINE 500microgram TABLETS (8)	Y	
06.07.01 Dopamine receptor agonists QUINAGOLIDE		
QUINAGOLIDE 25microgram and 50microgram TABLETS STARTER PACK	NF	Do NOT split this pack - always book out 6 tablets PPDU 14.03.18
QUINAGOLIDE 75microgram TABLETS	NF	
06.07.02 Drugs affecting gonadotrophins <b>Triptorelin</b>		
TRIPTORELIN 22.5mg INJECTION M/R	R	For precocious puberty. Initiation by Paediatric Endocrinologist only. MMTC August 2022.
TRIPTORELIN 3.75mg SYRINGE	R	Patients on 3 or 6 monthly gonadorelin analogues (goserelin, leuporelin or triptorelin) will receive 1-monthly injections while inpatients. NB: inform GP when next dose is due. MMTC, April 2014.
06.07.02 Gonadorelin analogues		
DANAZOL DANAZOL 100mg CAPSULES	UNR	
06.07.03 Metyrapone METYRAPONE		
METYRAPONE 250mg CAPSULES	Y	
6.04 Sex hormones 06.04.01 Female sex hormones and their modulators ESTRADIOL		

<b>07 Obstetrics, gynaecology, and urinary-tract disorders</b> 07.01 Drugs used in obstetrics 07.01 Drugs used in obstetrics <b>Alprostadil</b>		
ALPROSTADIL 20mcg INJECTION	NF	
07.01.01 Bladder and urinary disorders OXYBUTYNIN		
OXYBUTYNIN 5mg TABLETS	Y	
07.01.01 Prostaglandins and oxytocics <b>ALPROSTADIL</b>		
ALPROSTADIL 10mcg INJECTION	NF	
CARBETOCIN CARBETOCIN 100micrograms IN 1ml INJECTION	NF	
CARBOPROST CARBOPROST 250microgram in 1ml INJECTION	Y	
DINOPROSTONE 5mg in 0.5ml INJECTION	NF	
DINOPROSTONE 3mg VAGINAL TABLETS	R	Restricted for use in Maternity areas whilst Dinoprostone Gel is unavailable. Must be agreed by MMTC before having full Formulary approval PPDU 06.07.15
DINOPROSTONE 0.75mg in 0.75ml INJECTION	Y	
DINOPROSTONE 2mg VAGINAL GEL	Y	
ERGOMETRINE		
ERGOMETRINE 500microgram in 1ml INJECTION	Y	
ERGOMETRINE 500microgram & OXYTOCIN 5units INJECTION	Y	
	V	
OXYTOCIN 10units/ml INJECTION	Y	
OXYTOCIN 5units/ml injection	Y	

07.01.01.Prostaglandins and oxytocics CARBOPROST CARBOPROST 250microgram in 1ml INJECTION (UNLICENSED)	UNR	
Dinoprostone DINOPROSTONE 1mg VAGINAL GEL	Y	
07.01.02 <i>Mifepristone</i> <b>MIFEPRISTONE</b> MIFEPRISTONE 200mg TABLETS (3 tabs)	Y	
7.01 Drugs used in obstetrics TICAGRELOR TICAGRELOR 60MG TABLETS	R	Continuation and for the
		preventing atherothrombotic events post myocardial infarction as per NICE TA420. MMTC, August 2017
07.02 Treatment of vaginal and vulval conditions 07.02.01 Preparations for vaginal and vulval changes ESTRADIOL		
ESTRADIOL 50micrograms/hour RING	NF	
ESTRADIOL 10microgram VAGINAL TABLETS	NF	
ESTRIOL		
ESTRIOL 0.1% CREAM AND APPLICATOR 15g	Y	
ESTRIOL 0.01% CREAM 80g	Y	
07.02.02 Vaginal and vulval infections ACETIC ACID		
GLACIAL ACETIC ACID 0.94% VAGINAL JELLY	NF	
CLINDAMYCIN		
CLINDAMYCIN 2% CREAM 40g	R	For use by Genito-urinary Medicine and Gynae Ward only. Medicines Effectiveness, February 2012.
CLOTRIMAZOLE CLOTRIMAZOLE 200mg PESSARIES	Y	
CLOTRIMAZOLE 500mg PESSARY	Y	

CLOTRIMAZOLE 100mg PESSARIES	Y	
ECONAZOLE ECONAZOLE NITRATE 150mg PESSARIES	NF	
METRONIDAZOLE METRONIDAZOLE 0.75% VAGINAL GEL (ZIDOVAL) 40g	R	For use by Genito-urinary Medicine and Gynaecology only. Medicines Effectiveness, January 2013.
MICONAZOLE MICONAZOLE 2% VAGINAL CREAM 78g	R	For candida resistant or refractory to fluconazole. ASG, August 2015
07.03 Contraceptives 07.03.01 Combined hormonal contraceptives <b>CILIQUE</b> CILIQUE TABLETS (3X21)	R	For use by Genito-urinary
		Medicine only. Medicines Effectiveness, August 2010.
DESOGESTREL DESOGESTREL 75microgram TABLETS TTO PACK 8	4SR	
DROSPIRENONE + ETHINYLESTRADIOL DROSPIRENONE 3mg + ETHINYLESTRADIOL 30mcg TABLETS	g NF	
ESTRADIOL ESTRADIOL 2mg / DIENOGEST 3mg TABLETS	NF	
ETHINYLESTRADIOL + DESOGESTREL GEDAREL 30/150microgram FC TABLETS (3 X 21)	R	For use by Genito-urinary Medicine only. MMTC, December 2011.
GEDAREL 20/150microgram TABLETS (3x21)	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
ETHINYLESTRADIOL + GESTODENE FEMODENE TABLETS 21's	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2013
ETHINYLESTRADIOL + LEVONORGESTREL		

ETHINYLESTRADIOL + LEVONORGESTREL

MICROGYNON 30 ED 3x28	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
ETHINYLESTRADIOL 30microgram / LEVONORGESTREL 150microgram TABLETS 3X21	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
ETHINYLESTRADIOL + NORELGESTROMIN ETHINYLESTRADIOL 33.9mcg/24hrs & NORELGESTROMIN 203mcg/24hrs TRANSDERMAL	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
Generic Logynon tablets		
ETHINYLESTRADIOL & LEVONORGESTREL TABLETS (TRIREGOL) [MULTIPLE STRENGTHS]	NF	
LEVONORGESTREL		
LEVONORGESTREL 1500microgram TABLET	Υ	
LEVONORGESTREL + ETHINYLESTRADIOL LEVONORGESTREL 150mcg + ETHINYLESTRADIOL	R	For use by Genito-urinary
30mcg TABLETS (RIGEVIDON)		Medicine only. Medicines Effectiveness, March 2013
NORETHISTERONE		
MICRONOR TABLETS 3X28	R	For use by Gynae Day Surgery, Gynae Ward and GUM clinic. Medicines Effectiveness, November 2003.
ULIPRISTAL		
ULIPRISTAL 30mg TABLET (1)	R	For use by Genito-urinary Medicine Clinic and the Horton Orchard Health Clinic. Ella-One® is approved for use as emergency contraception for patients 72-120h post unprotected intercourse. Levonelle® will continue to be used in patients <72h post unprotected intercourse. MAC, August 2010.
ULIPRISTAL ACETATE ULIPRISTAL ACETATE 5MG TABLETS	NF	
07.03.02 Progestogen-only contraceptives		

07.03.02 Progestogen-only contraceptives **DESOGESTREL** 

CERAZETTE 75microgram TABLETS	R	Restricted to GUM clinic. Medicines Effectiveness, August 2010.
DESOGESTREL 75microgram TABLETS 3x28	R	For use by Genito-urinary Medicine; and Women's centre for post-partum contraception.
ETONOGESTREL		
ETONOGESTREL 68microgram IMPLANT (NEXPLANON)	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
LEVONORGESTREL		
LEVONORGESTREL 30microgram TABLETS pk35	R	For use by Genito-urinary Medicine only. Medicines Effectiveness, March 2014
LEVONORGESTREL 13.5mg INTRAUTERINE DELIVERY SYSTEM	R	For use by OSHS only. Medicines effectiveness, May 2015
MEDROXYPROGESTERONE		
MEDROXYPROGESTERONE 150mg in 1ml INJECTION (DEPOT)	Y	
07.03.02 Progestogen-only contraceptives` MEDROXYPROGESTERONE		
MEDROXYPROGESTERONE 104mg in 0.65ml (subcutaneous) PRE FILLED SYRINGE	R	To be supplied as part of the post partum family planning initiative- Maternity ONLY MMTC July 2020
07.03.04 Contraceptive devices		
LEVEONORGESTREL		
LEVEONORGESTREL 19.5mg INTRAUTERINE DELIVERY DEVICE	R	For use by OSHS only. Medicines effectiveness, October 2020.
LEVONORGESTREL		
LEVONORGESTREL 20micrograms / 24hours INTRAUTERINE DEVICE	R	For the treatment of heavy menstrual bleeding and for use as a contraceptive. MMTC, January 2018
LEVONORGESTREL INTRAUTERINE DEVICE	Y	
07.04 Drugs for genito-urinary disorders 07.04.01 Drugs for erectile dysfunction <b>Sildenafil</b>		

07.04.01 Drugs for urinary retention ALFUZOSIN ALFUZOSIN 10mg TABLETS M/R	NF	
ALFUZOSIN 2.5mg TABLETS	NF	
BETHANECHOL BETHANECHOL CHLORIDE 10mg TABLETS	Y	
CARBACHOL CARBACHOL 2mg TABLETS	NF	
INDORAMIN INDORAMIN 20mg TABLETS	Y	
TAMSULOSIN TAMSULOSIN HYDROCHLORIDE 400microgram CAPSULES M/R	Y	
TERAZOSIN TERAZOSIN 2mg TABLETS	NF	
TERAZOSIN 5mg TABLETS	NF	
07.04.02 Drugs for urinary frequency, enuresis, and inco DARIFENACIN		
DARIFENACIN HYDRBROMIDE 7.5MG TABLETS M/	R NF	
FESOTERODINE 4mg TABLETS M/R	NF	
FESOTERODINE 8mg TABLETS M/R	NF	
FLAVOXATE FLAVOXATE 200mg TABLETS	Y	
MIRABEGRON MIRABEGRON 50mg TABLETS M/R	R	For treating symptoms of overactive bladder as per NICE TA290. MMTC, February 2014
MIRABEGRON 25mg M/R TABLETS	R	For treating symptoms of overactive bladder as per NICE TA290. MMTC, February 2014.

OXYBUTYNIN		
OXYBUTYNIN 36mg (3.9mg/24hr) PATCHES	R	Only appropriate for patients unable to swallow tablets or experience severe indigestion. Medicines Effectiveness, September 2008.
OXYBUTYNIN 3mg TABLETS	Y	
OXYBUTYNIN 5mg TABLETS	Y	
OXYBUTYNIN 10mg TABLETS M/R	NF	
OXYBUTYNIN 2.5mg TABLETS	Y	
OXYBUTYNIN 5mg TABLETS M/R	NF	
PROPIVERINE PROPIVERINE 30mg CAPSULES M/R	NF	
PROPIVERINE 15mg TABLETS	NF	
SOLIFENACIN SOLIFENACIN 10mg TABLETS	R	For continuation of therapy only, medicines Effectiveness, June 2015.
SOLIFENACIN 5mg TABLETS	R	For continuation of therapy only, medicines Effectiveness, June 2015.
TOLTERODINE 1mg TABLETS	R	Tolterodine 2mg standard relese bd is first line for overactive bladder. If not tolerated due to side effects dose can be decreased to 1mg bd.

Tolterodine 4mg modifiedrelease is now restricted to patients who cannot tolerate standard-release tolterodine. Medicines Effectiveness,

November 2015.

TOLTERODINE 2mg TABLETS	R	Tolterodine 2mg standard relese bd is first line for overactive bladder. If not tolerated due to side effects dose can be decreased to 1mg bd. Tolterodine 4mg modified- release is now restricted to patients who cannot tolerate standard-release tolterodine. Medicines Effectiveness, November 2015.
TOLTERODINE 4mg CAPSULES M/R	R	Restricted to patients who cannot tolerate standard release Tolterodine only. Medicines Effectiveness, January 2016
TROSPIUM		
TROSPIUM CHLORIDE 60mg MR CAPSULES	NF	
TROSPIUM CHLORIDE 20mg TABLETS	NF	
07.04.03 Drugs used in urological pain		
POTASSIUM CITRATE		
POTASSIUM CITRATE MIXTURE BP	Y	
SODIUM CITRATE		
SODIUM CITRATE 0.3Molar LIQUID 10x30ml	Y	
07.04.04 Bladder instillations and urological surgery <b>ALUM</b>		
ALUM 10% BLADDER IRRIGATION 100ml	SR	For uncontrolled haematuria despite bladder irrigation due to radiotherapy only. Medicines Effectiveness, October 2017
CHLORHEXIDINE		
CHLORHEXIDINE 0.02% Bladder washout (Uro- Tainer)100ml	Y	
GEPAN		
SODIUM CHONDROITIN 0.2% BLADDER INSTILLATION 40ml (GEPAN)	NF	
GLYCINE		
DF GLYCINE 1.5% IRRIGATION BAGS 3L FKB7538T	R	
GLYCINE 1.5% IRRIGATION BAGS 3L FKB7538T	Y	
GLYCINE 1.5% FLOWFUSOR 2L	Y	

#### **SODIUM CHLORIDE**

SODIUM CHLORIDE	
SODIUM CHLORIDE 0.9% BLADDER IRRIGATION 50ml (For use with BCG Bladder instillation only)	UNR
SODIUM CHLORIDE 0.9% Bladder Irrigation 100ml	Y
SODIUM CHLORIDE 0.9% Bladder Irrigation 100ml (UROTAINER M)	Y
SOLUTION R	
SOLUTIO R BLADDER IRRIGATION (URO-TAINER TWIN 2X30ml)	Y
SUBY G	
SUBY G BLADDER IRRIGATION (URO-TAINER TWIN 2X30ml)	Y
07.04.05 Drugs for erectile dysfunction	
ALPROSTADIL	
ALPROSTADIL 10microgram DUAL CHAMBER	NF
ALPROSTADIL 20microgram DUAL CHAMBER	NF
ALPROSTADIL 250microgram Appln (MUSE)	NF
ALPROSTADIL 500micrograms IN 1ml INJECTION	NF
APOMORPHINE	
APOMORPHINE 3mg TABLETS S/L	NF
<b>AVIPTADIL &amp; PHENTOLAMINE MESILATE</b>	
AVIPTADIL 25micrograms & PHENTOLAMINE MESILATE 2mg in 0.35ml INJECTION	R

PAPAVERINE

PAPAVERINE HCL 80mg IN 2ml INJECTION SR For use in coronary bypass surgery for graft dilatation & prevention of mammary arte spasm in cardiac theaters o Medicines Effectiveness, Ja 2018	& tery only.
--	--------------------

Reconstitution packfor use with Immucst (DEG054). Medicines Effectiveness July 2012

Restricted for use by

Endocrinology consultants and registrars in the Alexander (ED) clinic in OCDEM only. Formulary Pharmacist 03.01.2019 Charge issues to OCAD = CH OCDEM ADMIN - DELIVER TO BAGOT + DRAKE Finance code: A55360

#### SILDENAFIL

SILDENAFIL 25mg TABLETS	R	For the treatment of:- Pulmonary Arterial Hypertension (PAH) as per the shared care arrangement with the Royal Brompton & Harefield Hospital NHSFT (RBH) - Congenital heart disease *For initiation by cardiologist only* MMTC, December 2016
TADALAFIT		
TADALAFIL 20mg TABLETS	NF	
08 Malignant disease and immunosuppression		
Acalabrutinib		
	R	For the treatment of providually
HC ACALABRUTINIB 100mg TABLETS	ĸ	For the treatment of previously untreated chronic lymphocytic leukaemia as per NICE TA689 MMTC, May 2021
Tepotinib		
TEPOTINIB 225mg TABLETS	NICE	
08 Malignant disease and immunosuppression 08 Malignant disease and immunosuppression SOMATROPIN		
SOMATROPIN 6mg in 1.03ml CARTRIDGE (FREE OF CHARGE)	NF	
SOMATROPIN 20mg in 2.5ml CARTRIDGE (FREE OF CHARGE)	NF	
08.00.00 Malignant disease and immunosuppression		
BLINATUMOMAB		
BLINATUMOMAB 38.5microgram POWDER FOR CONCENTRATE (FREE OF CHARGE)	NF	
DARATUMUMAB		
DARATUMUMAB 400mg IN 20ml INJECTION (FREE OF CHARGE)	NF	
DARATUMUMAB 100mg IN 5ml INJECTION (FREE OI CHARGE)	F NF	
08.01 Cytotoxic drugs		
Applobatio		
	D	For the treatment of any involve
ACALABRUTINIB 100mg TABLETS	R	For the treatment of previously

For the treatment of previously untreated chronic lymphocytic leukaemia as per NICE TA689 MMTC, May 2021

# Ivosidenib

IVOSIGEIIID		
IVOSIDENIB 250mg TABLETS	NICE	?For treatment of locally advanced or metastatic cholangiocarcinoma with an IDH1 R132 mutation in adults after 1 or more systemic treatments as per NICE TA948. MMTC, March 2024.
Nintedanib		
NINTEDANIB 100mg CAPSULES (OFEV)	R	For treatment of idiopathic pulmonary fibrosis when forced vital capacity is above 80% predicted as per NICE TA864. MMTC, June 2023
NINTEDANIB 150mg CAPSULES (OFEV)	R	For treatment of idiopathic pulmonary fibrosis when forced vital capacity is above 80% predicted as per NICE TA864. MMTC, June 2023
08.01 Cytotoxic drugs		
ACALABRUTINIB ACALABRUTINIB 100mg CAPSULES (FREE OF CHARGE STOCK)	NF	Compassinate Use
08.01.00 Cytotoxic drugs		

 CALCIUM FOLINATE

 CALCIUM FOLINATE 350mg in 35ml INJECTION
 Y

 Only to be used whilst whilst Calcium Levofolinate is

unavailable. Graham 09.09.21

#### **CALCIUM LEVOFOLINATE**

#### 08.01.01 Alkylating drugs

### BUSULFAN

BUSULFAN 25mg CAPSULES	NF
BUSULFAN 2mg TABLETS	Υ
CALCIUM FOLINATE CALCIUM FOLINATE 300mg IN 30ml INJECTION	Y
CALCIUM FOLINATE 50mg IN 5ml INJECTION	Y
	N

CHLORAMBUCIL 2mg TABLETS	Y
--------------------------	---

CICLOSPORIN		
CICLOSPORIN 100mg CAPSULES (VANQUORAL)	R	For use in renal transplant use only. Medicines Effectiveness, February 2017
CICLOSPORIN 50mg CAPSULES (VANQUORAL)	R	For use in renal transplant use only. Medicines Effectiveness, February 2017
CICLOSPORIN 25mg CAPSULES (VANQUORAL)	R	For use in renal transplant use only. Medicines Effectiveness, February 2017
CYCLOPHOSPHAMIDE		
CYCLOPHOSPHAMIDE 50mg/5ml LIQUID 100ml	UNR	Restricted to be prescribed by consultant only, and to steroid resistant or dependant nephrotic syndrome. Medicines Effectiveness, February 2013.
CYCLOPHOSPHAMIDE 50mg TABLETS	Y	
CYCLOPHOSPHAMIDE 1000mg in 250ml SODIUM CHLORIDE 0.9% INFUSION (EMERGENCY BAG)	SR	For emegency use only- see procedure on sharepoint site (Clinical/Baxter). Pharmacist to calculate exact volume to be administered to deliver prescribed dose. If stock expires book out to Transplant/Haematology/Critical Care PPDU, November 2011.
ESTRAMUSTINE		
ESTRAMUSTINE PHOSPHATE 140mg CAPSULES	NF	
LOMUSTINE		
LOMUSTINE 40mg CAPSULES	R	As per PCV protocol. Medicines Effectiveness, August 2009.
LOMUSTINE 10mg CAPSULES	UNR	Restricted to being given as part of chemo regime (PNET). Medicines Effectiveness, MArch 2013.
MELPHALAN		
MELPHALAN 2mg TABLETS	Y	
MESNA		
MESNA 400mg IN 4ml INJECTION	Y	
MESNA 400mg TABLETS	Y	

MESNA 600mg TABLETS	Y	
MESNA 1g in 10ml INJECTION	Y	
08.01.02 Anthracyclines and other cytotoxic antibiotics		
IDARUBICIN 10mg CAPSULES	Y	
IDARUBICIN 5mg CAPSULES	Y	
ΜΙΤΟΜΥCIN		
MITOMYCIN C 20mg INJECTION (UNLICENSED IMPORT)	R	
MITOMYCIN 40mg CLOSED INSTILLATION KIT FOR INTRAVESICAL USE	NF	
MITOMYCIN C 10mg INJECTION	R	
MITOMYCIN 40mg CLOSED INSTILLATION KIT FOR INTRAVESICAL USE	R	For non muscle invasive bladder cancer both as a single dose immediately after TURBT of a suspected new bladder cancer and as an adjuvant treatment consisting of a weekly dose given over a six week period for those patients identified as intermediate risk of recurrence. MMTC, November 2023
08.01.03 Antimetabolites		
AFATINIB		
AFATINIB 30mg TABLETS	R	For treating epidermal growth factor receptor mutation-positive locally advanced or metastatic non-small-cell lung cancer as per NICE TA310. MMTC, September 2014.
Azacitidine		
AZACITIDINE 200mg TABLETS	R	?For maintenance treatment for acute myeloid leukaemia (AML) as per NICE TA827. MMTC December 2022
AZACITIDINE 300mg TABLETS	R	?For maintenance treatment for acute myeloid leukaemia (AML) as per NICE TA827. MMTC December 2022

# CAPECITABINE

CAPECITABINE 500mg TABLETS	R	For colorectal cancer as per NICE TA61 and TA100, for gastric cancer as per TA191, and for breast cancer as per CG81. Medicines Effectiveness, February 2013.
CAPECITABINE 150mg TABLETS	R	For colorectal cancer as per NICE TA61 and TA100, for gastric cancer as per TA191, and for breast cancer as per CG81. Medicines Effectiveness, February 2013.
CLADRIBINE		
CLADRIBINE 10mg TABLETS	R	Restricted for Multiple Sclerosis in line with NHSE Policy Medicines Effectiveness Aug 21
CLADRIBINE 10mg TABLETS	R	Restricted for Multiple Sclerosis in line with NHSE Policy Medicines Effectiveness Aug 21
CLADRIBINE 10mg TABLETS	R	Restricted for Multiple Sclerosis in line with NHSE Policy Medicines Effectiveness Aug 21
FLUDARABINE		
FLUDARABINE 10mg TABLETS	R	Fludarabine for the treatment of B-cell chronic lymphocytic leukaemia as per NICE TA29. Medicines Effectiveness, March 2013.
FLUOROURACIL		
FLUOROURACIL 5% CREAM 40g	Y	
MERCAPTOPURINE		
MERCAPTOPURINE 10mg TABLETS	UNR	For lymphatic leukaemia. Medicines Effectiveness, March 2013.
MERCAPTOPURINE 50mg TABLETS	Y	
METHOTREXATE		
METHOTREXATE 2.5mg TABLETS	NF	
METHOTREXATE 10mg in 5ml LIQUID	R	For acute lymphoblastic leukaemia. Medicines Effectiveness, March 2013

METHOTREXATE 2.5mg TABLETS	Y	See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013.
NELARABINE 5mg IN 1ml SOLUTION FOR INFUSIO	DN NF	
PEMETREXED PEMETREXED SUPPLEMENTATION PACK	UNR	For patients on pemetrexed only. Medicines Effectiveness, May 2013.
08.01.04 Vinca alkaloids and etoposide <b>ETOPOSIDE</b> ETOPOSIDE 50mg CAPSULES	Y	
ETOPOSIDE 100mg CAPSULES	Y	
MERCAPTOPURINE		
MERCAPTOPURINE 100mg/5ml LIQUID 100ml !!	R	For lymphatic leukaemia. Medicines Effectiveness, March 2013.
VINORELBINE		
VINORELBINE 20mg CAPSULES	R	For second line or later therapy for the treatment of advanced breast cancer when anthracycline based regimens have failed or are unsuitable. MAC, May 2010.
VINORELBINE 80mg CAPSULES	R	For second line or later therapy for the treatment of advanced breast cancer when anthracycline based regimens have failed or are unsuitable. MAC, May 2010.
VINORELBINE 30mg CAPSULES	R	For second line or later therapy for the treatment of advanced breast cancer when anthracycline based regimens have failed or are unsuitable. MAC, May 2010.
08.01.05 Other antineoplastic drugs		

ABEMACICLIB

ABEMACICLIB 100mg TABLETS	R	For treatment of hormone- positive HER2-negative breast cancer as per NICE TA563 and for hormone-positive HER2- negative advanced breast cancer after endocrine therapy as per NICE TA579. MMTC, February 2020
ABEMACICLIB 50mg TABLETS	R	For treatment of hormone- positive HER2-negative breast cancer as per NICE TA563 and for hormone-positive HER2- negative advanced breast cancer after endocrine therapy as per NICE TA579. MMTC, February 2020
ABEMACICLIB 150mg TABLETS	R	For treatment of hormone- positive HER2-negative breast cancer as per NICE TA563 and for hormone-positive HER2- negative advanced breast cancer after endocrine therapy as per NICE TA579. MMTC, February 2020
ACALABRUTINIB		
ACALABRUTINIB 100mg CAPSULES (CDF STOCK)	R	Restricted for use within the Cancer Drugs Fund as an option for untreated and treated chronic lymphocytic leukaemia in adults (positive recommendation from NICE on the 18th March
AFATINIB		
AFATINIB 40mg TABLETS	R	For treating epidermal growth factor receptor mutation-positive locally advanced or metastatic non-small-cell lung cancer as per NICE TA310. MMTC, September 2014.
ALECTINIB		
ALECTINIB 150mg CAPSULES (COMPASSIONATE USE)	NF	Compassionate Use Cytotoxic
ALECTINIB 150mg CAPSULES	R	For the treatment of untreated ALK-positive advanced non- small-cell lung cancer as per NICE TA536. MMTC July 2019

#### ASCIMINIB

ASCIMINIB 40mg TABLETS	NICE	For treating chronic myeloid leukaemia after 2 or more tyrosine kinase inhibitors as per NICE TA813. MMTC, August 2022
ASCIMINIB 20mg TABLETS	NICE	For treating chronic myeloid leukaemia after 2 or more tyrosine kinase inhibitors as per NICE TA813. MMTC, August 2022
ATEZOLIZUMAB		
ATEZOLIZUMAB 1200mg IN 20ml INJECTION	R	For the treatment of urothelial cancer as per NICE TA492 and NICE TA525, MMTC May 2019
Avatrombopag		
SELPERCATINIB 80mg CAPSULES	NICE	AWAITING MMTC IMPLEMENTATION.
AXITINIB		
AXITINIB 1mg TABLETS (COMPASSIONATE USE)	NF	EAMS supply only
AXITINIB 1mg TABLETS	R	For the treatment of adults with advanced renal cell carcinoma after failure of treatment with a first line tyrosine kinase inhibitor or a cytokine as per NICE TA333. MMTC, April 2017
AXITINIB 3mg TABLETS	R	For the treatment of adults with advanced renal cell carcinoma after failure of treatment with a first line tyrosine kinase inhibitor or a cytokine as per NICE TA333. MMTC, April 2017
AXITINIB 5mg TABLETS (COMPASSIONATE USE)	NF	EAMS supply only
AXITINIB 5mg TABLETS	R	For the treatment of adults with advanced renal cell carcinoma after failure of treatment with a first line tyrosine kinase inhibitor or a cytokine as per NICE TA333. MMTC, April 2017
Belzutifan		
BELZUTIFAN 40mg TABLETS (COMPASSIONATE USE)	NF	
BEVACIZUMAB		
BEVACIZUMAB 100mg INJECTION	NF	

BEVACIZUMAB 1.25mg PRE-FILLED SYRINGE 0.05m	nISR	For neo-vascularisation in non wet-AMD conditions and glaucoma prior to laser treatment. And as an alternative to retinal laser treatment during COVID-19. MMTC, March 2020
BEXAROTENE BEXAROTENE 75mg CAPSULES	R	For the treatment of cutaneous T
BEAROTENE / Sing CAPSULES	ĸ	cell lymphoma. MMTC, April 2018
BINIMETINIB		
BINIMETINIB 15mg TABLETS (COMPASSIONATE USE)	NF	
BINIMETINIB 15mg TABLETS	R	For treatment of unresectable or metastatic BRAF V600 mutation- positive melanoma as per NICE TA562 MMTC July 2019
Blinatumomab		
BLINATUMOMAB 38.5microgram POWDER FOR INJECTION	R	Restricted for use as per NICE TA450 (Lymphoblastic leukaemia)
BOSUTINIB		
BOSUTINIB 100mg TABLETS	R	For the treatment of chronic, accelerated and blast phase Philadelphia chromosome positive chronic myeloid leukaemia in adults who have previously had 1 or more tyrosine kinase inhibitor and imatinib, nilotinib and dasatinib are not appropriate as per NICE TA401. MMTC, February 2017
BOSUTINIB 500mg TABLETS	R	For the treatment of chronic, accelerated and blast phase Philadelphia chromosome positive chronic myeloid leukaemia in adults who have previously had 1 or more tyrosine kinase inhibitor and imatinib, nilotinib and dasatinib are not appropriate as per NICE TA401. MMTC, February 2017

BOSUTINIB 100mg TABLETS (COMPASSIONATE USE) NF

BOSUTINIB 400mg TABLETS	R	For the treatment of chronic, accelerated and blast phase Philadelphia chromosome positive chronic myeloid leukaemia in adults who have previously had 1 or more tyrosine kinase inhibitor and imatinib, nilotinib and dasatinib are not appropriate as per NICE TA401. MMTC, February 2017
BOSUTINIB 400mg TABLETS (COMPASSIONATE	USE) NF	
BRENTUXIMAB		
BRENTUXIMAB VEDOTIN 50mg INJECTION (COMPASSIONATE USE)	NF	
Brigatinib BRIGATINIB 90mg TABLETS	R	As per NICE TA 571 (Brigatinib for treating ALK-positive advanced NSCLC after crizotinib) and NICE TA 670 (Brigatinib for ALK-positive advanced non- small-cell lung cancer that has not been previously treated with an ALK inhibitor)
BRIGATINIB 30mg TABLETS	R	As per NICE TA 571 (Brigatinib for treating ALK-positive advanced NSCLC after crizotinib) and NICE TA 670 (Brigatinib for ALK-positive advanced non- small-cell lung cancer that has not been previously treated with an ALK inhibitor)
BRIGATINIB 180mg TABLETS	R	?As per NICE TA 571 (Brigatinib for treating ALK-positive advanced NSCLC after crizotinib) and NICE TA 670 (Brigatinib for ALK-positive advanced non- small-cell lung cancer that has not been previously treated with an ALK inhibitor)
CABOZANTINIB		
CABOZANTINIB 40mg TABLETS	R	For the treatment of advanced renal cell carcinoma in adults: following prior vascular endothelial growth factor- targeted therapy, as per NICE TA463; in untreated adults as per NICE TA542. MMTC May 2019

	CABOZANTINIB 60mg TABLETS	R	For the treatment of advanced renal cell carcinoma in adults: following prior vascular endothelial growth factor- targeted therapy, as per NICE TA463; in untreated adults as per NICE TA542. MMTC May 2019
	CABOZANTINIB 60mg TABLETS (FREE OF CHARGE STOCK PAEDS ONLY)	NF	
	CABOZANTINIB 140mg CAPSULES (84 x 20mg and 2 x 80mg)	8R	For treatment of progessive medullary thyroid cancer in adults as per NICE TA516, MMTC, May 2019
	CABOZANTINIB 100mg CAPSULES (28 x 20mg and 2 x 80mg)	8R	For treatment of progessive medullary thyroid cancer in adults as per NICE TA516, MMTC, May 2019
	CABOZANTINIB 40mg TABLETS (COMPASSIONATE USE)	NF	For treatment of renal cell carcinoma as per exceptional access scheme. MMTC, January 2017
	CABOZANTINIB 20MG TABLETS (FREE OF CHARGE SUPPLY)	NF	
	CABOZANTINIB 60mg TABLETS (COMPASSIONATE USE)	NF	For treatment of renal cell carcinoma as per patient access scheme. MMTC, January 2017
	CABOZANTINIB 20mg TABLETS	R	For the treatment of advanced renal cell carcinoma in adults: following prior vascular endothelial growth factor- targeted therapy, as per NICE TA463; in untreated adults as per NICE TA542. MMTC May 2019
	CABOZANTINIB 60mg CAPSULES (4 x 21 x 20mg)	R	For treatment of progressive medullary thyroid cancer in adults as per NICE TA516, MMTC, May 2019
	CARBOPLATIN		
	CARBOPLATIN 50mg INJECTION	R	***WHOLESALE ORDER USE ONLY*** Not for routine use in OUH.
(	CARFILZOMIB		
	CARFILZOMIB 10mg IN 10ml INJECTION	R	For the treatment of previously treated multiple myeloma as per NICE TA457 and NICE TA657. MMTC, May 2021

#### CERITINIB

	_	
CERITINIB 150mg TABLETS	R	For the treatment of: Advanced anaplastic lymphoma kinase positive non small cell lung cancer in adults who have had crizotinib as per NICE TA395. Untreated anaplastic lymphoma kinase (ALK) positive advanced non-small-cell lung cancer in adults as per NICE TA500. MMTC August 2018
CERITINIB 150mg CAPSULES	R	For the treatment of: Advanced anaplastic lymphoma kinase positive non small cell lung cancer in adults who have had crizotinib as per NICE TA395. Untreated anaplastic lymphoma kinase (ALK)-positive advanced non-small-cell lung cancer in adults as per NICE TA500. MMTC August 2018
CETUXIMAB		
CETUXIMAB 500mg IN 100ml INJECTION	R	For the treatment of: previously untreated metastatic colorectal cancer as per NICE TA439; recurrent or metastatic squamous cell cancer of the head and neck as per NICE TA473; Squamous cell cancer of the head and neck as per NICE TA145 MMTC, June 2018
CETUXIMAB 100mg IN 20ml INJECTION	R	For the treatment of: previously untreated metastatic colorectal cancer as per NICE TA439; recurrent or metastatic squamous cell cancer of the head and neck as per NICE TA473; Squamous cell cancer of the head and neck as per NICE TA145 MMTC, June 2018
CRISANTASPASE		
CRISANTASPASE 10,000units INJECTION	R	For patients being treated on the UKALL 2011 (Paed Haem Onc). Medicines Effectiveness, November 2013.

### CRIZOTINIB

For the treatment of: -Untreated anaplastic lymphoma kinasepositive advanced non-small-cell lung cancer in adults as per NICE TA406; -Previously treated anaplastic lymphoma kinasepositive advanced non-small-cell lung cancer in adults as per NICE TA422; For treatment of ROS1positive advanced non-small-cell lung cancer as per NICE TA529. MMTC July 2019

For the treatment of: -Untreated anaplastic lymphoma kinasepositive advanced non-small-cell lung cancer in adults as per NICE TA406; -Previously treated anaplastic lymphoma kinasepositive advanced non-small-cell lung cancer in adults as per NICE TA422; For treatment of ROS1positive advanced non-small-cell lung cancer as per NICE TA529. MMTC July 2019

R For the treatment of:- chronic- or accelerated-phase Philadelphiachromosome-positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425. - untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April 2017

R For the treatment of:- chronic or accelerated-phase Philadelphiachromosome-positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; - untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April 2017

R

**CRIZOTINIB 250mg CAPSULES** 

DASATINIB DASATINIB 20mg TABLETS

DASATINIB 100mg TABLETS

DASATINIB 50mg TABLETS	R	For the treatment of:- chronic or accelerated-phase Philadelphia- chromosome-positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; - untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April 2017
DASATINIB 80mg TABLETS	R	Chromosome-positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April 2017
DASATINIB 140mg TABLETS	R	For the treatment of: chronic- or accelerated-phase Philadelphia- chromosome-positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April 2017
DEXRAZOXANE DEXRAZOXANE 500mg INJECTION POWDER + CONCENTRATE	R	For use in anthracycline extravasation in working hours only. MMTC May 2018 MMTC May 2018
ENCORAFENIB ENCORAFENIB 75mg CAPSULES (COMPASSIONA USE) ERIBULIN	TE NF	
ERIBULIN 0.44mg in 1ml INJECTION (2ml vial) *COMPASSIONATE USE ONLY* ERLOTINIB	NF	

ERLOTINIB 150mg TABLETS

- For the treatment of: locally advanced or metastatic EGFR-TK mutation-positive non-small cell lung cancer as per NICE TA258; locally advanced or metastatic non-small-cell lung cancer as per NICE TA374. MMTC, August 2017
- R For the treatment of: locally advanced or metastatic EGFR-TK mutation-positive non-small cell lung cancer as per NICE TA258; locally advanced or metastatic non-small-cell lung cancer as per NICE TA374. MMTC, August 2017

# **EVEROLIMUS**

EVEROLIMUS 2.5mg TABLETS (AFINITOR) (COMPASSIONATE USE)
EVEROLIMUS 10mg TABLETS (AFINITOR) (COMPASSIONATE USE)

EVEROLIMUS 5mg TABLETS (AFINITOR) (COMPASSIONATE USE)

EVEROLIMUS 5mg TABLETS

- NF JR Dispensary
- NF

R

- NF JR Dispensary
- NF For the treatment of: advanced renal cell carcinoma as per NICE TA432; advanced human epidermal growth factor receptor 2 (HER2)-negative, hormonereceptor-positive breast cancer as per NICE TA421; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

EVEROLIMUS 2.5mg TABLETS

# EVEROLIMUS 10mg TABLETS

- NF
- NF For the treatment of: advanced renal cell carcinoma as per NICE TA432; advanced human epidermal growth factor receptor 2 (HER2)-negative, hormonereceptor-positive breast cancer as per NICE TA421; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

EVEROLIMUS 2.5mg TABLETS (VOTUBIA)	R	For the treatment of Subependymal giant cell astrocytoma – tuberous sclerosis in paediatrics as per NHSE Clinical Commissioning Policy 16066/P MMTC, October 2018
EVEROLIMUS 10mg TABLETS	R	For the treatment of Subependymal giant cell astrocytoma – tuberous sclerosis in paediatrics as per NHSE Clinical Commissioning Policy 16066/P
EVEROLIMUS 5mg TABLETS (VOTUBIA)	R	For the treatment of Subependymal giant cell astrocytoma – tuberous sclerosis in paediatrics as per NHSE Clinical Commissioning Policy 16066/P MMTC, October 2018
GEFITINIB		
GEFITINIB 250mg TABLETS (CHARGEABLE STOCK - CYCLE 3)	- R	For locally advanced or metastatic non-small-cell lung cancer as per NICE TA192. Medicines Effectiveness, March 2013.
GEFITINIB 250mg TABLETS (FREE STOCK)	R	For locally advanced or metastatic non-small-cell lung cancer as per NICE TA192. Medicines Effectiveness, March 2013.
HYDROXYCARBAMIDE		
HYDROXYCARBAMIDE 500mg CAPSULES	R	For the treatment of sickle cell disease in paediatric patients. MMTC, October 2016
IBRUTINIB		
IBRUTINIB 280mg TABLETS	R	For the treatment of: Chronic lymphocytic leukaemia in adults as per NICE TA429. Waldenstrom's macroglobulinaemia in adults as per NICE TA491. Relapsed or refractory mantle cell lymphoma in adults as per NICE TA502. MMTC August 2018
IBRUTINIB 140mg CAPSULES	NF	

IBRUTINIB 140mg TABLETS	R	For the treatment of: Chronic lymphocytic leukaemia in adults as per NICE TA429. Waldenstrom's macroglobulinaemia in adults as per NICE TA491. Relapsed or refractory mantle cell lymphoma in adults as per NICE TA502. MMTC August 2018
IBRUTINIB 560mg TABLETS	R	For the treatment of: Chronic lymphocytic leukaemia in adults as per NICE TA429. Waldenstrom's macroglobulinaemia in adults as per NICE TA491. Relapsed or refractory mantle cell lymphoma in adults as per NICE TA502. MMTC August 2018
IBRUTINIB 560mg TABLETS (COMPASSIOANTE SUPPLY MCL POST-ALLOGRAFT)	NF	COMPASSIONATE SUPPLY (mantle cell lymphoma MCL, POST-ALLOGRAFT)
IBRUTINIB 420mg TABLETS	R	For the treatment of: Chronic lymphocytic leukaemia in adults as per NICE TA429. Waldenstrom's macroglobulinaemia in adults as per NICE TA491. Relapsed or refractory mantle cell lymphoma in adults as per NICE TA502. MMTC August 2018
IDELALISIB		
IDELALISIB 150mg TABLETS	R	For the treatment of untreated chronic lymphocytic leukaemia in adults with a 17p deletion or TP53 mutation and chronic lymphocytic leukaemia in adults when the disease has been treated but has relapsed within 24 months in combination with rituximab as per NICE TA359. MMTC, April 2017
IDELALISIB 100mg TABLETS	R	For the treatment of untreated chronic lymphocytic leukaemia in adults with a 17p deletion or TP53 mutation and chronic lymphocytic leukaemia in adults when the disease has been treated but has relapsed within 24 months in combination with rituximab as per NICE TA359

rituximab as per NICE TA359. MMTC, April 2017

IDELALISIB 150mg TABLETS (COMPASSIONATE SUPPLY)	NF	
IDELALISIB 100mg TABLETS (COMPASSIONATE SUPPLY)	NF	
IMATINIB		
IMATINIB 400mg TABLETS	NF	For the treatment of: -first-line management of metastatic gastro-intestinal stromal tumours (GISTs) as per NICE TA86 and TA209; -as adjuvant treatment for up to 3 years for adults who are at high risk of relapse after surgery of gastrointestinal stromal tumours as per NICE TA326. MMTC, April 2017. NB: Generic imatinib should be used for the treatment of chronic myeloid leukaemia as per NICE TA70 and TA426.
IMATINIB 400mg CAPSULES	NF	
IMATINIB 100mg TABLETS	R	For the treatment of: Philadelphia-chromosome- positive chronic myeloid leukaemia (CML) who initially present in the accelerated phase or with blast crisis and chronic phase in those who have not had previous treatment but have progressed to the accelerated phase or blast crisis as per NICE TA70; untreated chronic-phase Philadelphia chromosome- positive chronic myeloid leukaemia in adults as per NICE TA426; chronic graft versus host disease (GvHD) as per NHSE policy 16069/P. MMTC, August 2017
IPILIMUMAB		
IPILIMUMAB 50mg in 10ml INJECTION	R	For the treatment of: previously treated advanced (unresectable or metastatic) melanoma as per NICE TA268; previously untreated advanced (unresectable or metastatic) melanoma as per NICE TA319; advanced (unresectable or metastatic) melanoma in adults as per NICE TA400. MMTC, August 2017

# IXAZOMIB

IXAZOMIB 3mg CAPSULES (COMPASSIONATE USE) NF

IXAZOMIB 2.3mg CAPSULES (COMPASSIONATE USE)	NF	
IXAZOMIB 4mg CAPSULES (CDF/CHARGEABLE STOCK)	R	Restricted for use within the Cancer Drugs Fund as an option for treating multiple myeloma in adults as per NICE TA505 MMTC, August 2018
IXAZOMIB 3mg CAPSULES (CDF/CHARGEABLE STOCK)	R	Restricted for use within the Cancer Drugs Fund as an option for treating multiple myeloma in adults as per NICE TA505 MMTC, August 2018
IXAZOMIB 2.3mg CAPSULES (CDF/CHARGEABLE STOCK)	R	Restricted for use within the Cancer Drugs Fund as an option for treating multiple myeloma in adults as per NICE TA505 MMTC, August 2018
IXAZOMIB 4mg CAPSULES (COMPASSIONATE USE)	NF	
LAROTRECTINIB		
LAROTRECTINIB 100mg/5ml ORAL SOLUTION	NICE	Approved for use as per NICE TA630 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, January 2020
LAROTRECTINIB 100mg CAPSULES	NICE	Approved for use as per NICE TA630 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, April 2021
LAROTRECTINIB 25mg CAPSULES	NICE	Approved for use as per NICE TA630 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, April 2021
LENVATINIB		
LENVATINIB 10mg CAPSULES (LENVIMA)	R	For treatment of: advanced renal cell carcinoma in adults as per NICE TA498; thyroid cancer as per NICE TA535; advanced or unresectable hepatocellular carcinoma as per NICE TA551. MMTC May 2019

LENVATINIB 4mg CAPSULES (PAEDS COMPASSIONATE USE)	NF	JR DISP
LENVATINIB 4mg CAPSULES (LENVIMA)	R	For treatment of: advanced renal cell carcinoma in adults as per NICE TA498; thyroid cancer as per NICE TA535; advanced or unresectable hepatocellular carcinoma as per NICE TA551. MMTC May 2019
LENVATINIB 10mg CAPSULES (PAEDS COMPASSIONATE USE)	NF	JR DISP
LORLATINIB		
LORLATINIB 100mg TABLETS (FREE OF CHARGE SUPPLY)	NF	
LORLATINIB 100mg TABLETS	NICE	Approved for use as per NICE TA628 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, April 2020
LORLATINIB 25mg TABLETS	NICE	Approved for use as per NICE TA628 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, April 2020
MIDOSTAURIN		
MIDOSTAURIN 25mg CAPSULES (COMPASSIONATE USE)	NF	
MIDOSTAURIN 25mg CAPSULES	R	For the treatment of myeloid leukaemia as per NICE TA523. MMTC NOV 2018
MITOTANE		
MITOTANE 500mg TABLETS	Y	
Mobocertinib		
MOBOCERTINIB 40mg CAPSULES	NICE	Used according to NICE TA 855.
MUPIROCIN		
PAZOPANIB 400mg TABLETS F/C (COMPASSIONAT USE - PAEDIATRICS)	ENF	JR ONLY
NERATINIB		

R

Neratinib for extended adjuvant therapy for hormone receptor positive HER2-overexpressed early breast cancer after completion of adjuvant therapy with HER2 targeted monotherapy with trastuzumab (TA612)

## NILOTINIB

NILOTINIB 150mg CAPSULES (FREE STOCK)	NF	
NILOTINIB 200mg CAPSULES	R	For the treatment of: - chronic- or accelerated-phase Philadelphia-chromosome- positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; - untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April
NILOTINIB 150mg CAPSULES	R	For the treatment of: - chronic- or accelerated-phase Philadelphia-chromosome- positive chronic myeloid leukaemia in adults, if they cannot have imatinib, or their disease is imatinib-resistant as per NICE TA425; - untreated chronic-phase Philadelphia chromosome-positive chronic myeloid leukaemia in adults as per NICE TA426. MMTC, April
NINTEDANIB		
NINTEDANIB 100mg CAPSULES (VARGATEF BRAND)		R For the treatment of locally advanced, metastatic or locally recurrent non small cell lung cancer of adenocarcinoma histology that has progressed after first line chemotherapy in combination with docetaxel as per NICE TA347. MMTC, April 2017
NINTEDANIB 150mg CAPSULES (VARGATEF BRAND	))	R For the treatment of locally advanced, metastatic or locally recurrent non small cell lung cancer of adenocarcinoma histology that has progressed after first line chemotherapy in combination with docetaxel as per NICE TA347. MMTC, April 2017

# **NIRAPARIB**

NIRAPARIB 100mg CAPSULES	R	For the maintenance treatment of relapsed, platinum-sensitive ovarian, fallopian tube and peritoneal cancer as per NICE TA528. For maintenance treatment of advanced ovarian, fallopian tube and peritoneal cancer after response to first-line platinum-based chemotherapy [ID1680] as per NICE TA673. MMTC November 2021
NIRAPARIB 100mg CAPSULES (COMPASSIONATE USE SCHEME)	NF	For the treatment of ovarian, fallopian tube or peritoneal cancers as part of an exceptional access scheme only. All orders must be done via SharePoint. MMTC, July 2017
NIRAPARIB 100mg CAPSULES (COMPASSIONATE USE SCHEME)	NICE	For the treatment of ovarian, fallopian tube or peritoneal cancers as part of an exceptional access scheme only. All orders must be done via SharePoint. MMTC, July 2017
NIVOLUMAB 40mg IN 40ml INJECTION (EAMS)	NF	
NIVOLUMAB 40mg in 4ml	R	For the treatment of advanced unresectable or metastatic melanoma as per NICE TA384; advanced (unresectable or metastatic) melanoma in adults as per NICETA400; previously treated advanced renal cell carcinoma as per NICE TA417; relapsed or refractory classical Hodgkin lymphoma as per NICE TA462;Squamous non-small-cell lung cancer as per NICE TA483; Non-squamous non-small-cell lung cancer as per NICE TA484; Squamous cell carcinoma of the head and neck as per NICE TA490; For adjuvant treatment of completely resected melanoma with lymph node involvement or metastatic disease as per NICE

0	LA	PA	١R	B	

OLAPARIB 50mg CAPSULES

For maintenance treatment of relapsed, platinum-sensitive, BRCA mutation-positive ovarian, fallopian tube and peritoneal cancer after response to secondline or subsequent platinumbased chemotherapy as per NICE TA381; and for maintenance treatment of BRCA mutation-positive advanced ovarian, fallopian tube or peritoneal cancer as per NICE

TA598. MMTC, February 2020

OLAPARIB 150mg TABLETS (COMPASSIONATE USE) NF

OLAPARIB 100mg TABLETS (COMPASSIONATE USE)	NF	
OLAPARIB 150mg TABLETS	R	For maintenance treatment of relapsed, platinum-sensitive, BRCA mutation-positive ovarian, fallopian tube and peritoneal cancer after response to second- line or subsequent platinum- based chemotherapy as per NICE TA381; and for maintenance treatment of BRCA mutation-positive advanced ovarian, fallopian tube or peritoneal cancer as per NICE TA598. MMTC, February 2020
OLAPARIB 100mg TABLETS	R	For maintenance treatment of relapsed, platinum-sensitive, BRCA mutation-positive ovarian, fallopian tube and peritoneal cancer after response to second- line or subsequent platinum- based chemotherapy as per NICE TA381; and for maintenance treatment of BRCA mutation-positive advanced ovarian, fallopian tube or peritoneal cancer as per NICE TA598. MMTC, February 2020

R

OLAPARIB 50mg CAPSULES (COMPASSIONATE USE) NF

#### **OSIMERTINIB**

OSIMERTINIB 80mg TABLETS (COMPASSIONATE NF USE ONLY) OSIMERTINIB 80mg TABLETS (ORBIS FREE STOCK) NF

OSIMERTINIB 40mg TABLETS (ORBIS FREE STOCK) NF

OSIMERTINIB 80mg TABLETS	R	For the treatment of locally advanced or metastatic epidermal growth factor receptor (EGFR) T790M mutation-positive non-small-cell lung cancer in adults whose disease has after first-line treatment with an EGFR tyrosine kinase inhibitor as per NICE TA416. MMTC April 2017
OSIMERTINIB 40mg TABLETS	R	For the treatment of locally advanced or metastatic epidermal growth factor receptor (EGFR) T790M mutation-positive non-small-cell lung cancer in adults whose disease has after first-line treatment with an EGFR tyrosine kinase inhibitor as per NICE TA416. MMTC April 2017
PALBOCICLIB		
PALBOCICLIB 125mg TABLETS	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495; and for treatment of advanced or metastatic breast cancer as per NICE TA619. MMTC, February 2020
PALBOCICLIB 125mg CAPSULES	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495; and for treatment of advanced or metastatic breast cancer as per NICE TA619. MMTC, February 2020
PALBOCICLIB 100mg CAPSULES	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495; and for treatment of advanced or metastatic breast cancer as per NICE TA619. MMTC, February 2020
PALBOCICLIB 75mg CAPSULES	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495 MMTC, February 2019
PALBOCICLIB 100mg TABLETS	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495; and for treatment of advanced or metastatic breast cancer as per NICE TA619. MMTC, February 2020

PALBOCICLIB 75mg TABLETS	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA495; and for treatment of advanced or metastatic breast cancer as per NICE TA619. MMTC, February 2021
PANITUMUMAB		
PANITUMUMAB 100mg IN 5ml INJECTION	R	For the treatment of previously untreated metastatic colorectal cancer as per NICE TA439. MMTC, July 2017
PANOBINOSTAT		
PANOBINOSTAT 15MG CAPSULES	R	For treatment of multiple myeloma after at least 2 previous treatments as per NICE TA380. MMTC, July 2016
PANOBINOSTAT 20mg CAPSULES	R	For treatment of multiple myeloma after at least 2 previous treatments as per NICE TA380. MMTC, July 2016
PANOBINOSTAT 20mg CAPSULES (FREE OF CHARGE)	NF	
PANOBINOSTAT 10MG CAPSULES	R	For treatment of multiple myeloma after at least 2 previous treatments as per NICE TA380. MMTC, July 2016
PAZOPANIB		
PAZOPANIB 200mg TABLETS F/C (COMPASSIONATE USE PAEDIATRICS)	NF	JR DISPENSARY
PAZOPANIB 200mg TABLETS F/C	R	For first-line treatment of advanced renal cell carcinoma as per NICE TA215. MAC, May 2011.
PEGASPARGINASE		
PEGASPARGINASE 3750iu IN 5ml INJECTION	R	For the treatment of acute lymphoblastic leukaemia as per NICE TA408. MMTC, July 201
PEMETREXED		

PEMETREXED 500mg INJECTION POWDER FOR CONCENTRATE FOR SOLUTION FOR INFUSION	R	For the treatment of: -Untreated anaplastic lymphoma kinase- positive advanced non-small-cell lung cancer in adults as per NICE TA406 -Previously treated anaplastic lymphoma kinase- positive advanced non-small-cell lung cancer in adults as per NICE TA422. MMTC, May 2017
Pemigatinib		
PEMIGATINIB 4.5mg TABLETS	NICE	
PEMIGATINIB 13.5mg TABLETS	R	For treatment of locally advanced or metastatic cholangiocarcinoma with a fibroblast growth factor receptor 2 (FGFR2) fusion or rearrangement that has progressed after systemic therapy in adults as per NICE TA722. MMTC, March 2024.
PEMIGATINIB 4.5mg TABLETS	NF	
PEMIGATINIB 13.5mg TABLETS	NF	
PONATINIB PONATINIB 15mg TABLETS	R	Chronic myeloid leukaemia and acute lymphoblastic leukaemia as per NICE TA451. MMTC, September 2017
PONATINIB 45mg TABLETS	R	Chronic myeloid leukaemia and acute lymphoblastic leukaemia as per NICE TA451. MMTC, September 2017
PROCARBAZINE		
PROCARBAZINE 50mg CAPSULES	R	As per Paediatric and adults Haematology/Oncology protocols. Medicines Effectiveness, March 2013.
PROCARBAZINE 100mg/5ml LIQUID 40ml	SR	As per Paediatric and adults Haematology/Oncology protocols. Medicines Effectiveness, March 2013.
PROCARBAZINE 100mg/5ml LIQUID 25ml	SR	As per Paediatric and adults Haematology/Oncology protocols. Medicines Effectiveness, March 2013.

PROCARBAZINE 50mg CAPSULES	UNR	As per Paediatric and adults Haematology/Oncology protocols. Medicines Effectiveness, March 2013.
REGORAFENIB 40mg TABLETS	R	For the treatment of adult patients with unresectable or metastatic gastrointestinal stromal tumours as per NICE TA488; For previously treated advanced hepatocellular carcinoma as per NICE TA555. MMTC July 2019
RIBOCICLIB 200mg TABLETS	R	Approved for the treatment of Locally advanced or Metastatic Breast cancer as per NICE TA496; and for treatment of hormone receptor positive, HER2 negative advanced breast cancer as per NICE TA687. MMTC, August 2021
RUBRACA RUCAPARIB 200mg TABLETS	R	For maintenance treatment of relapsed platinum-sensitive ovarian, fallopian tube or peritoneal cancer as per NICE TA611. MMTC, February 2020
RUXOLITINIB RUXOLITINIB 15mg TABLETS	R	For the treatment of disease- related splenomegaly or symptoms in adults with myelofifibrosis as per NICE TA386. MMTC, July 2016
RUXOLITINIB 20mg TABLETS	R	For the treatment of disease- related splenomegaly or symptoms in adults with myelofifibrosis as per NICE TA386. MMTC, July 2016
RUXOLITINIB 10mg TABLETS	R	For the treatment of disease- related splenomegaly or symptoms in adults with myelofifibrosis as per NICE TA386. MMTC, July 2016

RUXOLITINIB 5mg TABLETS	R	For the treatment of disease- related splenomegaly or symptoms in adults with myelofifibrosis as per NICE TA386. MMTC, July 2016
RUXOLITINIB 5mg TABLETS (FREE OF CHARGE SUPPLY)	NF	
RUXOLITINIB 15mg TABLETS (FREE OF CHARGE SUPPLY)	NF	
RUXOLITINIB 20mg TABLETS (FREE OF CHARGE SUPPLY)	NF	
RUXOLITINIB 10mg TABLETS (FREE OF CHARGE SUPPLY)	NF	
Selpercatinib		
SELPERCATINIB 40mg CAPSULES	NICE	
SORAFENIB		
SORAFENIB 200mg TABLETS	NICE	For the treatment of advanced hepatocellular carcinoma as per NICE TA474 and for treatment of thyroid cancer as per NICE TA535. MMTC, May 2019
SUNITINIB		
SUNITINIB 50mg CAPSULES	R	For treatment of: advanced and/or metastatic renal cell carcinoma as per NICE TA169; gastrointestinal stromal tumours as per TA179; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017
SUNITINIB 25mg CAPSULES	R	For treatment of: advanced and/or metastatic renal cell carcinoma as per NICE TA169; gastrointestinal stromal tumours as per TA179; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

R

For treatment of: advanced and/or metastatic renal cell carcinoma as per NICE TA169; gastrointestinal stromal tumours as per TA179; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

SUNITINIB 12.5mg CAPSULES (FIRST CYCLE - FREE STOCK)

R For treatment of: advanced and/or metastatic renal cell carcinoma as per NICE TA169; gastrointestinal stromal tumours as per TA179; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

## TALAZOPARIB

TALAZOPARIB 1mg CAPSULES (COMPASSIONATE USE)	NF	
TALAZOPARIB 1mg CAPSULES	NICE	NICETA 10366
TALAZOPARIB 250microgram CAPSULES	NICE	NICETA 10366
TALIMOGENE LAHERPAREPVEC		
TALIMOGENE LAHERPAREPVEC 10^6 PFU in 1ml INJECTION	R	For the treatment of unresectable metastatic melanoma as per NICE TA410. MMTC, October 2017
TALIMOGENE LAHERPAREPVEC 10^8 PFU in 1ml INJECTION	R	For the treatment of unresectable metastatic melanoma as per NICE TA410. MMTC, October 2017
Teduglutide		
TEDUGLUTIDE 1.25mg INJECTION	R	For ?treatment of short bowel syndrome (SBS) in people 1 year and above as per NICE TA804. MMTC, Feb 2024
TEDUGLUTIDE 5mg INJECTION	R	?For ?treatment of short bowel syndrome (SBS) in people 1 year and above as per NICE TA804. MMTC, Feb 2024

## TEMOZOLAMIDE

TEMOZOLOMIDE 180mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TEMOZOLOMIDE 140mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TEMOZOLOMIDE		
TEMOZOLOMIDE 100mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TEMOZOLOMIDE 20mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TEMOZOLOMIDE 5mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TEMOZOLOMIDE 250mg CAPSULES	R	For the treatment of recurrent malignant glioma (brain cancer) as per NICE TA23 and NICE TA121. MMTC, June 2018 (update)
TIVOZANIB		
TIVOZANIB 1340MCG CAPSULES	R	For treatment of renal cell carcinoma as per NICE TA512. MMTC, May 2019
TIVOZANIB 890microgram CAPSULES	R	For treatment of renal cell carcinoma as per NICE TA512. MMTC, May 2019
TOPOTECAN		
TOPOTECAN 1mg CAPSULES	R	For the treatment of relapsed small-cell lung cancer as per NICE TA184 and for the treatment of treatment of recurrent carcinoma of the cervix as per NICE TA183. MAC, May 2011

TOPOTECAN 250microgram CAPSULES	R	For the treatment of relapsed small-cell lung cancer as per NICE TA184 and for the treatment of treatment of recurrent carcinoma of the cervix as per NICE TA183. MAC, May 2011
TRAMETINIB		
TRAMETINIB 500microgram TABLETS	R	For the treatment of unresectable or metastatic melanoma in combination with Dabrafenib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544. MMTC July 2019
TRAMETINIB 2mg TABLETS	R	For the treatment of unresectable or metastatic melanoma in combination with Dabrafenib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544. MMTC July 2019
TRAMETINIB 2mg TABLETS	R	For the treatment of unresectable or metastatic melanoma in combination with Dabrafenib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544. MMTC July 2019
TRAMETINIB 500microgram TABLETS	R	For the treatment of unresectable or metastatic melanoma in combination with Dabrafenib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544. MMTC July 2019
TRAMETINIB 500microgram TABLETS (FREE OF CHARGE SUPPLY) TRASTUZUMAB	NF	
TRASTUZUMAB 600mg IN 5ml SUBCUTANEOUS INJECTION	R	For the treatment of advanced breast cancer as per NICE TA34, for the adjuvant treatment of early-stage HER2-positive breast cancer as per TA107, and for the treatment of HER2-positive metastatic gastric cancer a sper TA208. MMTC, December 2014

TR	ET	IN	N

TRETINOIN TRETINOIN 10mg CAPSULES	Y	
TRIFLURIDINE 15mg & TIPIRACIL 6.14mg TABLETS	R	For the treatment of metastatic colorectal cancer as per NICE TA405. MMTC, April 2017
TRIFLURIDINE 20mg & TIPIRACIL 8.19mg TABLETS	R	For the treatment of metastatic colorectal cancer as per NICE TA405. MMTC, April 2017
VANDETANIB VANDETANIB 100mg TABLETS	NF	
VANDETANIB 100mg TABLETS (FOC)	NF	
VANDETANIB 300mg TABLETS (FOC)	NF	
VANDETANIB 300mg TABLETS	NF	
VEMURAFENIB 240mg TABLETS	R	For unresectable or metastatic melanoma with the BRAF V600 mutation as per NICE TA269. MMTC, March 2013.
VENETOCLAX 50mg TABLETS	R	For use in: Chronic lymphocytic leukaemia as per NICE TA487 and NICE TA56. For use with obinutuzumab for untreated chronic lymphocytic leukaemia as per NICE TA663. MMTC, November 2021
VENETOCLAX 100mg TABLETS	R	For use in: Chronic lymphocytic leukaemia as per NICE TA487 and NICE TA56. For use with obinutuzumab for untreated chronic lymphocytic leukaemia as per NICE TA663. MMTC, November 2021
VENETOCLAX 10mg TABLETS	R	For use in: Chronic lymphocytic leukaemia as per NICE TA487 and NICE TA56. For use with obinutuzumab for untreated chronic lymphocytic leukaemia as per NICE TA663. MMTC, November 2021

VENETOCLAX 100mg TABLETS	R	For use in: Chronic lymphocytic leukaemia as per NICE TA487 and NICE TA56. For use with obinutuzumab for untreated chronic lymphocytic leukaemia as per NICE TA663. MMTC, November 2021
VENETOCLAX 100mg TABLETS	R	For use in: Chronic lymphocytic leukaemia as per NICE TA487 and NICE TA56. For use with obinutuzumab for untreated chronic lymphocytic leukaemia as per NICE TA663. MMTC, November 2021
VORETIGENE NEPARVOVEC		
VORETIGENE NEPARVOVEC 5x10^12 VECTOR GENOMES in 1mL SUBRETINAL INJECTION	R	For treating RPE65-mediated retinal dystrophies as per NICE HST11 only. MMTC, January 2020
Zanubrutinib		
ZANUBRUTINIB 80mg CAPSULES	R	For treatment of Waldenstrym?s macroglobulinemia in adults as per NICE TA833. MMTC, February 2023.
08.01.06 Cytotoxic responsive malignancy		
Afatinib		
AFATINIB 20mg TABLETS	R	For treating epidermal growth factor receptor mutation-positive locally advanced or metastatic non-small-cell lung cancer as per NICE TA310. MMTC, September 2014
CALCIUM FOLINATE		
CALCIUM FOLINATE 15mg TABLETS	Y	
GILTERITINIB		
GILTERITINIB 40mg TABLETS	R	For treating relapsed or refractory FLT3-mutation- positive AML as per NICE TA642. MMTC October 2020
08.02.04 Other immunomodulating drugs		
DABRAFENIB		
DABRAFENIB 75mg CAPSULES (COMPASSIONATE USE PAEDIATRICS)	NF	JR DISPENSARY
8.01.01 Alkylating drugs		
CALCIUM FOLINATE		

CALCIUM FOLINATE 15mg TABLETS	Y	
8.01.05 Other antineoplastic drugs		
RUCAPARIB 300mg TABLETS	R	For maintenance treatment of relapsed platinum-sensitive ovarian, fallopian tube or peritoneal cancer as per NICE TA611. MMTC, February 2020
08.02 Drugs affecting the immune response 08.02.00 Drugs affecting the immune response		
ISATUXIMAB		
ISATUXIMAB 500mg in 25ml SOLUTION FOR INFUSION (FREE OF CHARGE)	NF	
ISATUXIMAB 100mg in 5ml SOLUTION FOR INFUS (FREE OF CHARGE)	ION NF	
MYCOPHENOLATE		
MYCOPHENOLATE 500mg INJECTION	NF	
MYCOPHENOLATE 500mg TABLETS	Y	
MYCOPHENOLATE 250mg CAPSULES	Y	
NUSINERSEN		
NUSINERSEN 12mg in 5ml INJECTION	R	For treatment of 5q spinal muscular atrophy as per NICE TA588
OBINUTUZUMAB		
OBINUTUZUMAB 1000mg IN 40ml INJECTION	R	For the treatment of untreated chronic lymphocytic leukaemia as per NICE TA343; treating follicular lymphoma refractory to rituximab as per NICE TA472 and follicular lymphoma as per NICE TA513. For use with venetoclax for untreated chronic lymphocytic leukaemia as per NICE TA663, MMTC, November 2021
OCRELIZUMAB		
OCRELIZUMAB 300mg INJECTION	R	For the treatment of relapsing- remitting and primary progressive multiple sclerosis in adults as per NICE TA533 and NICE TA585. MMTC, July 2021

## **OFATUMUMAB**

OFATUMUMAB 1000mg IN 50ml INJECTION

R

For the treatment of untreated chronic lymphocytic leukaemia in combination with chlorambucil where the patient is ineligible for fludarabine based therapy and bendamustine is not suitable as per NICE TA344. MMTC, April 2017

## RITUXIMAB

For the treatment of: - Antineutrophil cytoplasmic -Antibody-associated vasculitis as per TA308 - Chronic lymphocytic leukaemia as for NICE TA174, TA193, and TA561-Dermatomyositis and Polymyositis as per NHSE policy 16036/P (adults) - Follicular lymphoma (first-line treatment of stage III-IV) as per TA243 -Immunoglobulin G4-related disease (IgG4-RD) as per NHSE policy 16057/P (adults). Rituximab biosimilar should be used for this indication. Myasthenia Gravis - As per NHSE policy 170084/P. For Non-Hodgkin's lymphoma as per TA137 and TA226. Also supported for use in (off label): a) acquired haemophilia associated with inhibitory antibodies; b) mantle cell lymphoma; c) marginal zone lymphoma and lymphoplasmacytic lymphoma; d) Thyroid-associated orbitopathy (dose limited to 100mg). Also approved for use without methotrexate in rheumatoid arthritis (see unlicensed medicines register). MMTC, April

RITUXIMAB 100mg IN 10ml INJECTION (RIXATHON)	R	For the treatment of: - Anti- neutrophil cytoplasmic - Antibody-associated vasculitis as per TA308 - Chronic lymphocytic leukaemia as for NICE TA174,TA193, and TA561- Dermatomyositis and Polymyositis as per NHSE policy 16036/P (adults) - Follicular lymphoma (first-line treatment of stage III-IV) as per TA243 - Immunoglobulin G4-related disease (IgG4-RD) as per NHSE policy 16057/P (adults). Rituximab biosimilar should be used for this indication. Myasthenia Gravis - As per NHSE policy 170084/P. For Non- Hodgkin's lymphoma as per TA137 and TA226. Also supported for use in (off label): a) acquired haemophilia associated with inhibitory antibodies; b) mantle cell lymphoma; c) marginal zone lymphoma and lymphoplasmacytic lymphoma; d) Thyroid-associated orbitopathy (dose limited to 100mg). Also approved for use without methotrexate in rheumatoid arthritis (see unlicensed medicines register). MMTC, April
08.02.00 Malignant disease and immunosuppression BRODALUMAB		
BRODALUMAB 210mg in 1.5ml INJECTION PRE FILLED SYRINGE	R	For treatment of plaque psoriasis in adults as per NICE TA511. MMTC, June 2018
08.02.00 rugs affecting the immune response		
Belumosudil		
BELUMOSUDIL 200mg TABLETS	NF	
08.02.01 Antiproliferative immunosuppressants <b>AZATHIOPRINE</b>		
AZATHIOPRINE 50mg/5ml LIQUID	SR	For paediatric patients, patients with swallowing difficulties or feeding tubes Medicines

BRODALUMAB 210mg in 1.5ml INJECTION PRE FILLED SYRINGE	R	For treatment of plaque psori in adults as per NICE TA51 <sup>2</sup> MMTC, June 2018
08.02.00 rugs affecting the immune response		
Belumosudil		
BELUMOSUDIL 200mg TABLETS	NF	
08.02.01 Antiproliferative immunosuppressants		
AZATHIOPRINE		
AZATHIOPRINE 50mg/5ml LIQUID	SR	For paediatric patients, patien with swallowing difficulties or feeding tubes. Medicines Effectiveness, August 2010
AZATHIOPRINE 50mg TABLETS	Y	
AZATHIOPRINE 25mg TABLETS	Y	

AZATHIOPRINE 10mg CAPSULES	SR	For patients of low body weight or those on interacting drugs as much lower azathioprine doses may be indicated. Medicines Effectiveness, July 2014.
MYCOPHENOLATE MYCOPHENOLATE 1g/5ml LIQUID 175ml	R	For Renal Transplant use only. Medicines Effectiveness, February 2013.
MYCOPHENOLIC ACID		
MYCOPHENOLATE SODIUM 360mg TABLETS E/C	R	For 3C Study only (Renal) Medicines Effectiveness, Oct. 2012
MYCOPHENOLATE SODIUM 180mg TABLETS E/C	R	For 3C Study only (Renal) Medicines Effectiveness, Oct. 2012
08.02.02 Corticosteroids and other immunosuppressants	5	
ANTI-THYMOCYTE IMMUNOGLOBULIN ANTI-THYMOCYTE IMMUNOGLOBULIN EQUINE 250mg in 5ml INJECTION	UNR	For the treatment of aplastic anaemia (adults and paediatrics). MMTC, May 2013.
ANTI-THYMOCYTE IMMUNOGLOBULIN RABBIT 25n IN 5ml INJECTION	ng	R For use by Haematology (adults) and Transplant NB: Paediatrics Haematology requires preauthorisation from OCCG- Medicines Effectivenes, March 2013.
BASILIXIMAB		
BASILIXIMAB 20mg INJECTION	R	For Renal Transplant as per NICE TA85 and TA99. Medicines Effectiveness, June 2001.
BELATACEPT BELATACEPT 250mg INJECTION (CTASU - FOC STOCK)	NF	
CICLOSPORIN CICLOSPORIN 50mg CAPSULES (DEXIMUNE)	NF	
CICLOSPORIN 100mg CAPSULES (DEXIMUNE)	NF	

CICLOSPORIN 100mg/ml LIQUID (NEORAL) (50ml)	R	For use by Transplant patients with swallowing difficulties or feeding tubes only. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
CICLOSPORIN 100mg/ml LIQUID (SANDIMMUN) (50ml)	NF	
CICLOSPORIN 10mg CAPSULES (NEORAL)	R	For use by Transplant only. "Ciclosporin / tacrolimus must be prescribed by brand name only", Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
CICLOSPORIN 50mg in 1ml INJECTION (SANDIMMU	IN)	R Strictly NBM patients. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
CICLOSPORIN 100mg CAPSULES (SANDIMMUN)	NF	
CICLOSPORIN 100mg CAPSULES (CAPIMUNE)	Υ	Ciclosporin must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist Medicines Effectiveness, October 2012.
CICLOSPORIN 50mg CAPSULES (NEORAL)	R	For use by Transplant only. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.

CICLOSPORIN 50mg CAPSULES (CAPIMUNE)	Υ	Ciclosporin must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist Medicines Effectiveness, October 2012.
CICLOSPORIN 25mg CAPSULES (SANDIMMUN)	NF	
CICLOSPORIN 25mg CAPSULES (NEORAL)	R	For use by Transplant only. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
CICLOSPORIN 25mg CAPSULES (DEXIMUNE)	NF	
CICLOSPORIN 250mg in 5ml INJECTION (SANDIMM	UN)	R Strictly NBM patients. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
CICLOSPORIN 25mg CAPSULES (CAPIMUNE)	Υ	Ciclosporin must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist Medicines Effectiveness, October 2012.
CICLOSPORIN 100mg CAPSULES (NEORAL)	R	For use by Transplant only. "Ciclosporin must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.

Imlifidase

IMIFLIDASE 11mg INJECTION	R	For desensitisation treatment before kidney transplant as per NICE TA July 2022 (MMTC, Dec 2022)
IMIFLIDASE 11mg INJECTION	R	For desensitisation treatment before kidney transplant as per NICE TA July 2022 (MMTC, Dec 2022)
SIROLIMUS		
SIROLIMUS 500microgram TABLETS	R	For Renal Transplant patients, and for autoimmune haemolytic anaemia in paediatric patients resistant to steroids. MMTC, June 2021
SIROLIMUS 2mg TABLETS	R	For Renal Transplant patients, and for autoimmune haemolytic anaemia in paediatric patients resistant to steroids. MMTC, June 2021
SIROLIMUS 1mg TABLETS	R	For Renal Transplant patients, and for autoimmune haemolytic anaemia in paediatric patients resistant to steroids. MMTC, June 2021
SIROLIMUS 5mg/5ml LIQUID	R	For Renal Transplant patients, and for autoimmune haemolytic anaemia in paediatric patients resistant to steroids. MMTC, June 2021
TACROLIMUS		
TACROLIMUS 0.75mg PROLONGED RELEASE TABLETS (ENVARSUS)	NF	
TACROLIMUS 1mg PROLONGED RELEASE TABLETS (ENVARSUS)	NF	Tacrolimus must be prescribed by brand name only, Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist Medicines Effectiveness, March 2017
TACROLIMUS 4mg PROLONGED RELEASE TABLETS (ENVARSUS)	NF	
TACROLIMUS 0.1% OINTMENT 30g	R	For use by Dermatology in atopic dermatitis as per TA82 Medicines Effectiveness,

TACROLIMUS 0.03% OINTMENT 30g	R	For use by Dermatology in atopic dermatitis as per TA82 and for intractable perianal Crohns disease unresponsive to standard therapies. MAC June 2008
TACROLIMUS 0.5mg CAPSULES	NF	
TACROLIMUS 1mg CAPSULES	NF	
TACROLIMUS 1mg CAPSULES (ADOPORT)	Υ	Tacrolimus must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist. Medicines Effectiveness, October 2012.
TACROLIMUS 1mg CAPSULES M/R (ADVAGRAF)	R	For use in line with the young adult/poor compliance transplant protocol at OUH transplant centre. Medicines Effectiveness April 2021
TACROLIMUS 750microgram CAPSULES (ADOPORT	.) Y	
TACROLIMUS 3mg CAPSULES M/R (ADVAGRAF)	R	For use in line with the young adult/poor compliance transplant protocol at OUH transplant centre. Medicines Effectiveness April 2021
TACROLIMUS 500microgram CAPSULES (ADOPORT	т) Ү	Tacrolimus must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist. Medicines Effectiveness, October 2012.
TACROLIMUS 500microgram CAPSULES M/R (ADVAGRAF)	R	For use in line with the young adult/poor compliance transplant protocol at OUH transplant centre. Medicines Effectiveness April 2021
TACROLIMUS 5mg CAPSULES	NF	

TACROLIMUS 5mg CAPSULES (ADOPORT)	Υ	Tacrolimus must be prescribed by brand name only. Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist. Medicines Effectiveness, October 2012.
TACROLIMUS 5mg CAPSULES M/R (ADVAGRAF)	R	For use in line with the young adult/poor compliance transplant protocol at OUH transplant centre. Medicines Effectiveness April 2021
TACROLIMUS 200microgram GRANULES	NF	
TACROLIMUS 5mg IN 1ml INJECTION	R	Strictly NBM patiensts. "Tacrolimus must be prescribed by brand name only". Please ensure the patient receives the brand that has been prescribed. If no brand is specified, please query with the prescriber or screening pharmacist" Medicines Effectiveness, October 2012.
TACROLIMUS 1mg GRANULES	NF	
TACROLIMUS 1mg GRANULES Voclosporin VOCLOSPORIN 7.9mg CAPSULES	NF R	For treatment of active class 3 to 5 lupus nephritis as per NICE TA882. MMTC, September 2023
Voclosporin VOCLOSPORIN 7.9mg CAPSULES 08.02.02 Malignant disease and immunosuppression		For treatment of active class 3 to 5 lupus nephritis as per NICE
Voclosporin VOCLOSPORIN 7.9mg CAPSULES		For treatment of active class 3 to 5 lupus nephritis as per NICE
Voclosporin VOCLOSPORIN 7.9mg CAPSULES 08.02.02 Malignant disease and immunosuppression TACROLIMUS TACROLIMUS 2mg SUPPOSITORIES 08.02.03 Anti-lymphocyte monoclonal antibodies	R	For treatment of active class 3 to 5 lupus nephritis as per NICE TA882. MMTC, September 2023 **Product has 90 day expiry** For treatment of chronic refractor ulcerative proctitis by consultant gastroenterologists only. MMTC,
Voclosporin VOCLOSPORIN 7.9mg CAPSULES 08.02.02 Malignant disease and immunosuppression TACROLIMUS TACROLIMUS 2mg SUPPOSITORIES	R	For treatment of active class 3 to 5 lupus nephritis as per NICE TA882. MMTC, September 2023 **Product has 90 day expiry** For treatment of chronic refractor ulcerative proctitis by consultant gastroenterologists only. MMTC,

For the treatment of relapsingremitting multiple sclerosis as per NICE TA312. MMTC, September 2014.

#### RITUXIMAB

**INJECTION** 

RITUXIMAB 500mg IN 50ml INJECTION	R	For the treatment of: - Anti- neutrophil cytoplasmic - Antibody-associated vasculitis as per TA308 - Chronic lymphocytic leukaemia as for NICE TA174, TA193, and TA561- Dermatomyositis and Polymyositis as per NHSE policy 16036/P (adults) - Follicular lymphoma (first-line treatment of stage III-IV) as per TA243 - Immunoglobulin G4-related disease (IgG4-RD) as per NHSE policy 16057/P (adults). Rituximab biosimilar should be used for this indication. Myasthenia Gravis - As per NHSE policy 170084/P. For Non- Hodgkin's lymphoma as per TA137 and TA226. Also supported for use in (off label): a) acquired haemophilia associated with inhibitory antibodies; b) mantle cell lymphoma; c) marginal zone lymphoma and lymphoplasmacytic lymphoma; d) Thyroid-associated orbitopathy (dose limited to 100mg). Also approved for use without methotrexate in rheumatoid arthritis (see unlicensed medicines register). MMTC, April
RITUXIMAB 1400mg IN 11.7ml SUBCUTANEOUS	R	SUBCUT PREPARATION for

SUBCUT PREPARATION for Oncology use only. For the treatment of: - Follicular lymphoma (first-line treatment of stage III-IV) as per TA243. Also supported for use in (off label): a) mantle cell lymphoma; b) marginal zone lymphoma; c) lymphoplasmacytic lymphoma. MMTC, April 2015

For the treatment of: - Antineutrophil cytoplasmic -Antibody-associated vasculitis as per TA308 - Chronic lymphocytic leukaemia as for NICE TA174, TA193, and TA561-Dermatomyositis and Polymyositis as per NHSE policy 16036/P (adults) - Follicular lymphoma (first-line treatment of stage III-IV) as per TA243 -Immunoglobulin G4-related disease (IgG4-RD) as per NHSE policy 16057/P (adults). Rituximab biosimilar should be used for this indication. Myasthenia Gravis - As per NHSE policy 170084/P. For Non-Hodgkin's lymphoma as per TA137 and TA226. Also supported for use in (off label): a) acquired haemophilia associated with inhibitory antibodies; b) mantle cell lymphoma; c) marginal zone lymphoma and lymphoplasmacytic lymphoma; d) Thyroid-associated orbitopathy (dose limited to 100mg). Also approved for use without methotrexate in rheumatoid arthritis (see unlicensed medicines register). MMTC, April

# 08.02.04 Other immunomodulating drugs

## DABRAFENIB

DABRAFENIB 50mg CAPSULES (COMPASSIONATE USE - PAEDIATRICS)

NF JR DISPENSARY

## LENALIDOMIDE

LENALIDAMIDE 20MG CAPSULES

NF

08.02.04 Immunotherapy responsive malignancy

## Lenalidomide

LENALIDOMIDE 2.5mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019
08.02.04 Other immunomodulating drugs ALDESLEUKIN ALDESLEUKIN 18million UNIT INJECTION	Y	
AVACOPAN AVACOPAN 10mg CAPSULES	R	
BCG BCG VACCINE 81mg BLADDER INSTILLATION	R	For bladder instillation in Urology Ward only. Medicines Effectiveness, July 2012.
BCG (BACILLUS CALMETTE-GURIN) BCG VACCINE 12.5mg BLADDER INSTILLATION	Y	
DABRAFENIB 75mg CAPSULES	R	For the treatment of unresectable or metastatic BRAF V600 mutation-positive melanoma as per NICE TA321; unresectable or metastatic BRAF V600 mutation-positive melanoma in combination with Trametinib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544

DABRAFENIB 50mg CAPSULES	R	For the treatment of unresectable or metastatic BRAF V600 mutation-positive melanoma as per NICE TA321; unresectable or metastatic BRAF V600 mutation-positive melanoma in combination with Trametinib as per NICE TA396; For adjuvant treatment of resected BRAF V600 mutation- positive melanoma as per NICE TA544
DIMETHYL FUMARATE		
HC DIMETHYL FUMARATE 120mg CAPSULES (HNHC)	R	For the treatment of relapsing- remitting multiple sclerosis, as per NICE TA320. MMTC, November 2014
HC DIMETHYL FUMARATE 240mg CAPSULES (HNHC)	R	For the treatment of relapsing- remitting multiple sclerosis, as per NICE TA320. MMTC, November 2014
HC TERIFLUNOMIDE 14mg TABLETS	R	For treating relapsing-remitting multiple sclerosis as per NICE TA303. MMTC, April 2014
DIMETHYL FUMERATE		
DIMETHYL FUMERATE 120mg CAPSULES	R	For the treatment of relapsing- remitting multiple sclerosis, as per NICE TA320. MMTC, November 2014.
DIMETHYL FUMERATE 240mg CAPSULES	R	For the treatment of relapsing- remitting multiple sclerosis, as per NICE TA320. MMTC, November 2014.
ENCORAFENIB		
ENCORAFENIB 75mg CAPSULES	R	For treatment of unresectable or metastatic BRAF V600 mutation- positive melanoma as per NICE TA562 MMTC July 2019
FINGOLIMOD		
FINGOLIMOD FINGOLIMOD 500microgram CAPSULES (COMPASSIONATE SUPPLY)	NF	
FINGOLIMOD 500microgram CAPSULES STARTER PACK	R	For the treatment of highly active relapsing-remitting multiple sclerosis as per NICE TA254. MMTC, September 2012.

FINGOLIMOD 500microgram CAPSULES	R	For the treatment of highly active relapsing-remitting multiple sclerosis as per NICE TA254. MMTC, September 2012.
IMATINIB		
IMATINIB 100mg TABLETS	NF	For chronic myeloid leukaemia as per NICE TA70 and TA251; and for gastrointestinal stromal tumours as per TA86 and TA209. Medicines Effectiveness,March 2013.
IMATINIB 400mg TABLETS	NF	For chronic myeloid leukaemia as per NICE TA70 and TA251; and for gastrointestinal stromal tumours as per NICE TA86 and TA209. Medicines Effectiveness,March 2013.
INTERFERON		
INTERFERON BETA-1A 6million international units (22microgram) PRE-FILLED SYRINGE	NF	
INTERFERON ALFA 6million units in 0.5ml pre-filled syringe	Y	
INTERFERON ALFA 3million units in 0.5ml pre-filled syringe	Y	
INTERFERON 4.5million international units IN 0.5ml INJECTION (ROFERON A)	Y	
Lenalidomide		
LENALIDOMIDE 15mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019

LENALIDOMIDE 5mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019
LENALIDOMIDE 25mg CAPSULES	NF	
LENALIDOMIDE 5mg CAPSULES	NF	
LENALIDOMIDE 10mg CAPSULES	NF	
LENALIDOMIDE 20mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019

# LENALIDOMIDE 15mg CAPSULES

NF

LENALIDOMIDE 10mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019
NATALIZUMAB		
NATALIZUMAB 300mg INFUSION	R	For the treatment of adults with highly active relapsing-remitting multiple sclerosis as NICE TA 127. Medicines Effectiveness, September 2008.
OZANIMOD		
OZANIMOD 230microgram & 460microgram CAPSULES (INITIATION PACK)	R	
OZANIMOD 920microgram CAPSULES	R	
PACLITAXEL ALBUMIN		
PACLITAXEL ALBUMIN 100mg INJECTION (ABRAXANE) (COMPASSIONATE USE)	NF	
PEG INTERFERON		
PEG INTERFERON ALFA 2a 90microgram PRE FILLED SYRINGE	R	For the treatment of: Chronic Myeloproliferative disorder in young patients with MPN that require cytoreduction; Hepatitis B as per NICE TA96; Hepatitis C as per NICE TA75, TA106, TA200 and TA300. MMTC, November 2016
PEGINTERFERON ALFA 2a 180microgram SYRINGE (PEGASYS)	R	For the treatment of hepatitis B as per NICE TA96, and for hepatitis C as per TA75, TA106, TA200 and TA300. Ensure (DEH154) Ribavirin 200mg tablets are dispensed as well. MMTC, January 2014.

PEGINTERFERON ALFA 2a 135microgram SYRINGE (PEGASYS)	R	For the treatment of hepatitis B as per NICE TA96, and for hepatitis C as per TA75, TA106, TA200 and TA300. Ensure (DEH154) Ribavirin 200mg tablets are dispensed as well. MMTC, January 2014.
PEG INTERFERON ALFA 2b 100microgram CLEARCLICK PEN	R	For the treatment of hepatitis C as per NICE TA75, TA106, TA200 and TA300. Ensure (DEH154) Ribavirin 200mg tablets are dispensed as well. MMTC, January 2014.
POMALIDOMIDE		
POMALIDOMIDE 1mg CAPSULES (CT)	С	FOR CLINICAL TRIALS ONLY
POMALIDOMIDE 2mg CAPSULES	R	For the treatment of multiple myeloma in adults at third or subsequent relapse; that is, after 3 previous treatments including both lenalidomide and bortezomib as per NICE TA427. MMTC, April 2017
POMALIDOMIDE 3mg CAPSULES	R	For the treatment of multiple myeloma in adults at third or subsequent relapse; that is, after 3 previous treatments including both lenalidomide and bortezomib as per NICE TA427. MMTC, April 2017
POMALIDOMIDE 4mg CAPSULES	R	For the treatment of multiple myeloma in adults at third or subsequent relapse; that is, after 3 previous treatments including both lenalidomide and bortezomib as per NICE TA427. MMTC, April 2017
POMALIDOMIDE 1mg CAPSULES	R	
POMALIDOMIDE 4mg CAPSULES (FREE OF CHARGE)	NF	
Ponesimod		
PONESIMOD TABLETS INITIATION PACK (14 TABS)	R	Restricted for treatment of relapsing, remitting multiple sclerosis with active disease as per NICE TA767. MMTC, December 2022

TERIFLUNOMIDE

TERIFLUNOMIDE 14mg TABLETS	R	For treating relapsing-remitting multiple sclerosis as per NICE TA303. MMTC, April 2014.
THALIDOMIDE THALIDOMIDE 50mg CAPSULES (CELGENE)	R	For chronic myeloid leukaemia as per NICE TA228. Medicines Effectiveness, March 2011.
VISMODEGIB VISMODEGIB 150mg CAPSULES	NF	
08.02.04 Other immunomodulating drugs Lenalidomide		
LENALIDOMIDE 25mg CAPSULES (RANBAXY)	R	For the treatment of:- multiple myeloma in people who have received at least two prior therapy NICE TA171; after treatment with bortezomib as per TA586; and in untreated multiple myeloma as per TA587 - transfusion dependent anaemia caused by low or intermediate 1 risk myelodysplastic syndromes associated with an isolated deletion 5q cytogenetic abnormality when other therapeutic options are insufficient or inadequate as per NICE TA322. MMTC, September 2019
08.02.04 Vinca alkaloids and etoposide <b>ENCORAFENIB</b>		
ENCORAFENIB 50mg CAPSULES	R	For treatment of unresectable or metastatic BRAF V600 mutation positive melanoma as per NICE TA562. MMTC July 2019
08.03 Sex hormones and hormone antagonists in malig 08.03.00 Sex hormones and hormone antagonists in DECITABINE	-	
DECITABINE 50mg INFUSION	NF	
08.03.01 Oestrogens DIETHYLSTILBESTROL DIETHYLSTILBESTROL 1mg TABLETS	Y	
08.03.02 Progestogens MEDROXYPROGESTERONE		

MEDROXYPROGESTERONE 400mg TABLETS	Y	
MEDROXYPROGESTERONE 100mg TABLETS	Y	
MEGESTROL MEGESTROL ACETATE 160mg TABLETS	Y	
08.03.04 Hormone antagonists ABIRATERONE		
ABIRATERONE 500MG TABLETS	R	For castration-resistant metastatic prostate cancer previously treated with a docetaxel-containing regimen as per NICE TA259 and for metastatic hormone-relapsed prostate cancer before chemotherapy is indicated as per NICE TA387. MMTC, August 2016
ANASTROZOLE		
ANASTROZOLE 1mg TABLETS	R	For Oncology Consultant recommendation for adjuvant hormonal therapy of breast cancer as per NICE TA112. Medicines Effectiveness, August 2007.
APALUTAMIDE		
APALUTAMIDE 60mg TABLETS (FREE OF CHARGE STOCK)	NF	Post Titan Trial Compassionate Use - will be ordered by MacWeb portal
APALUTAMIDE 60mg TABLETS	R	For treatment of hormone- relapsed non-metastatic prostate cancer that is at high risk of metastasising in adults, as per NICE TA740. For treatment of hormone-sensitive metastatic prostate cancer in adults, as per NICE TA741. To be used ONLY alongside androgen deprivation therapy (ADT). MMTC, March 2022
BICALUTAMIDE		
BICALUTAMIDE 50mg TABLETS	R	For second line for prostate cancer. Use by Urology, Oncology and Radiotherapy only. Medicines Effectiveness, March 2013.

BICALUTAMIDE 150mg TABLETS	R	For second line for prostate cancer. Use by Urology, Oncology and Radiotherapy only. Medicines Effectiveness, March 2013.
CYPROTERONE 100mg TABLETS	Y	
CYPROTERONE 50mg TABLETS	Y	
DAROLUTAMIDE		
DAROLUTAMIDE 300mg TABLETS	R	For treatment of hormone- relapsed prostate cancer in adults at high risk of developing metastatic disease as per NICE TA660 MMTC, March 2021
DEGARELIX		
DEGARELIX 80mg INJECTION	R	For the treatment of advanced hormone-dependent prostate cancer as per NICE TA404. MMTC, July 2017
DEGARELIX 120mg INJECTION	R	For the treatment of advanced hormone-dependent prostate cancer as per NICE TA404. MMTC, July 2017
ENZALUTAMIDE		
ENZALUTAMIDE 40mg TABLETS	R	For metastatic hormone relapsed prostate cancer previously treated with a docetaxel containing regimen as per NICE TA316; for treating metastatichormone-relapsed prostate cancer before chemotherapy is indicated as per NICE TA377. MMTC, April 2016
EXEMESTANE		
EXEMESTANE 25mg TABLETS	R	For Oncology Consultant recommendation for adjuvant hormonal therapy of breast cancer as per NICE TA112. Medicines Effectiveness, August 2007.
FLUTAMIDE		
FLUTAMIDE 250mg TABLETS	Y	

FULVESTRANT

FULVESTRANT 250mg in 5ml SYRINGE	R	For treatment of breast cancer in combination with abemaciclib as per NICE TA563 and NICE TA579; for treatment of breast cancer in combination with palbociclib as per NICE TA619; and for treatment of breast cancer in combination with ribociclib as per NICE TA593. MMTC, February 2020
GOSERELIN 2 6mg IN JECTION	R	Patiants on 2 or 6 monthly
GOSERELIN 3.6mg INJECTION	ĸ	Patients on 3 or 6 monthly gonadorelin analogues (goserelin, leuporelin or triptorelin) will receive 1-monthly injections while inpatients. NB: inform GP when next dose is due. MMTC, April 2014.
GOSERELIN LA 10.8mg INJECTION	NF	
LANREOTIDE		
LANREOTIDE 120mg PFS AUTOGEL	R	For patients with acromegaly or neuroendocrine tumours. Prescribing by consultants familiar with the management of patients with these conditions according to a shared care protocol. Medicines Effectiveness, July 2006
LANREOTIDE 120mg in 0.5ml PRE FILLED SYRINGE (ADVANZ PHARMA)	R	?For patients with acromegaly or neuroendocrine tumours. Prescribing by consultants familiar with the management of patients with these conditions according to a shared care protocol. Medicines Effectiveness, July 2006
LANREOTIDE 60mg AUTOGEL	R	For patients with acromegaly or neuroendocrine tumours. Prescribing by consultants familiar with the management of patients with these conditions according to a shared care protocol. Medicines Effectiveness, July 2006.

LANREOTIDE 30mg INJECTION LA	R	For patients with acromegaly or neuroendocrine tumours. Prescribing by consultants familiar with the management of patients with these conditions according to a shared care protocol. Medicines Effectiveness, July 2006.
LANREOTIDE 90mg PFS AUTOGEL	R	For patients with acromegaly or neuroendocrine tumours. Prescribing by consultants familiar with the management of patients with these conditions according to a shared care protocol. Medicines Effectiveness, July 2006.
LETROZOLE 2.5mg TABLETS	R	For Oncology Consultant recommendation for adjuvant hormonal therapy of breast cancer as per NICE TA112. Also approved for use as a second line, unlicensed ovulation induction treatment Restricted for use by Fertility and Endocrinology (see unlicensed medicines register).MMTC, July 2018
LEUPRORELIN LEUPRORELIN 11.25mg DEPOT INJECTION	R	For use in patients with gender dysphoria under gender dysphoria clinic. MMTC, June 2021
LEUPRORELIN 3.75mg SR INJECTION	R	Patients on 3 or 6 monthly gonadorelin analogues (goserelin, leuporelin or triptorelin) will receive 1-monthly injections while inpatients. NB: inform GP when next dose is due. MMTC, April 2014.
OCTREOTIDE OCTREOTIDE 500micrograms IN 1ml INJECTION	R	For the treatment of all licensed indication and for the treatment of severe chemotherapy induced diarrhoea (off-label) as per local guideline.MMTC, August 2017

OCTREOTIDE 100microgram IN 1ml INJECTION	R	For the treatment of all licensed indication and for the treatment of severe chemotherapy induced diarrhoea (off-label) as per local guideline. MMTC, August 2017
OCTREOTIDE 1mg in 5ml INJECTION	R	For the treatment of all licensed indication and for the treatment of severe chemotherapy induced diarrhoea (off-label) as per local guideline, and for treatment of bowel obstruction as per PCF (off-label) MMTC, November 2020
OCTREOTIDE 100micrograms in 1mL INJECTION (PRE-FILLED SYRINGES)	R	?For treatment of neuroendocrine tumours and/or acromegaly. MMTC, December 2023.
OCTREOTIDE 50micrograms in 1mL INJECTION (PRE-FILLED SYRINGES)	R	?For treatment of neuroendocrine tumours and/or acromegaly . MMTC, December 2023.
OCTREOTIDE 30mg INJECTION DEPOT (FREE SUPPLY)	R	For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromegaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR. Medicines Effectiveness, April 2007.

For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromedaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR.

Medicines Effectiveness, April 2007

R For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromedaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR. Medicines Effectiveness, April 2007.

OCTREOTIDE 20mg INJECTION DEPOT (FREE STOCK)

For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromedaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR.

Medicines Effectiveness, April 2007

R For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromedaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR. Medicines Effectiveness, April 2007.

- OCTREOTIDE 10mg INJECTION DEPOT (FREE SUPPLY)

For patients with acromegaly or Carcinoid syndrome. Prescribing by consultants familiar with the management of patients with these conditions. Octreotide LAR is administered once every month and may be a suitable altenative to multiple daily injection of octreotide; i.e. patients with acromegaly of neuroendocrine tumours (Carcinoid Syndrome). The manufacturer has agreed to provide the first dose free for patients being switched from multiple daily doses to Sandostatin LAR.

Medicines Effectiveness, April 2007

#### Pasireotide

PASIREOTIDE 10mg INJECTION	NF	
PASIREOTIDE 600micrograms in 1mL INJECTION	NF	
PASIREOTIDE 900microgram IN 1ml INJECTION (COMPASSIONATE USE)	NF	
Relugolix + Estradiol + Norethisterone acetate		
RELUGOLIX 40mg / ESTRADIOL 1mg / NORESTHISTERONE 500microgram TABLETS	R	For treatment of moderate to severe symptoms of uterine fibroids in adults of reproductive age as per NICE TA832. MMTC, November 2023.
TAMOXIFEN		
TAMOXIFEN 20mg TABLETS	Y	Also approved for use in Hereditary Haemorrhagic Telangectasia (see unlicensed medicines register)
TAMOXIFEN 10mg/5ml LIQUID 150ml	Y	
TAMOXIFEN 10mg TABLETS	Y	Also approved for use in Hereditary Haemorrhagic Telangectasia (see unlicensed medicines register) MMTC June 2018
TRIPTORELIN		
TRIPTORELIN 11.25mg INJECTION MR	R	For precocious puberty. Initiation by Paediatric Endocrinologist only. Medicine Effectiveness, September 2005.

08.07 Targeted therapy responsivemalignancy 08.07.00 Tyrosine kinase inhibitors <b>TUCATINIB</b> TUCATINIB 150mg TABLETS <b>09 Nutrition and blood</b>	R	
Calcitriol CALCITRIOL 0.25microgram CAPSULES	Y	
08.01 Cytotoxic drugs 08.01.06 Cytotoxic responsive malignancy		
HYDROXYCARBAMIDE		
HYDROXYCARBAMIDE 500mg/5ml LIQUID	R	For the treatment of sickle cell disease in paediatric patients who are unable to swallow capsules. MMTC September 2019
09.01 Anaemias and some other blood disorders 09.01.00 Anaemias and some other blood disorders ANAGRELIDE		
ANAGRELIDE 500microgram CAPSULES	R	For second line use either after hydroxycarbamide failure or as an adjunct in those few cases where patients cannot tolerate a full dose of hydroxycarbamide. To be used by Haematology consultant only. MAC, December 2007.
DESFERRIOXAMINE		
DESFERRIOXAMINE (DEFEROXAMINE) 500mg INJECTION	Y	
ROMIPLOSTIM		
ROMIPLOSTIM 125microgram INJECTION VIAL	R	(Medicines for Children Policy) For the treatment of chronic immune (idiopathic) thrombocytopenic purpura, as per NICE TA 221 MMTC August 2019
09 01 01 Alkylating drugs		

09.01.01 Alkylating drugs **ROMIPLOSTIM** 

ROMIPLOSTIM 250microgram INJECTION	R	For the treatment of chronic immune (idiopathic) thrombocytopenic purpura as per TA221. Medicines Effectiveness, March 2013.
09.01.01 Iron-deficiency anaemias		
CYANOCOBALAMIN		
CYANOCOBALAMIN 50microgram TABLETS	NF	
FERRIC CARBOXYMALTOSE		
FERRIC CARBOXYMALTOSE 500mg IN 10ml INJECTION (FERINJECT)	R	For the treatment of iron- deficiency anaemia when oral iron preparations are ineffective or cannot be used, when there is continuing blood loss, or in malabsorption. Restricted to outpatients, those attending for pre-assessment or day-case treatment, and for inpatients likely to be discharged within the next 72 hours, as per the MIL on Intravenous Iron Replacement. Medicines Effectiveness, April 2014.
FERRIC CARBOXYMALTOSE 100mg IN 2ml INJECTION (FERINJECT)	R	For the treatment of iron- deficiency anaemia when oral iron preparations are ineffective or cannot be used, when there is continuing blood loss, or in malabsorption. Restricted to outpatients, those attending for pre-assessment or day-case treatment, and for inpatients likely to be discharged within the next 72 hours, as per the MIL on Intravenous Iron Replacement. Medicines Effectiveness, April 2014.
FERRIC CARBOXYMALTOSE 1g IN 20ml INJECTION (FERINJECT)	R	For the treatment of iron- deficiency anaemia when oral iron preparations are ineffective or cannot be used, when there is continuing blood loss, or in malabsorption. Restricted to outpatients, those attending for pre-assessment or day-case treatment, and for inpatients likely to be discharged within the next 72 hours, as per the MIL on Intravenous Iron Replacement. Medicines Effectiveness, April 2014.

FERROUS FUMARATE 140mg/5ml LIQUID	Y	
FERROUS FUMARATE 322mg TABLETS	Y	
FERROUS FUMARATE 210mg TABLETS	Y	
FERROUS GLUCONATE 300mg TABLETS	NF	
FERROUS SULPHATE FERROUS SULPHATE 200mg TABLETS	Y	
FERROUS SULPHATE 125mg/ml ORAL DROPS 15ml	NF	
FERROUS SULPHATE 200mg TABLETS TTO'S 28	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
HYDROXOCOBALAMIN HYDROXOCOBALAMIN 1mg IN 1ml INJECTION	Y	
IRON DEXTRAN		
IRON (as iron Dextran) 500mg IN 10ml INJECTION (COSMOFER)	R	For use in Renal & Gastroenterology patients only. Medicines Effectiveness, February 2013.
IRON (as Iron Dextran) 100mg in 2ml INJECTION (COSMOFER)	R	For use in Renal & Gastroenterology patients only. Medicines Effectiveness, February 2013.
IRON ISOMALTOSIDE		
IRON (as Iron Isomaltoside) 100mg in 2ml INJECTION (DIAFER)	R	RESTRICTED for use only in haemodialysis patients. MMTC, May 2016
IRON (as Iron Isomaltoside) 500mg in 5ml INJECTION (MONOFER)	R	Restricted for treatment of anaemia in patients who cannot tolerate ferinject due to hypophosphataemia under care of Iron Deficiency Management Service, Bicester. MMTC April 2021
MAGNESIUM SULPHATE		
MAGNESIUM SULPHATE 20% (8mmol in 10ml) INJECTION 10ml	R	RESTRICTED: Delivery Suite & Observation area JR only, and HGH. PPDU 05.07.12

# PREGADAY

PREGADAY TABLETS	Y	
SODIUM FEREDETATE SODIUM FEREDETATE 190mg/5ml (27.5mg IRON/5ml) LIQUID 09.01.02 Drugs used in megaloblastic anaemias	NF	
CYANOCOBALAMIN CYANOCOBALAMIN 1mg IN 1ml INJECTION	NF	
FOLIC ACID FOLIC ACID 5mg TABLETS	Y	
FOLIC ACID 2.5mg/5ml LIQUID	Y	
09.01.03 Drugs used in hypoplastic, haemolytic, and <b>DEFERIPRONE</b>	renal anaen	nias
DEFERIPRONE 500mg/5ml LIQUID	NF	
09.01.03 Drugs used in hypoplastic, haemolytic, and DARBEPOETIN	renal anaen	nias
DARBEPOETIN ALFA 40microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 10microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 150microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 20microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 30microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 100microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.

DARBEPOETIN ALFA 500microgram in 1ml SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 50microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 60microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 80microgram SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA 300microgram in 0.6ml SYRINGE	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002.
DARBEPOETIN ALFA		
HC DARBEPOETIN ALFA 150microgram IN 0.3ml PRE-FILLED PEN	R	For use by the Renal Unit and as per High Cost Cancer protocol only. Medicines Effectiveness, October 2002
HC DARBEPOETIN ALFA 500microgram in 1ml SYRINGE	R	FOR USE BY RENAL UNIT AND AS PER HIGH COST CANCER DRUG PROTOCOL ONLY. Medicines Effectiveness, October 2002
DEFERASIROX		
DEFERASIROX 180mg FILM COATED TABLETS	R	For the treatment of iron overload for transfused and non transfused patients with chronic inherited anaemias as per NHS England Clinical Commissioning Policy 16070/P. MMTC, November 2016
DEFERASIROX 360mg FILM COATED TABLETS	R	For the treatment of iron overload for transfused and non transfused patients with chronic inherited anaemias as per NHS England Clinical Commissioning Policy 16070/P. MMTC, November 2016

DEFERASIROX 90mg FILM COATED TABLETS	R	For the treatment of iron overload for transfused and non transfused patients with chronic inherited anaemias as per NHS England Clinical Commissioning Policy 16070/P. MMTC, November 2016
DEFERIPRONE		
DEFERIPRONE 500mg TABLETS	R	For use by Haematology only. Medicines Effectiveness, March 2006.
DESFERRIOXAMINE		
DESFERRIOXAMINE 2g INJECTION	Y	
ECULIZUMAB		
ECULIZUMAB 300mg IN 30ml INJECTION	R	For atypical haemolytic uraemic syndrome as per NHSE policy E03/PS(HSS)/a, and for treatment of hyperhaemolysis as per NHSE policy 1821 MMTC, September 2014
ERYTHROPOIETIN ALFA		
ERYTHROPOIETIN ALFA 10,000 units in 1ml INJECTION	R	For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 4000iu IN 0.4ml PRE- FILLED SYRINGE	R	For use by the Renal Unit only. MMTC, October 2014
ERYTHROPOIETIN ALFA 2000units IN 0.5ml SYRIN	NGE	R For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 5,000units IN 0.5ml PRE- FILLED SYRINGE	R	For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 3000units IN 0.3ml SYRIN	NGE	R For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 30,000units IN 0.75ml PR FILLED SYRINGE	E- R	For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 1000units IN 0.5ml SYRIN	NGE	R For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 40,000units IN 1ml PRE- FILLED SYRINGE	R	For use by the Renal Unit only. MMTC, October 2014.
ERYTHROPOIETIN ALFA 8,000units IN 0.8ml PRE- FILLED SYRINGE	R	For use by the Renal Unit only. MMTC, October 2014.

For use by the Renal Unit only. ERYTHROPOIETIN ALFA 20,000units IN 0.5ml PRE-R FILLED SYRINGE MMTC, October 2014. ERYTHROPOIETIN ALFA 6,000units IN 0.6ml PRE-R For use by the Renal Unit only. MMTC, October 2014. FILLED SYRINGE **ERYTHROPOIETIN BETA ERYTHROPOIETIN BETA 500international units** Y SYRINGE ERYTHROPOIETIN BETA 6,000international units Υ SYRINGE ERYTHROPOIETIN BETA 4000international units Υ SYRINGE METHOXY POLYETHYLENE GLYCOLEPOETIN BETA METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA R For chronic renal impairment patients who require a district 50microgram PREFILLED SYRINGE nurse to administer their ESA at home, or who do not respond to Aranesp due to suspected noncompliance.. MAC, January 2009. METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA For chronic renal impairment R 30microgram PREFILLED SYRINGE patients who require a district nurse to administer their ESA at home, or who do not respond to Aranesp due to suspected noncompliance.. MAC, January 2009. METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA R For chronic renal impairment patients who require a district 120microgram PREFILLED SYRINGE nurse to administer their ESA at home, or who do not respond to Aranesp due to suspected noncompliance.. MAC, January 2009. METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA R For chronic renal impairment patients who require a district 100microgram PREFILLED SYRINGE nurse to administer their ESA at home, or who do not respond to Aranesp due to suspected noncompliance.. MAC, January 2009. METHOXY POLYETHYLENE GLYCOL-EPOTEIN BETA R For chronic renal impairment 75microgram PREFILLED SYRINGE patients who require a district nurse to administer their ESA at home, or who do not respond to Aranesp due to suspected noncompliance.. MAC, January 2009.

#### 09.01.03 Erythropoietin

# **EPOETIN ZETA**

EPOETIN ZETA 8,000units IN 0.8ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 2,000units IN 0.6ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 3,000units IN 0.9ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 4,000units IN 0.4ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 6,000units IN 0.6ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 5,000units IN 0.5ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
EPOETIN ZETA 10,000units IN 1ml INJECTION (RETACRIT)	R	For use in renal anaemia patients on haemodialysis, MMTC March 2020
Ravulizumab		
RAVULIZUMAB 1100mg (1.1g) in 11ml INJECTION (COMPASSIONATE USE)	NF	COMPASSIONATE USE ONLY
09.01.04 Drugs used in platelet disorders		
ELTROMBOPAG		
ELTROMBOPAG 50mg TABLETS	R	For treating chronic immune (idiopathic) thrombocytopenic purpura as per NICE TA293. (Also included under Medicines for Children Policy) available for paediatrics. MMTC August 2019
ELTROMBOPAG 25mg TABLETS	R	For treating chronic immune (idiopathic) thrombocytopenic purpura as per NICE TA293. (Also included under Medicines for Children Policy) available for paediatrics. MMTC August 2019
09.01.06 Drugs used in neutropenia		
CYANOCOBALAMIN		
CYANOCOBALAMIN 1mg TABLETS	NF	

FILGRASTIM		
FILGRASTIM 480microgram (48million unit) in 0.5ml SYRINGE	Y	
FILGRASTIM 300microgram (30million units) in 0.5ml SYRINGE	Y	
LENOGRASTIM		
LENOGRASTIM 263microgram (33.6million international units) SYRINGE	Y	
LENOGRASTIM 105microgram (13.4million international units) SYRINGE	Y	
LIPEGFILGRASTIM		
LIPEGFILGRASTIM 6mg in 0.6ml INJECTION (PRE FILLED SYRINGE)	NF	
PEGFILGRASTIM		
PEGFILGRASTIM 6mg in 0.6ml PRE-FILLED SYRING (PELGRAZ)	ER	?For use in paediatric populations to reduce duration and severity of neutropenia post- chemotherapy (off label use) MMTC, May 2023
PEGFILGRASTIM 6mg SYRINGE	NF	
PLERIXAFOR		
PLERIXAFOR 24mg IN 1.2ml INJECTION VIAL	R	For stem cell mobilization as per NHSE Policy B04/P/2. MMTC, January 2014.
PYRIDOXINE		
PYRIDOXINE 100mg IN 2ml INJECTION	UNR	For use in PHDU, SCBU and PITU for pyridoxine seizures in neonate and paediatric patients on neurologists request. Use in treatmnet and diagnostic - EEG. (Full resuscitation facilities MUST be available during use). Medicines Effectiveness, March 2009.
9.01.00 Anaemias and some other blood disorders LUSUTROMBOPAG		
LUSUTROMBOPAG 3mg TABLETS	R	For treating severe thrombocytopenia in adults with chronic liver disease having a planned invasive procedure as per NICE TA617 MMTC, June 2021
9.01.01 Iron-deficiency anaemias		

9.01.01 Iron-deficiency anaemias
FERRIC DERISOMALTOSE

IRON (as FERRIC DERISOMALTOSE) 1,000mg in 10ml INJECTION (MONOFER)	R	Restricted for treatment of anaemia in patients who cannot tolerate ferinject due to hypophosphataemia under care of Iron Deficiency Management Service, Bicester. MMTC April 2021
FERROUS SULPHATE FERROUS SULPHATE 325mg M/R TABLETS	NF	
IRON ISOMALTOSIDE IRON (as Iron Isomaltoside) 100mg in 1ml INJECTION (MONOFER)	R	Restricted for treatment of anaemia in patients who cannot tolerate ferinject due to hypophosphataemia under care of Iron Deficiency Management Service, Bicester. MMTC April 2021
IRON SUCROSE		
IRON SUCROSE COMPLEX 100mg IN 5ml INJECTION (VENOFER)	ΝY	
09.02 Fluids and electrolytes		
09.02.01 Oral preparation for fluid and electrolyte imbalar	nce	
ORAL REHYDRATION		
ORAL REHYDRATION SALTS (ORS) BLACKCURRANT TABLETS	Y	FOR USE WHEN DIORALYTE SACHETS ARE NOT AVAILABLE
09.02.01 Oral preparations for fluid and electrolyte imbala	ance	
CALCIUM RESONIUM POWDER	Y	
DIORALYTE		
DIORALYTE SACHETS (BLACKCURRANT)	Y	
PATIROMER SORBITEX PATIROMER SORBITEX CALCIUM POWDER ORAL SUSPENSION SACHETS	NF	
POTASSIUM BICARBONATE		
POTASSIUM BICARBONATE 500mg TABLETS EFFERVESCENT (6.5mmol Potassium)	NF	
POTASSIUM CHLORIDE		
POTASSIUM CHLORIDE 600mg TABLETS M/R	Y	
POTASSIUM CHLORIDE EFFERVESCENT 12mmol TABLETS	Y	

POTASSIUM CHLORIDE 5mmol/5ml LIQUID	Y	
POTASSIUM CHLORIDE 500mg TABLETS EFFERVESCENT	Y	
SODIUM BICARBONATE		
SODIUM BICARBONATE 500mg CAPSULES	Y	
5		
SODIUM CHLORIDE		
SODIUM CHLORIDE 5.84% (5mmol/5ml) LIQUID	R	For neonatal unit ward stock. Medicines Effectiveness, October 2016
SODIUM CHLORIDE 600mg TABLETS M/R	Y	
09.02.02 Electrolytes and water		
SODIUM CHLORIDE		
POTASSIUM CHLORIDE 0.15% (10mmol) GLUCOSE	UNR	For routine fluid replacement in
5% SODIUM CHLORIDE 0.9% 500ml		children as per local guidelines.
		MMTC, December 2016
09.02.02 Parenteral preparation		
DIORALYTE		
DIORALYTE SACHETS (PLAIN)	Y	
09.02.02 Parenteral preparations for flui and electrolyte in	nbalance	
GELASPAN		
GELASPAN 4% INFUSION 500ml	Y	
00.02.02 Deventerel proportions for fluid and algorizable	imbolono	
09.02.02 Parenteral preparations for fluid and electrolyte Albumin human	impalanc	e
HUMAN ALBUMIN 5% INFUSION 250ml (CTASU)	С	
HUMAN ALBUMIN 5% INFUSION 250HI (CTASU)	C	
GLUCOSE		
GLUCOSE 4% & SOD CHLORIDE 0.18% 1L INFUSION	١Y	
FE1254		
DF GLUCOSE 5% 1L INFUSION (FE0064)	Υ	
	V	
DF GLUCOSE 10% INFUSION 500ml (FKB0163G)	Y	
DF GLUCOSE 5% INFUSION 250ml (FE0062)	Y	
DF GLUCOSE 5% INFUSION 500ml (FE0063)	Y	
	V	
GLUCOSE 10% & SODIUM CHL 0.18% 500ml INFUSION 23-62-546	Y	
GLUCOSE 10% INFUSION 500ml FE0163	Y	

GLUCOSE 2.5% & SOD CHLORIDE 0.45% 500ml INF FE1023	Y	
GLUCOSE 5% INFUSION 50ml FE0086	Y	
GLUCOSE 50% INJECTION 50ml (VIALS)	Y	
GLUCOSE 50% INFUSION 500ml	Y	
GLUCOSE 20% 500ml INFUSION	Y	
GLUCOSE 5% INFUSION 500ml FE0063	Y	
GLUCOSE 5% INFUSION 250ml FE0062	Y	
GLUCOSE 5% INFUSION 1L FE0064	Y	
GLUCOSE 5% & SOD CHLORIDE 0.45% 500ml INF FKB1073G	Y	
GLUCOSE 5% INFUSION 100ml FE0087	Y	
GLUCOSE 5% & SOD CHLORIDE 0.9% 500ml INF FKE1063	Y	
GLUCOSE 20% INFUSION 100ml (VIAL)	R	For adult hypo box to be kept in all adult wards and departments.For the reversal of hypoglycaemia in adults, as per the MIL on The Management of Hypoglycaemia in Adult Inpatients. MMTC, February 2014
MANNITOL		
MANNITOL 10% INFUSION 500ml FKD5613G	Y	
MANNITOL 20% INFUSION 500ml FKD5633G	Y	
POTASSIUM CHLORIDE		
POTASSIUM CHL 0.15% (10mmol) GLUCOSE 10% SOD CHL 0.18% 500ml IS336	SR	
POTASSIUM CHLORIDE 0.3% (20mmol) GLUCOSE 10% INFUSION 500ml FKB1165	SR	FOR STOCK ISSUE TO MAU/MSS ONLY. FOR ADULT DKA REGIMEN
DF POTASSIUM CHL 0.3% (40mmol) SOD CHLORIDE 0.9% 1L (FE1984)	ΞY	
DF POTASSIUM CHL 0.3% (40mmol) GLUCOSE 5% 1L (FE1264)	Y	
DF POTASSIUM CHL 0.15% (20mmol) SOD CHLORIDE 0.9% 1L (FE1764)	Y	

DF POTASSIUM CHL 0.15% (20mmol) GLUCOSE 5% 1L (FE1134)	Y	
POTASSIUM CHL 0.15% (20mmol) GLUC 2.5% SOD CHL 0.45% 1L 109 3156825	SR	As per the MIL: Guidelines for the Management of Hypokalaemia in Adults. Medicines Effectiveness, March 2013.
POTASSIUM CHLORIDE 20mmol IN 50ml SODIUM CHLORIDE 0.9% PRE-FILLED SYRINGE for IV	SR	Restricted as stock to authorised areas, or as per MIL/high strength potassium SOP on receipt of a prescription and CD order. Medicines Effectiveness, April 2010
POTASSIUM CHL 0.15% (10mmol) GLUC 5% SOD CHL 0.45% 500ml (GV332)	Y	
POTASSIUM CHL 0.6% (40mmol) SOD CHLORIDE 0.9% 500ml (steriflex101)	UNR	For use by NICU only. Medicines Effectiveness, July 2011.
POTASSIUM CHL 0.15% (10mmol) SOD CHLORIDE 0.9% 500ml FE1763	Y	
POTASSIUM CHL 0.3% (40mmol) GLUCOSE 5% 1L FE1264	Y	
POTASSIUM CHL 0.15% (20mmol) GLUC 4% SOD CHL 0.18% 1L FE1704	Y	
POTASSIUM CHL 0.15% (20mmol) GLUCOSE 5% 1L FE1134	Y	
POTASSIUM CHL 0.15% (20mmol) SOD CHLORIDE 0.9% 1L FE1764	Y	
POTASSIUM CHL 0.3% (40mmol) SOD CHLORIDE 0.9% 1L FE1984	Y	
POTASSIUM CHL 0.3% (20mmol) GLUC 5% SOD CHL 0.45% 500ml 1909115	_ SR	As per the MIL: Guidelines for the Management of Hypokalaemia in Adults. Medicines Effectiveness, March 2013.
POTASSIUM CHL 0.3% (20mmol) GLUCOSE 5% SOD CHL 0.9% 500ml (FKB2486)	SR	Restricted to diabetic patients. Medicines Effectiveness, March 2013
POTASSIUM CHL 0.3% (20mmol) SOD CHLORIDE 0.9% 500ml FE1983	Y	
POTASSIUM CHL 0.3% (40mmol) GLUC 4% SOD CHL 0.18% 1L FE1724	_ Y	
POTASSIUM CHL 0.6% (40mmol) GLUCOSE 5% 500ml (FKB1665)	UNR	As per the MIL: Guidelines for the Management of Hypokalaemia in Adults. Medicines Effectiveness, March 2013.

POTASSIUM CHL 0.15% (10mmol) GLUCOSE 10% 500ml FKB3737G	Y	
Potassium chloride + Glucose + Sodium chloride	e	
POTASSIUM CHLORIDE 0.15% (60mmol) & GLUCOSE 2.5% & SODIUM CHLORIDE 0.45%	SR	?As per MIL: guidelines for management of hypokalemia in adults
SODIUM BICARBONATE		
SODIUM BICARBONATE 4.2% INJECTION 5ml	UNR	For treatment of metabolic acidosis and renal hyperkalaemia in paediatrics only. Medicines Effectiveness,
SODIUM BICARBONATE 4.2% INJECTION 10ml	SR	For treatment of metabolic acidosis and renal hyperkalaemia in paediatrics only. Medicines Effectiveness,
SODIUM BICARBONATE 8.4% INJECTION 250ml	Y	
SODIUM BICARBONATE 1.26% POLYFUSOR 500ml	Y	
SODIUM BICARBONATE 8.4% INJECTION 100ml	Y	
SODIUM BICARBONATE 8.4% INJECTION 10ml	Y	
SODIUM BICARBONATE 8.4% POLYFUSOR 200ml POLYFUSOR B	Y	
SODIUM CHLORIDE		
SODIUM CHLORIDE 1.8% POLYFUSOR 500ml	NF	
SODIUM CHLORIDE 0.9% (CITRATE BUFFERED 0.3% (PH7.0)) 250ml INFUSION (OAKWAYS	R	For use in elastomeric devices for ambulatory patients receiving antibiotics only. MMTC, January 2020
SODIUM CHLORIDE 0.9% (CITRATE BUFFERED 0.3% (PH7.0)) 1000ml INFUSION (OAKWAYS	UNR	For use in elastomeric devices for ambulatory patients receiving antibiotics only. MMTC, January 2020
SODIUM CHLORIDE 0.9% INFUSION 100ml (STERILE WRAPPED BAGS)	=	R To be issued as ward stock for NOC theatres ONLY, for use in ropivacaine-based LIA Medicines Effectiveness October 2018
SODIUM CHLORIDE 0.9% INTRAVENOUS INFUSION BP 2L (TERUMO BCT)	I R	For use in Cancer Ambulatory Care only. MMTC May 2020
DF SODIUM CHLORIDE 0.9% INFUSION 100ml (FE1307)	Y	

	COMPOUND SODIUM CHLORIDE INF 500ml (RINGERS) B2303G	R	For use by Perfusionists whilst Cardioplegia is a supply problem. Medicines Effectiveness, April 2013.
	DF SODIUM CHLORIDE 0.9% INFUSION 500ml (FE1323)	Y	
;	SODIUM CHLORIDE 0.9% INFUSION 500ml FE1323	Υ	
	SODIUM CHLORIDE 0.9% INFUSION VIAFLO 100ml FE1307	Y	
;	SODIUM CHLORIDE 0.9% INFUSION 50ml FE1306	Υ	
;	SODIUM CHLORIDE 0.45% 500ml FE1313	Y	
	SODIUM CHLORIDE 0.9% 5ml INJECTION (GLASS AMPOULES)	Y	
S	ODIUM CITRATE		
;	SODIUM CITRATE (4% DIALYSIS) INFUSION 1500ml	R	For use on CTCC only as part of citrate haemidiafiltration. MMTC, March 2013.
S	ODIUM LACTATE		
	COMPOUND SODIUM LACTATE 1L INF (HARTMANNS) FKE2324	Y	
	DF COMPOUND SODIUM LACTATE 500ml INF (HARTMANS) FKE2323	Y	
	DF COMPOUND SODIUM LACTATE 1L INF HARTMANS (FKE2324)	Υ	
	COMPOUND SODIUM CHLORIDE INF 1L (RINGERS) FE2304	Y	
	COMPOUND SODIUM LACTATE 500ml INF (HARTMANNS) FKE2323	Y	
т	НАМ		
	THAM 7% W/V 10ml INJECTION	Y	
	9.02.07 Homocystinuria drugs		
	ETAINE		
l	BETAINE 1g ORAL POWDER 180g	NF	
09.0	3 Intravenous nutrition		
N	IUMETA		
	NUMETA LIGHT PROTECTIVE COVERS 1000ml (Pack of 200)	Y	To be ordered alongside Numeta Parenteral Nutrition bags M.E September 2018

NUMETA G13%E PRETERM EMULSION FOR INFUSION (PARENTERAL NUTRITION)	R	Restricted for use on neonatal unit only. MMTC September 2018
09.03.00 Intravenous nutrition		
ADDITRACE		
ADDITRACE 10ml INJECTION	Y	
CERNEVIT		
CERNEVIT INJECTION	Y	
INTRALIPID		
INTRALIPID 20% INFUSION 500ml	R	For the treatment of local anaesthetic toxicity in accordance with the draft AAGB guidance. Medicines Effectiveness, July 2007.
SODIUM GLYCEROPHOSPHATE		
SODIUM GLYCEROPHOSPHATE 20mmol (of phosphate) in 20ml INJECTION	Y	
SYNTHAMIN	-	
SYNTHAMIN 14 INFUSION BAG 1L (Electrolyte-Free)	R	For use by Oncology only for patients on Dototate treatment. Medicines Effectiveness, Novemeber 2011.
VAMIN		
VAMIN 18 INFUSION BAG 1L (ELECTROLYTE FREE)	Y	
09.04 Oral nutrition		
09.04.00 Oral nutrition		
PEDITRACE		
PEDITRACE 10ml VIAL	NF	
09.05 Minerals		
09.05.00 Minerals		
MAGNESIUM GLYCEROPHOSPHATE		
MAGNESIUM GLYCEROPHOSPHATE 4mmol TABLETS	R	Second line treatment for mild asymptomatic hypomagnesaemia. MMTC, January 2015

SODIUM ACID PHOSPHATE

PHOSPHATE (SODIUM DIHYDROGEN ACID PHOSPHATE) 1mmol/1ml ORAL LIQUID	SR	Restricted for the treatment of hypophosphataemia and prevention of bone fractures/ bone disease in neonates, infants and yound children. Medicines Effectiveness, October 2010
09.05.01 Calcium and		
	D	
CALCIUM 500mg TABLETS EFFERVESCENT (TUBE 19)	R	For patients with feeding tubes only. Medicines Effectiveness, May 2011.
09.05.01 Calcium and magnesium		
CALCIUM CARBONATE CALCICHEW 500mg TABLETS	Y	
CALCICITEW Storing TABLETS	I	
CALCIUM CHLORIDE		
CALCIUM CHLORIDE 150mmol in 1500ml (100mmol/1000ml) INFUSION 1500ml (CALRECIA)	R	As part of citrate based renal replacement therapy in critical care units only (ICUs and HDUs) AICU/CICU/CTCCU/NICU/PICU/P HDU. Supplied as an alternative, MMTC application required.
CALCIUM CHLORIDE 10mmol in 10ml INJECTION	Y	
CALCIUM CHLORIDE 10% SYRINGE (AURUM) 10ml	Y	
CALCIUM GLUCONATE CALCIUM GLUCONATE 10% INJECTION 10ml (Plastic amp)	c Y	
CALCIUM LACTATE CALCIUM LACTATE 300mg TABLETS BP	NF	
CINACALCET CINACALCET 5mg CAPSULES	NF	
MAGNESIUM MAGNESIUM ASPARTATE 10mmol (6.5g) SACHETS	Y	
MAGNESIUM SULPHATE MAGNESIUM SULPHATE 50% (5g in 10ml) INJECTIO	NR	
MAGNESIUM SULPHATE 50% (2.5g in 5ml) INJECTION	Y	

MAGNESIUM SULPHATE 50% (1g IN 2ml) INJECTION	NΥ	
PHOSPHATE PHOSPHATE SANDOZ EFFERVESCENT TABLETS	Y	
09.05.02 Phosphorrus CALCIUM ACETATE CALCIUM ACETATE 950mg TABLETS (RENACET)	Y	
CALCIUM ACETATE 475mg TABLETS (RENACET)	Y	
09.05.02 Phosphorus CALCIUM ACETATE		
CALCIUM ACETATE 1g TABLETS	Y	
CALCIUM ACETATE 435mg & MAGNESIUM CARBONATE HEAVY 235mg TABLETS LANTHANUM	NF	
LANTHANUM CARBONATE 500mg CHEWABLE TABLETS	R	Second line to sevelamer for the control of hyperphosphataemia in patients with chronic kidney disease stage 5 who cannot tolerate calcium based phosphate binders or have pre- existing hypercalcaemia. Medicines Effectiveness, August 2007.
LANTHANUM CARBONATE 1000mg CHEWABLE TABLETS	R	Second line to sevelamer for the control of hyperphosphataemia in patients with chronic kidney disease stage 5 who cannot tolerate calcium based phosphate binders or have pre- existing hypercalcaemia. Medicines Effectiveness, August 2007.
LANTHANUM CARBONATE 750mg CHEWABLE TABLETS	R	Second line to sevelamer for the control of hyperphosphataemia in patients with chronic kidney disease stage 5 who cannot tolerate calcium based phosphate binders or have pre- existing hypercalcaemia. Medicines Effectiveness, August 2007.

LANTHANUM CARBONATE 750mg POWDER SACHETSY

## LANTHANUM CARBONATE

LANTHANUM CARBONATE 1000mg POWDER SACHETS	R	Second line to sevelamer for the control of hyperphosphataemia in patients with chronic kidney disease stage 5 who cannot tolerate calcium based phosphate binders or have pre- existing hypercalcaemia. August 2007.
SEVELAMER		
SEVELAMER 800mg TABLETS	NF	For second or third line use as per the Renal Unit Protocol only. Medicines Effectiveness, July 2003.
SEVELAMER CARBONATE 800mg TABLETS	R	For second or third line use as per the Renal Unit Protocol only. Medicines Effectiveness, July 2003
SODIUM ACID PHOSPHATE		
PHOSPHATE (SODIUM DIHYDROGEN ACID PHOSPHATE) 1mmol/1ml ORAL LIQUID 100ml	SR	RESTRICTED: hypophosphataemia and prevention of bone fractures/ bone disease in neonates, infants and young children.
09.05.03 Fluoride		
SEVELAMER		
SEVELAMER 2.4g SACHETS	R	For second or third line use as per the Renal Unit Protocol only in patients unable to tolerate Renagel tablets (sevelamer HCl). Medicines Effectiveness, May 2014.
09.05.04 Zinc		
ZINC SULPHATE		
ZINC SULPHATE 220mg CAPSULES	Y	
ZINC SULPHATE 125mg TABLETS EFFERVESCENT	Y	
09.05.05 Selenium		
SELENIUM		
SELENIUM 100micrograms in 10ml INJECTION	NF	
SELENIUM SULFIDE		
SELENIUM ACE TABLETS	NF	
9.05.01 Calcium and ma CALCIUM GLUCONATE		

CALCIUM GLUCONATE

## 9.05.01 Calcium and magnesium

# Magnesium sulfate

MAGNESIUM SULPHATE 50% (25g IN 50ml) (100mmol) INJECTION	R	For use in critical care areas during Covid-19 only. Medicines Effectiveness, March 2020

# MAGNESIUM SULPHATE

MAGNESIUM SULPHATE 20mmol IN 50ml INJECTION	SR For use on critical care area	IS
PRE-FILLED SYRINGE (CTASU PREP)	during covid-19. Medicines	
	Effectiveness, April 2020	

### 09.06 Vitamins

### Thiamine

THIAMINE 50mg TABLETS	Y
THIAMINE 100mg TABLETS	Y
THIAMINE 100mg TABLETS	F

### 09.01.01 Iron-deficiency anaemias

### VITAMIN B

VITAMIN B	COMPOUND	STRONG TABLETS BPC	Y
		OTTO TABLE TO DI O	

### 09.01.06 Drugs used in neutropenia

## CINACALCET

CINACALCET 30mg TABLETS	R	For use by Renal for hyperparathiroidsm as per NICE TA 117 only. Medicines Effectiveness, January 2007
CINACALCET 60mg TABLETS	R	For use by Renal for hyperparathiroidsm as per NICE TA 117 only. Medicines Effectiveness, January 2007
CINACALCET 90mg TABLETS	R	For use by Renal for hyperparathiroidsm as per NICE TA 117 only. Medicines Effectiveness, January 2007

# Phytomenadione

PHYTOMENADIONE 2mg IN 0.2ml ORAL/IM/IV	UNR
(UNLICENSED)	

PHYTOMENADIONE 10mg TABLETS	UNR	For reversal of elevated INR in outpatients on warfarin and the prevention of reduction in Vitamin K dependant clotting factors in maternity patients (inpatient and outpatient). Medicines Effectiveness, January 2015
VIGRANON VITAMIN B COMPLEX ORAL SOLUTION (VIGRANON B)	NF	
VITAMIN A VITAMIN A + D CAPSULES	Y	For use in CF patients only
09.06 Vitamins and analogues Calcitriol		
CALCITRIOL 0.5microgram CAPSULES	Υ	
09.06.0 Multivitamin preparations FOLIC ACID		
FOLIC ACID 400microgram TABLETS	Υ	
09.06.00 Multivitamin preparations THIAMINE		
THIAMINE 50mg TABLETS	Y	
THIAMINE 100mg TABLETS	Y	
TOCOPHERYL ACETATE TOCOPHERYL 200international units GEL CAPSULES (Vitamin E)	UNR	For cystic fibrosis patients and for the management of patients with a diagnosis of osteoradionecrosis (ORN) of the jaw. MMTC, April 2013.
09.06.02 Vitamin B group		
BIOTIN BIOTIN 5mg TABLETS	UNR	For children with metabolic disorders. Prescribed by Paediatric Neurologists only. Medicines Effectiveness, February 2013.

NICOTINAMIDE

For the treatment of Bullous Pemphigoid in patients under the care of dermatology. Note: this is hospital only and prescribing cannot be transferred to primary care. MMTC, February 2017

## **PYRIDOXAL**

PYRIDOXAL 5 PHOSPHATE 50mg CAPSULES (IDIS- USA IMPORT)	NF
PYRIDOXINE	
PYRIDOXINE 50mg TABLETS	Υ
VITAMIN B+C VITAMIN B+C HIGH POTENCY INJECTION for IV use (PABRINEX IVHP) 5ml	Y
09.06.03 Vitamin C	
ASCORBIC ACID	
ASCORBIC ACID 100mg TABLETS	Y
ASCORBIC ACID 200mg TABLETS	Y
ASCORBIC ACID 500mg TABLETS	Y
ASCORBIC ACID 50mg TABLETS	Y
ASCORBIC ACID 500mg IN 5ml INJECTION	NF
CALCIUM AND VITAMIN D CALCIUM & ERGOCALCIFEROL TABLETS	NF
09.06.04 Vitamin D	
ALFACALCIDOL	
ALFACALCIDOL 1microgram CAPSULES	Υ
ALFACALCIDOL 2microgram/1ml ORAL DROPS 10ml	Y
ALFACALCIDOL 0.25microgram CAPSULES	Y
ALFACALCIDOL 1microgram IN 0.5ml INJECTION	Y
ALFACALCIDOL 2microgram IN 1ml INJECTION	Y
CALCEOS CALCEOS TABLETS 60	NF
	I NI

CALCITRIOL

CALCITRIOL 0.25microgram CAPSULES	Y	
CALCIUM + COLECALCIFEROL ADCAL D3 TABLETS - TTO PK56	SR	For use by DTU only. Medicines Effectiveness, November 2015
CALCIUM AND VITAMIN D CALCIUM 500mg & VIT D3 440u GRANULES EFFERVESCENT 1X30	R	For use in patients unable to swallow normal chewable tabs. Medicines Effectiveness, March 2020
CALCIUM CARBONATE + COLECALCIFEROL ADCAL D3 SOLUBLE TABLETS	R	For patients with feeding tubes only. Medicines Effectiveness, May 2011.
ADCAL D3 TABLETS	Y	
CALCIUM CARBONATE PLUS COLECALCIFEROL 750mg / 5micrograms CAPLETS	NF	
COLECALCIFEROL COLECALCIFEROL 2,740international units/ml ORAL DROPS 25ml	NF	
COLECALCIFEROL 10,000units/ml ORAL DROPS 10ml	R	For the vitamin D supplementation for exclusively breastfed babies less than 34weeks. MMTC, December 2018
COLECALCIFEROL 4000units TABLETS	R	For the supplementation of vitamin D in pregancy and breastfeeding only. NB: restricted to those unable to take 4 x 1000units. MMTC, June 2017
COLECALCIFEROL 15,000units/5ml LIQUID	R	Restricted for treatment of rickets and vitamin deficiency in children. MMTC, January 2012.
COLECALCIFEROL 800international units CAPSULES	NF	
COLECALCIFEROL 3000units/ml LIQUID	UNR	For rickets and vitamin deficiency in children. MMTC, January 2012.
COLECALCIFEROL 3200unit CAPSULES	R	To be used by fracture prevention service in accordance with OCCG Pathway for treating vitamin D deficiency. MMTC, November 2014

COLECALIFEROL COLECALIFEROL 1000units TABLETS	R	For the supplementation of vitamin D in pregancy and breastfeeding only. MMTC, June 2017
DIHYDROTACHYSTEROL DIHYDROTACHYSTEROL 250micrograms ORAL SOLUTION	NF	
ERGOCALCIFEROL ERGOCALCIFEROL 300,000units IN 1ml INJECTION	Y	
PYRIDOXINE		
PYRIDOXINE 20mg TABLETS	UNR	For the prevention of peripheral neuropathy in patients on isoniazid. Medicines Effectivenes, February 2013.
TOCOPHERYL ACETATE		
TOCOPHERYL ACETATE 500mg/5ml LIQUID (vitamin E)	R	For cystic fibrosis patients and for the management of patients with a diagnosis of osteoradionecrosis (ORN) of the jaw. MMTC, April 2013.
09.06.06 Vitamin K MENADIOL		
MENADIOL 10mg TABLETS	R	Reversal of elevated INR in INPATIENTS. NB: for IV doses only.Medicines Effectiveness, May 2010
PHYTOMENADIONE		
PHYTOMENADIONE 10mg in 1ml INJECTION	R	Reversal of elevated INR in INPATIENTS. NB: for IV doses only. Medicines Effectiveness, May 2010.
PHYTOMENADIONE 10mg TABLETS	UNR	For reversal of elevated INR in outpatients on warfarin and the prevention of reduction in Vitamin K dependant clotting factors in maternity patients (inpatient and outpatient). Medicines Effectiveness, January 2015
PHYTOMENADIONE 2mg IN 0.2ml ORAL/IM/IV	R	Reversal of elevated INR in INPATIENTS.NB: for ORAL or IV doses.Medicines Effectiveness, May 2010.

### **VITAMIN A**

VII AIVIIN A				
VITAMIN A AND D CAPSULES	R	For use in CF patients only. Medicines Effectiveness, January 2004.		
09.06.06 Vitamins				
MULTIVITAMINS				
AQUADEKS CHEWABLE TABLETS	R	For use in cystic fibrosis patients. MAC, October 2010.		
AQUADEKS LIQUID	R	For use in cystic fibrosis patients. NB: liquid is restricted for patienets unable to take the chewable tablets. Medicines Effectiveness, October 2010.		
MULTIVITAMINS AND MINERAL TABLETS (VALUPAK) Y				
RENAVIT TABLETS				
RENAVIT TABLETS	UNR	Restricted: For use in dialysis patients with water-soluble vitamin deficiency. MMTC October 2021		
SANATOGEN				
SANATOGEN GOLD 30	Y			
09.06.07 Multivitamin preparations				
ABIDEC				
ABIDEC LIQUID 25ml	R	For vitamin D supplementation in exclusively breastfed babies less than 34 weeks. MMTC December 2017		
KETOVITE				
KETOVITE TABLETS	Y			
KETOVITE LIQUID	Y			
09.07 Bitters and tonics				
09.07.00 Bitters and tonics				
GENTIAN ALKALINE				
GENTIAN ALKALINE MIXTURE 2 Litre	R	For use by Neurology only. Medicines Effcetiveness, March 2013.		
09.08 Metabolic disorders				

Levocarnitine

L-CARNITINE 300mg in 1ml PAEDIATRIC SOLUTION 50ml	NF	
09.08.00 Metabolic disorders CARGLUMIC ACID		
CARGLUMIC ACID 200mg DISPERSIBLE TABLETS	NF	
L-CARNITINE L-CARNITINE 1g in 5ml INJECTION	NF	
L-CARNITINE 300mg IN 1ml PAED SOLUTION 20mls	NF	
09.08.01 Drugs used in metabolic disorders BUROSUMAB		
BUROSUMAB 20mg in 1ml INJECTION (FREE OF CHARGE)	NF	Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P
BUROSUMAB 30mg in 1ml INJECTION (FREE OF CHARGE)	NF	MMTC, October 2018
<b>CYSTAGON</b> MERCAPTAMINE (CYSTEAMINE) 50mg CAPSULES	NF	
MERCAPTAMINE (CYSTEAMINE) MERCAPTAMINE (CYSTEAMINE) 150mg CAPSULES	NF	
SODIUM BENZOATE		
SODIUM BENZOATE 2g in 10ml INJECTION	SR	For the treatment of Urea Cycle Defects as per BIMDG adult emergency management guideline. To be initiated following discussion with Metabolic Medicine or as per patient's care plan from the national centre. MMTC, July 2016
	R	For traatment of Wilson disease
TRIENTINE 200mg CAPSULES	Γ	For treatment of Wilson disease as per NHSE commissioning policy 170094P, for consultant use only. MMTC, December 2023.
ZINC SULPHATE ZINC ACETATE 50mg CAPSULES	NF	

ARGININE			
L-ARGININE HYDROCHLORIDE 5g IN 10ml (50% W/V)UNR INJECTION		For the treatment of Urea Cycle Defects as per BIMDG adult emergency management guideline. To be initiated following discussion with Metabolic Medicine or as per patient's care plan from the national centre. MMTC, July 2016	
09.08.02 Acite porphyrias			
HAEM ARGINATE			
HAEM ARGINATE (HUMAN HEMIN) 250mg in 10ml INJECTION (4x10ml)	R	For use by Haematology Consultants only. Medicines Effectiveness, August 2009.	
9.01 Anaemias and some o			
9.01.01 Iron-deficiency anaemias			
FERROUS FUMARATE			
FERROUS FUMARATE 140mg/5ml LIQUID	Y		
10 Musculoskeletal and joint diseases			
10.01 Drugs used in rheumatic diseases and gout			
MOMELOTINIB 100mg TABLETS	NICE	As per NICE TA957 - for treating myelofibrosis-related splenomegaly or symptoms (only just published 20/3/24)	
08.02.00 Drugs affecting the immune response <b>GOLIMUMAB</b>			
GOLIMUMAB 100mg PRE-FILLED PEN	R	For the treatment of: - Psoriatic arthritis as per NICE TA220; - Rheumatoid arthritis as per TA225; - Ankylosing spondylitis as per TA383; - Spondyloarthritis as per NICE TA497; - Ulcerative colitis as per NICE TA329. MMTC, December 2018	
10.01 Drugs used in rheumatic diseases and gout			

DIFLUNISAL

09.08.01 Metabolic disorders

DIFLUNISAL 250mg TABLETS	NF	
ETODOLAC ETODOLAC 600mg TABLETS M/R	R	For use by consultant rheumatologists only. Medicines Effectiveness, March 2001.
10.01.00 Drugs used in rheumatic diseases and gout <b>Upadacitinib</b>		
UPADACITINIB 15mg M/R TABLETS	R	For the treatment of moderate to severe active rheumatoid arthritis in adult patients as per NICE TA665. For treatment of active psoriatic arthritis after inadequate response to DMARDs as per NICE TA768. For treatment of active ankylosing spondylitis as per NICE TA829. For treatment of moderate to severe atopic dermatitis as per NICE TA814. For treatment of moderately to severely active ulcerative colitis and Chron's disease in adults and post pubescent children as per NICE TA856 and TA905. For treatment of active non- radiographic axial spondyloarthritis as per NICE TA861. For treatment of active rheumatoid arthritis in adults whose disease has responded inadequately to intensive therapy with 2 or more DMARDs, to be used alongside methotrexate as per NICE TA744 MMTC, March
UPADACITINIB 15mg PR TABLETS (FOC SUPPLY)	NF	
10.01.00 Drugs used in rheumatic diseases and gout BARICITINIB		
BARICITINIB 4mg TABLETS	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA466. For initiation by consultant rheumatologists only. MMTC, October 2017
BARICITINIB 2mg TABLETS	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA466. For initiation by consultant rheumatologists only. MMTC, October 2017

# GOLIMUMAB

GOLIMUMAB 50mg PRE-FILLED SYRINGE	R	<ul> <li>Strictly for those unable to use the pre-filled pen. For the treatment of:</li> <li>Psoriatic arthritis as per NICE TA220;</li> <li>Rheumatoid arthritis as per TA225;</li> <li>Ankylosing spondylitis as per TA383;</li> <li>Spondyloarthritis as per NICE TA497;</li> <li>Ulcerative colitis as per NICE TA329.</li> <li>MMTC, December 2018</li> </ul>
INFLIXIMAB		
INFLIXIMAB 100mg INJECTION	R	For rheumatoid arthritiss as per NICE TA130 and TA295, psoriasis as per TA134, for ulcerative colitis as per TA163 and TA329, Crohn's disease as per TA187, and psoriatic arthritis as per TA199. MMTC, June 2015.
SARILUMAB		
SARILUMAB 200mg PRE-FILLED SYRINGE	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA485. MMTC, December 2017
SARILUMAB 200mg PRE-FILLED PEN	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA485. MMTC, December 2017
SARILUMAB 150mg PRE-FILLED PEN	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA485. MMTC, December 2017
SARILUMAB 150mg PRE-FILLED SYRINGE	R	For the treatment of moderate to severe rheumatoid arthritis as per NICE TA485. MMTC, December 2017

TOFACITINIB

TOFACITINIB 5mg TABLETS	R	For the treatment of: Moderate to severe rheumatoid arthritis as per NICE TA480, Active psoriatic arthritis as per NICE TA543,Moderately to severely active ulcerative colitis as per NICE TA 547, Juvenile idiopathic arthritis as per NICE TA 751. For treatment of active ankylosing spondylitis that is not controlled well enough with conventional therapy in adults as per NICE TA920 MMTC, March 2024
TOFACITINIB 10mg TABLETS	R	For the treatment of moderate to severe active ulcerative colitis as per NICE TA547. Medicines Effectiveness, May 2019
10.01.00 Musculoskeletal and joint diseases		
CASIRIVIMAB CASIRIVIMAB 300mg per 2.5mL with IMDEVIMAB 300mg per 2.5mL	R	For treatment of Covid-19 in hospitalised and non- hospitalised patients with non- omicron variant infection. MMTC,
10.01.01 Non-steroidal anti-inflammatory drugs		
ACEMETACIN 60mg CAPSULES (NF)	NF	
CELECOXIB		
CELECOXIB 200mg CAPSULES	R	For use in OA and RA as per NICE guidelines only Medicines Effectiveness, May 2004.
CELECOXIB 100mg CAPSULES	R	For use in OA and RA as per NICE guidelines only Medicines Effectiveness, May 2004.
DICLOFENAC		
DICLOFENAC 100mg TABLETS M/R	NF	
DICLOFENAC 50mg TABLETS E/C	R	For short term analgesia in A+E, Maternity and young healthy adults. Medicines Effectiveness, November 2014
DICLOFENAC 25mg TABLETS E/C	R	For short term analgesia in A+E, Maternity and young healthy adults. Medicines Effectiveness, November 2014.
DICLOFENAC PAED 12.5mg SUPPOSITORIES	Y	

DICLOFENAC 75mg IN 3ml INJECTION	Y	
DICLOFENAC 50mg SUPPOSITORIES	R	For short term analgesia in A+E, Maternity and young healthy adults. Use in patients where oral/enteral route is not suitable only. Medicines Effectiveness, November 2014.
DICLOFENAC 25mg SUPPOSITORIES	R	For short term analgesia in A+E, Maternity and young healthy adults. Use in patients where oral/enteral route is not suitable only. Medicines Effectiveness, November 2014.
DICLOFENAC 100mg SUPPOSITORIES	R	For short term analgesia in A+E, Maternity and young healthy adults. Use in patients where oral/enteral route is not suitable only. Medicines Effectiveness, November 2014.
DICLOFENAC + MISOPROSTOL DICLOFENAC 50mg / MISOPROSTOL 200microgram TABLETS	R	For use at NOC only. Medicines Effectiveness, August 2000.
DICLOFENAC 75mg / MISOPROSTOL 200microgram TABLETS	R	For use at NOC only. Medicines Effectiveness, August 2000.
DICLOFENAC SODIUM		
DICLOFENAC 50mg TABLETS E/C	R	For short term analgesia in A+E, Maternity and young healthy adults. Medicines Effectiveness, November 2014
ETORCOXIB		
ETORICOXIB 30mg TABLETS	R	For use in OA and RA as per NICE guidelines only. Medicines Effectiveness, May 2004. For moderate to severe pain in haemophilia patients and patients with an inherited bleeding disorder. This is an off- label indication. MMTC, June 2018

# **ETORICOXIB**

ETORICOXIB 60mg TABLETS	R	For use in OA and RA as per NICE guidelines only. Medicines Effectiveness, May 2004. For moderate to severe pain in haemophilia patients and patients with an inherited bleeding disorder. This is an off- label indication. MMTC, June 2018
ETORICOXIB 90mg TABLETS	R	For use in OA and RA as per NICE guidelines only. Medicines Effectiveness, May 2004. For moderate to severe pain in haemophilia patients and patients with an inherited bleeding disorder. This is an off- label indication. MMTC, June 2018
FENBUFEN		
FENBUFEN 300mg TABLETS	NF	
FLURBIPROFEN 100mg TABLETS	NF	
FLURBIPROFEN 50mg TABLETS	NF	
IBUPROFEN 200mg TABLETS	Y	
IBUPROFEN 400mg TABLETS	Y	
IBUPROFEN 600mg TABLETS	Y	
IBUPROFEN 400mg TABLETS TTO 24's	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
IBUPROFEN 100mg/5ml LIQUID SUGAR FREE	Y	
IBUPROFEN 600mg SACHETS	Y	
IBUPROFEN 400mg TABLETS	Y	
IBUPROFEN 800mg TABLETS M/R	R	For use by consultants only. Medicines Effectiveness, March 2001.
INDOMETACIN INDOMETACIN 25mg CAPSULES	Y	

INDOMETACIN 50mg CAPSULES	Y	
KETOPROFEN 200mg CAPSULES M/R	NF	
KETOPROFEN 100mg CAPSULES	NF	
KETOPROFEN 50mg CAPSULES	NF	
MEFENAMIC MEFENAMIC ACID 500mg TABLETS	Y	
MEFENAMIC ACID 250mg CAPSULES	Y	
MEFENAMIC ACID MEFENAMIC ACID 50MG/5ML LIQUID	NF	
MELOXICAM MELOXICAM 7.5mg TABLETS	R	For initiation by rheumatologist at NOC only, Medicines Effectiveness, January 2007.
NABUMETONE 500mg TABLETS	R	For use at NOC only. Medicines Effectiveness, August 2001.
NAPROXEN NAPROXEN 250mg TABLETS E/C	Y	
NAPROXEN 500mg TABLETS E/C	Y	
NAPROXEN 250mg TABLETS TTO PACK (28)	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, Sept 2017
NAPROXEN 500mg TABLETS	Y	
NAPROXEN 250mg TABLETS	Y	
PIROXICAM PIROXICAM 10mg CAPSULES	Y	
PIROXICAM 20mg CAPSULES	Y	
SULINDAC		

R	For use by Maternity and Gynaecology only. Medicines Effectiveness, May 2001.
R	For use by Maternity and Gynaecology only. Medicines Effectiveness, May 2001.
NF	
NF	
NF	
Y	
R	For Juvenile Idiopathic Arthritis. MMTC, June 2015
UNR	
UNR	
and topica	al pain relief
R	For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy 170056P. MMTC, December
	R NF NF Y R UNR UNR and topica

10.01.03 Drugs that suppress **METHOTREXATE** 

METHOTREXATE 12.5mg IN 0.25ml PRE-FILLED P	EN R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013
10.01.03 Drugs that suppress the rheumatic disease p	rocess	
Abatacept ABATACEPT 125mg in 1mL PRE-FILLED PENS (ORENCIA)	R	For the treatment of : rheumatoid arthritis as per NICE TA195 and TA280; Juvenile Idiopathic Arthritis as per NICE TA373. MMTC, April 2019.
ABATACEPT 250mg INFUSION	R	For the treatment of : rheumatoid arthritis as per NICE TA195 and TA280; Juvenile Idiopathic Arthritis as per NICE TA373. MMTC, April 2019.
ADALIMUMAB		
ADALIMUMAB 40mg IN 0.8ml INJECTION VIAL	NF	
ADALIMUMAB 40mg PRE-FILLED SYRINGE for INJECTION	NF	For the treatment of: Ankylosing spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383; Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373; Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146; Psoriatic arthritis as per TA199; Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. MMTC, April 2019
APREMILAST		
APREMILAST 30mg TABLETS	R	For the treatment of: - chronic plaque psoriasis in adults as per NICE TA419 - active psoriatic arthritis as per NICE TA433. MMTC, April 2017
APREMILAST 10mg/20mg/30mg TABLETS (TREATMENT INITIATION PACK)	R	For the treatment of: - chronic plaque psoriasis in adults as per NICE TA419 - active psoriatic arthritis as per NICE TA433. MMTC, April 2017

BELIMUMAB		
BELIMUMAB 120mg INJECTION POWDER FOR RECONSTITUTION	R	For the treatment of active autoantibody-positive systemic lupus erythematosus as per NICE TA397. MMTC, October 2016
BELIMUMAB 400mg INJECTION POWDER FOR INJECTION	R	For the treatment of active autoantibody-positive systemic lupus erythematosus as per NICE TA397. MMTC, October 2016
BELIMUMAB 200mg in 1ml PRE-FILLED PEN (BENLYSTA)	R	For treatment of active autoantibody positive systemic lupus erthematosis as per NICE TA 752. MMTC, June 2022
CERTOLIZUMAB	_	
CERTOLIZUMAB PEGOL 200mg PRE-FILLED SYRINGE	R	For the treatment of rheumatoid arthritis after inadequate response to a TNF-alpha inhibitor as per NICE TA415.

#### Certolizumab pegol

CERTOLIZUMAB PEGOL 200mg in 1mL PRE FILLED R PEN (CIMZIA)

#### **Diclofenac sodium**

DICLOFENAC SODIUM 25mg GASTRO RESISTANT R TABLETS

#### **ETANERCEPT**

ETANERCEPT 50mg INJECTION PRE-FILLED SYRINGE

R For the treatment of: juvenile arthritis as per NICE TA373; psoriasis as per NICE TA103; plaque psoriasis as per NICE TA455; rheumatoid arthritis as per NICE TA375 and NICE TA195; ankylosing spondylitis as per NICE TA383; and psoriatic arthritis as per NICE TA199. MMTC, April 2019

MMTC, March 2017

ETANERCEPT 25mg INJECTION PRE-FILLED SYRINGE

R For the treatment of: juvenile arthritis as per NICE TA373; psoriasis as per NICE TA103; plaque psoriasis as per NICE TA455; rheumatoid arthritis as per NICE TA375 and NICE TA195; ankylosing spondylitis as per NICE TA383; and psoriatic arthritis as per NICE TA199. MMTC, April 2019

# FILGOTINIB

FILGOTINIB 200mg TABLETS

R

For treating moderately to severely active ulcerative colitis as per NICE TA792. For treatment of active rheumatoid arthritis in adults whose disease has responded inadequately to intensive therapy with 2 or more DMARDs, alongside methotrexate as per NICE TA676. MMTC, March 2024.

GOLIMUMAB		
GOLIMUMAB 50mg PRE-FILLED PEN	R	For the treatment of: - Psoriatic arthritis as per NICE TA220; - Rheumatoid arthritis as per TA225; - Ankylosing spondylitis as per TA383; - Spondyloarthritis as per NICE TA497; - Ulcerative colitis as per NICE TA329. MMTC, December 2018
HYDROXYCHLOROQUINE 200mg TABLETS	Y	
Ibuprofen IBUPROFEN 100mg/5ml LIQUID SUGAR FREE TTO 100ml	SR	
INFLIXIMAB		
INFLIXIMAB 100mg INJECTION	NF	
LEFLUNOMIDE		
LEFLUNOMIDE 100mg TABLETS	R	For use by Rheumatology at NOC only. Medicines Effectiveness, august 2001.
LEFLUNOMIDE 20mg TABLETS	R	For use by Rheumatology at NOC only. Medicines Effectiveness, august 2001.
LEFLUNOMIDE 10mg TABLETS	R	For use by Rheumatology at NOC only. Medicines Effectiveness, august 2001.

**METHOTREXATE** 

METHOTREXATE 15mg IN 0.3ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013.
METHOTREXATE 20mg IN 0.4ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013.
METHOTREXATE 25mg IN 0.5ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013.
METHOTREXATE 17.5mg in 0.35ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013
METHOTREXATE 22.5mg IN 0.45ml PRE-FILLED PEN	IR	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013
METHOTREXATE 7.5mg IN 0.15ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013
METHOTREXATE 30mg IN 0.6ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013
METHOTREXATE 10mg IN 0.2ml PRE-FILLED PEN	R	For NOC patients only. See SOP for screening and dispensing methotrexate prescriptions. Medicines Effectiveness, March 2013.
METHYLPREDNISOLONE		
METHYLPREDNISOLONE 40mg & LIDOCAINE 10mg in 1ml INJECTION DEPOT	Y	
PENICILLAMINE 125mg TABLETS	V	

PENICILLAMINE 125mg TABLETS Y

PENICILLAMINE 250mg TABLETS	Y	
<section-header>         TOCILIZUMAB 200mg in 10ml INJECTION</section-header>	R	For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy 170056P. As first line treatment of CAR-T cell-induced severe or life-threatening cytokine release syndrome (CRS) in adults and paediatric patients 2 years of age and older. For treatment of COVID19 in adults as per NICE TA878. MMTC, August 2023
TOCILIZUMAB 400mg in 20ml INJECTION	R	For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy 170056P. For treatment of COVID19 in adults as per NICE TA878. MMTC, August 2023
TOCILIZUMAB 80mg in 4ml INJECTION	R	For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy 170056P. For treatment of COVID 19 in adults as per NICE TA878. MMTC, August 2023
TRIAMCINOLONE		
TRIAMCINOLONE 50mg in 5ml INJECTION	Y	Licensed indications and also

Licensed indications and also approved for prevention of inflammation and macular oedema post-cataract surgery MMTC July 2021

#### VEDOLIZUMAB

VEDOLIZUMAB 108mg/0.68ml PRE-FILLED PENS

VEDOLIZUMAB 300mg INJECTION

R

R

R

For the treatment of moderately to severely active ulcerative colitis as per TA342 and moderately to severely active Crohn's disease after prior therapy as per TA352, and for treatment of ulcerative coilitis and crohns disease in postpubescent adolescents in line with the NHSE medicines for children policy. MMTC, July 2021

10.01.03 Drugs which suppress the rheumatic disease process

#### ADALIMUMAB

ADALIMUMAB 40mg in 0.8ml PRE-FILLED PEN	
(AMGEVITA)	

For the treatment of: Ankylosing spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383: Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373: Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146; Psoriatic arthritis as per TA199; Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. MMTC, April 2019

ADALIMUMAB 20mg in 0.4ml PRE-FILLED SYRINGE R For the treatment of: Ankylosing (AMGEVITA) spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383; Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373; Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146: Psoriatic arthritis as per TA199; Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. MMTC, April 2019

ADALIMUMAB 40mg in 0.8ml PRE- FILLED SYRINGE R

For the treatment of: Ankylosing spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383; Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373; Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146; Psoriatic arthritis as per TA199: Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. MMTC, April 2019

For the treatment of: Ankylosing spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383; Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373; Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146: Psoriatic arthritis as per TA199: Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. For treatment of active rheumatoid arthritis in adults, alongside methotrexate as per NICE TA715. MMTC, March 2024.

ANAKINRA 100MG SYRINGE

### DENOSUMAB

**ANAKINRA** 

(IMRALDI)

R

R

For treatment of Juvenile Idiopathic Arthritis (JIA) as per NHSE Policy E03/PS/a and Adult Onset Still's disease as per NHSE Policy 170056P. MMTC, December 2019

DENOSUMAB 60mg in 1ml PRE-FILLED SYRINGE	NF	For the prevention of osteoporotic fractures in postmenopausal women as per NICE TA204. For patients unable to receive first dose by GP including non-Oxfordshire patients. MMTC July 2019
INFLIXIMAB		
INFLIXIMAB 120mg PRE FILLED PEN	NF	Read the additional information given with this medication
NIVOLUMAB		
NIVOLUMAB 240mg IN 24ml INJECTION (EAMS - OSCC)	NF	
TOCILIZUMAB		
TOCILIZUMAB 162mg PRE-FILLED SYRINGE	R	For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy 170056P. MMTC, December
10.01.03 Immunosuppressants		
ADALIMUMAB		
ADALIMUMAB 20mg IN 0.2ml PRE-FILLED SYRINGE	NF	For the treatment of: Ankylosing spondylitis and non-radiographic axial spondyloarthritis as per NICE TA383; Behcet's disease following recommendation by the Birmingham Centre of Excellence; Crohn's disease as per NICE TA187; Hidradenitis suppurativa as per NICE TA392; Juvenile idiopathic arthritis as per NICE TA373; Rheumatoid arthritis as per NICE TA195 and NICE TA375; Psoriasis as per NICETA146; Psoriatic arthritis as per TA199; Ulcerative colitis as per TA329; Uveitis as per NHSE policy 170010/PS; Non-infectious Uveitis as per NICE TA460. MMTC, April 2019
10.01.04 Gout and cytotoxic-induced hyperuricaemia		

10.01.04 Gout and cytotoxic-induced hyperuricaemia **ALLOPURINOL** 

ALLOPURINOL 100mg TABLETS

ALLOPURINOL 300mg TABLETS	Y	
COLCHICINE COLCHICINE 500microgram TABLETS	Y	
FEBUXOSTAT FEBUXOSTAT 120mg TABLETS	R	For the treatment of hyperuricaemia in rheumatology patients who are unable to take or intolerant to allopurinol as per NICE TA164. MAC, April 2009.
FEBUXOSTAT 80mg TABLETS	R	For the treatment of hyperuricaemia in rheumatology patients who are unable to take or intolerant to allopurinol as per NICE TA164. MAC, April 2009.
PROBENECID 500mg TABLETS	UNR	For severe gout/hyperuricaemia. Use only when Benemid is not available. Mediicines Effectiveness, July 2011.
RASBURICASE RASBURICASE 1.5mg INJECTION	R	For use by Paediatric and Adult Heamatology/Oncology only. Medicines Effectiveness, December 2012.
RASBURICASE 7.5mg INJECTION	R	For use by Paediatric and Adult Heamatology/Oncology only. Medicines Effectiveness, December 2012.
SULFINPYRAZONE SULFINPYRAZONE 100mg TABLETS	Y	
10.02.02 Skeletal muscle relaxants HYALURONIC ACID HYALURONIC ACID 20MG INJECTION 3ml	NF	
10.01 Musculoskeletal and joint diseases		

10.01.03 Drugs which suppress the rheumatic disease process

TOCILIZUMAB 162mg in 0.9ml PRE-FILLED SYRI	NGE
(TYENNE)	

NF For the treatment of: Juvenile idiopathic arthritis as per NICE TA238; Rheumatoid arthritis in adults as per NICE TA247; Giant cell arteritis in adults, as per NICE TA518; Takayasu arteritis in adults as per NHSE Clinical Commissioning Policy 16056/P, and Adult Onset Still's disease (off-label) as per NHSE Policy

		170056P. MMTC, December 2019
Canakinumab		
CANAKINUMAB 150mg INJECTION	NF	
Certolizumab		
CERTOLIZUMAB PEGOL 200mg in 1ml PRE FILLED PEN (FREE OF CHARGE)	F	
Durvalumab		
DURVALUMAB 500mg in 10ml INJECTION (FOR COMPASSIONATE USE)	NF	COMPASSIONATE USE FOR UPER GI To be reconstituted by Baxters GRAHAM 03.08.23
Pembrolizumab		
PEMBROLIZUMAB 100mg IN 4ml SOLUTION FOR INFUSION VIAL (COMPASSIONATE USE)	NF	
10.02 Drugs used in neuromuscular disorders		
QUININE SULPHATE		
QUININE SULPHATE 300mg TABLETS	Y	

QUININE SULPHATE 300mg TABLETS	
--------------------------------	--

Risdiplam

RISDIPLAM	37.5mg/5ml	LIQUID	80ml SF
-----------	------------	--------	---------

R

For spinal muscular atrophy as per TA 755 Cytostatic: Solution to reconstituted in the clinical trials unit satellite laminar flow cabinet by a member of the JR dispensary team. Caution should be exercised in the handling of Evrysdi powder for oral solution. Avoid inhalation and direct contact with skin or mucous membranes with the dry powder and the constituted solution. Wear disposable gloves during constitution and while wiping the outer surface of the bottle/cap and cleaning the working surface after constitution. If contact occurs, wash thoroughly with soap and water; rinse eyes with water. Room temp storage before reconstitution. Fridge storage

10.02.01 Drugs that enhance neuromuscular transmission <b>EDROPHONIUM</b>	n	
EDROPHONIUM 150mg IN 15ml INJECTION	UNR	For use by NICU only. Medicines Effectiveness, Septemeber 2013.
NEOSTIGMINE		
NEOSTIGMINE 2.5mg IN 1ml INJECTION	Y	
PYRIDOSTIGMINE		
PYRIDOSTIGMINE 60mg TABLETS	Y	
10.02.02 Skeletal muscle relaxants		
BACLOFEN		
BACLOFEN 36mg in 12ml INTRATHECAL INJECTION	SR	For use by Neurology Consultants only. Medicines Effectiveness, February 2013.
BACLOFEN 10mg IN 5ml INTRATHECAL INJECTION	NF	
BACLOFEN 30mg IN 10ml INTRATHECAL INJECTION (PRESERVATIVE FREE)	1	SR For use by Neurology Consultants only. Medicines Effectiveness, February 2013.
BACLOFEN 50micrograms in 1ml INTRATHECAL INJECTION	R	For use by Neurology Consultants only. Medicines Effectiveness, February 2013.
BACLOFEN 40mg IN 20ml INTRATHECAL INJECTION	IR	For use by Neurology Consultants only. Medicines Effectiveness, February 2013.

BACLOFEN 10mg TABLETS	Y	
BACLOFEN 5mg/5ml LIQUID	Y	
BACLOFEN 10mg in 20ml INTRATHECAL INJECTION	R	For use by Neurology Consultants only. Medicines Effectiveness, February 2013.
BACLOFEN 3mg IN 1ml INTRATHECAL INFUSION (PRES FREE) 5ml	SR	For use by Neurology Consultants only. Medicines Effectiveness, May 2016
DANTROLENE SODIUM		
DANTROLENE SODIUM 100mg CAPSULES	Υ	
DANTROLENE SODIUM 25mg CAPSULES	Y	
METHOCARBAMOL		
METHOCARBAMOL 750mg TABLETS	Υ	
TIZANIDINE		
TIZANIDINE 2mg TABLETS	R	For use in multiple sclerosis or in spinal cord injury/disease (second line therapy after baclofen). MAC, November 1998.
TIZANIDINE 4mg TABLETS	R	For use in multiple sclerosis or in spinal cord injury/disease (second line therapy after baclofen). MAC, November 1998.

10.03 Drugs for the treatment of soft-tissue disorders and topical pain relief 10.03.00 Drugs for the treatment of soft-tissue disorders and topical pain relief

BENZYDAMINE BENZYDAMINE CREAM 100g (DIFFLAM)	NF	
10.03.00 Musculoskeletal and joint diseases SUCROSE SUCROSE 24% SOLUTION 2ml	R	For use in young infants to reduce procedural pain and distress MMTC , July 2015

10.03.01 Enzymes
HYALURONIDASE

HYALURONIDASE 1500international units INJECTION Y

10.03.02 Rubefacients, topical NSAIDs, capsaicin, and poultices **CAPSAICIN** 

CAPSAICIN 0.025% CREAM 45g	NF
DICLOFENAC DICLOFENAC 1% EMUGEL 100g	Y
IBUPROFEN IBUPROFEN 100mg/5ml LIQUID	Y
IBUPROFEN 5% GEL 100g	Y
PIROXICAM PIROXICAM 0.5% GEL 60g	NF

# 11 Eye

#### AFLIBERCEPT

AFLIBERCEPT 3.6mg IN 0.09ml INTRAVITREAL INJECTION (PRE-FILLED SYRINGE)	R	For the treatment of:- wet-age related macular degeneration as per NICE TA294 -diabetic macular oedema as per NICE TA346 - visual impairment
		caused by macular oedema after branch retinal vein occlusion as per NICE TA409 - Choroidal Neovascularisation as per NICE TA 486. MMTC, February 2018

#### **FLUORESCEIN**

FLUORESCEIN 20% INJECTION 5ml	UNR	Restricted to angiography (eye). Medicines Effectiveness, February 2013.
-------------------------------	-----	--

### HYDROXYPROPYL METHYLCELLULOSE

HYDROXYPROPYL METHYLCELLULOSE (HPMC) 2%	Υ
IN BALANCED SALT 5ml VIALS	

### Natamycin

INA LAIVE CITY	(PIMARICIN) 5% EYE DROPS 5ml	UNR

For proven or suspected or fungal keratitis infections. Restricted to consultant ophthalmology and/or microbiology/infectious diseases physician prescribing or recommendation only. MMTC June 2018

### SODIUM HYALURONATE

SODIUM HYALURONATE 30mg & SOD CHONDROITIN Y 40mg 0.5ml INJ (VISCOAT)

#### 11.03 Anti-infective eye preparations

### Chlorhexidine

CHLORHEXIDINE 0.02% EYE DROPS PRES FREE	SR	For use by Ophthalmology or on
10ml		Microbiology advice only.
		Medicines Effectiveness.

February 2003.

To be used by Ophthalmology only - replacement for gentamicin

1.5% eye drops. Medicines Effectiveness, November 2020

September 2003.

# 11.03.00 Anti-infective eye preparations

# CHLORAMPHENICOL

CHLORAMPHENICOL 0.5% MINIMS	R	Restricted for patients with documented preservative intolerance/ allergy and to those with compromised cornea where corneal toxicity is a concern. Medicines Effectiveness, November 2016
OFLOXACIN		

OFLOXACIN 0.3% EYE DROPS TTO PACK 5ml	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, November 2015.
OFLOXACIN 0.3% EYE DROPS 5ml	Y	

### 11.03.01 Antibacterials

### AMIKACIN

### CEFUROXIME

CEFUROXIME 5% EYE DROPS 10ml	SR	For use by Ophthalmology or on advice from Microbiology only.
		Medicines Effectiveness,

#### **CHLORAMPHENICOL**

CHLORAMPHENICOL 1% EYE OINTMENT 4g	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group,
		January 2012.

CHLORAMPHENICOL 0.5% EYE DROPS TTO PACK	SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CHLORAMPHENICOL 0.5% EYE DROPS 10ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CHLORHEXIDINE		
CHLORHEXIDINE 0.02% EYE DROPS PRES FREE 5ml	UNR	For use by Ophthalmology or on Microbiology advice only. Medicines Effectiveness, February 2003.
CIPROFLOXACIN		
CIPROFLOXACIN 0.3% EYE/EAR DROPS 5ml	Y	
CIPROFLOXACIN 0.3% EAR/EYE DROPS 5ml TTO (for use in ear(s))	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
FUSIDIC ACID		
FUSIDIC ACID 1% EYE DROPS 5g	Y	
GENTAMICIN		
GENTAMICIN 0.3% EYE/EAR DROPS 10ml	Y	
KETOTIFEN		
KETOTIFEN 250micrograms/ml EYE DROPS 0.4ml UNIT DOSE (preservative free)	R	For treatment of symptomatic seasonal allergic conjunctivitis in patients requiring a preservative free option. MMTC, July 2021
MOXIFLOXACIN		
MOXIFLOXACIN 0.5% EYE DROPS 5ml	NF	For treatment of microbial keratitis (first line treatment) . MMTC February 2021

### PROPAMIDINE

PROPAMIDINE 0.1% EYE DROPS 10ml	R	For the treatment of acanthamoeba infection only. Medicines Effectiveness, February 2003.
TOBRAMYCIN TOBRAMYCIN 0.3% EYEDROPD	NF	
VANCOMYCIN VANCOMYCIN 5% EYE DROPS 5ml	SR	For use by Ophthalmology only. Medicines Effectiveness, March 2013.
11.03.03 Antivirals ACICLOVIR		
ACICLOVIR 3% EYE OINTMENT 4.5g	NF	
GANCICLOVIR GANCICLOVIR 0.15% EYE GEL 5g	R	For the treatment of Acute herpetic keratitis. MMTC, May 2019
13.10.01 Antibacterial preparations CHLORAMPHENICOL		
CHLORAMPHENICOL 0.5% MINIMS TT	D (20) SR	For areas allowed to keep TTO packs. As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
INDOCYANINE GREEN		
INDOCYANINE GREEN 25mg IN 5ml IN	JECTION R	For use as a marking agent during surgery; in patients with allergy to iodine during angiography; retinal imaging and intraocular visualisation; and for mapping of cutaneous lymphatic drainage. MMTC, June
11.04 Corticosteroids and other anti-inflamma 11.04.00 Corticosteroids and other anti-infl DEXAMETHASONE		S
DEXAMETHASONE 0.1% EYE DROPS	ITO PACK SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013

# PREDNISOLONE

11.04.01 Corticosteroids FLUOCINOLONE FLUOCINOLONE 190microgram INTRAVITREAL IMPLANT	R	For treatment of: diabetic macular oedema as per NICE TA301 and non-infectious uveitis as per NICE TA509. MMTC, November 2019
11.04.01 Corticosteroids		
BETAMETHASONE		
BETAMETHASONE 0.1% DROPS (EYE/EAR and NOSE) 10ml	Y	
BETAMETHASONE 0.1% & NEOMYCIN 0.5% DROPS (EYE/EAR/NOSE) 10ml	Y	
DEXAMETHASONE		
DEXAMETHASONE 0.1% TOBRAMYCIN 0.3% EYE DROPS 5ml	NF	
DEXAMETHASONE 0.1% EYE DROPS TTO PACK	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
DEXAMETHASONE 700microgram INTRAVITREAL IMPLANT	R	For macular oedema (retinal vein occlusion) - dexamethasone as per NICE TA229; Diabetic macular oedema TA349; Non- infectious uveitis as per NICE TA460. MMTC, October 2017
DEXAMETHASONE 0.1% EYE DROPS 5ml	Y	
FLUOROMETHOLONE FLUOROMETHOLONE 0.1% EYE SUSPENSION 10ml	ΙY	
IOTEPREDNOL ETABONATE LOTEPREDNOL ETABONATE 0.5% EYE DROPS 5ml	NF	
MAXITROL		
MAXITROL EYE DROPS 5ml	Y	
MAXITROL EYE OINTMENT 3.5g	Y	
MAXITROL EYE OINTMENT TTO 3.5g	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.

Y

MAXITROL EYE DROPS TTO PACK	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
PREDNISOLONE PREDNISOLONE 1% EYE DROPS TTO PACK 10ml	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
PREDNISOLONE 0.1% PRES FREE EYE DROPS 10m	NUNR	For ophthalmology use only. Medicines Effectiveness, April 2015.
PREDNISOLONE (FORTE) 1% EYE DROPS 10ml	Y	
PREDNISOLONE 0.5% EYE DROPS (MINIMS)	Y	
PREDNISOLONE 1% EYE DROPS PRES FREE 10ml	Y	
11.04.02 Other anti-inflammatory preparations <b>DEXAMETHASONE</b>		
DEXAMETHASONE 0.1% EYE DROPS (MINIMS)	Y	
EPINASTINE HYDROCHLORIDE EPINASTINE HYDROCHLORIDE 500mcg/ml EYE DROPS 5ml	NF	
LODOXAMIDE LODOXAMIDE 0.1% EYE DROPS 10ml	Y	
NEDOCROMIL		
NEDOCROMIL SODIUM 2% EYE DROPS 5ml	Y	
OLOPATADINE		
OLOPATADINE 1mg/ml EYE DROPS 5ml	R	For the treatment of allergic conjunctivitis in those where sodium cromoglycate is ineffective or not appropriate. MMTC, February 2018
OTRIVINE-ANTISTIN		
OTRIVINE-ANTISTIN EYE DROPS 10ml	NF	
SODIUM CROMOGLICATE		
SODIUM CROMOGLICATE 2% UNIT DOSE EYE DROPS (PRESERVATIVE FREE)	Y	
SODIUM CROMOGLICATE 2% EYE DROPS 13.5ml	Y	
11.05 Mydriatics and cycloplegics		

TROPICAMIDE TROPICAMIDE 0.2mg / PHENYLEPHRINE 3.1mg / LIDOCAINE 10mg INJECTION	R	For mydriasis and local anaesthesia in cataract surgery only. MMTC, July 2017
11.05.00 Mydriatics and cycloplegics Atropine		
ATROPINE 1% EYE DROPS (MINIMS) - TTO PACK (20s)	SR	For areas allowed to use TTO packs. Medicines Effectiveness.
ATROPINE 1% EYE DROPS (MINIMS)	Y	
CYCLOPENTOLATE CYCLOPENTOLATE 1% EYE DROPS (minims)	Y	
CYCLOPENTOLATE 0.5% EYE DROPS (MINIMS)	Y	
CYCLOPENTOLATE 1% EYE DROPS 5ml	Y	
CYCLOPENTOLATE 0.5% EYE DROPS 5ml	Y	
CYCLOPENTOLATE 1% EYE DROPS 5ml TTO PACK	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
DORZOLAMIDE 20mg/ml (0.2%) EYE DROPS PRES FREE	R	Second line carbonic anhydrase inhibitor for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, August 2017
PHENYLEPHRINE PHENYLEPHRINE 2.5% EYE DROPS (MINIMS)	Y	
PHENYLEPHRINE 10% EYE DROPS (MINIMS)	Y	
TROPICAMIDE TROPICAMIDE 0.5% EYE DROPS (MINIMS)	Y	

11.06 Treatment of glaucoma 1.06.00 Drugs for Glucoma LATANOPROST + TIMOLOL		
LATANOPROST 50microgram/ml & TIMOLOL 5mg/ml UNIT DOSE EYE DROPS 0.2ml	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre- existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, October 2019
11.06.00 Drugs for Glucoma		
ACETAZOLAMIDE ACETAZOLAMIDE 250mg CAPSULES S/R TTO 6'S	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
ACETAZOLAMIDE 250mg TABLETS	Y	
ACETAZOLAMIDE 500mg INJECTION	Y	
BETAXOLOL		
BETAXOLOL 0.25% EYE DROPS 5ml	Y	
BETAXOLOL 0.5% EYE DROPS 5ml	NF	
BETAXOLOL 0.25% UNIT DOSE PRESERVATIVE FREE EYE DROPS BIMATOPROST	NF	
BIMATOPROST 100micrograms/ml EYE DROPS	R	Third line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline.

BIMATOPROST 300microgram/ml EYE DROPS 0.4ml UNIT DOSE (PRES FREE)	R	Third line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, August 2017
BRIMONIDINE TARTRATE 0.2% (2mg/ml) EYE DROPS 5ml	R	First line alpha agonist for the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. MMTC, August 2017
BRIMONIDINE + TIMOLOL BRIMONIDINE 2mg/ml and TIMOLOL 5mg/ml EYE DROPS 5ml	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017
BRINZOLAMIDE BRINZOLAMIDE 10mg/ml EYE DROPS 5ml	R	First line carbonic anhydrase inhibitor for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. MMTC, August 2017
BRINZOLAMIDE + BRIMONIDINE 2mg/ml BRINZOLAMIDE 10mg/ml and BRIMONIDINE 2mg/ml EYEDROPS 5ml	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. Restricted to those where beta blockers are contraindicated and combination product indicated. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017

### **BRINZOLAMIDE + TIMOLOL**

BRINZOLAMIDE 10mg/ml and TIMOLOL 5mg/ml EYE	R	For the treatment of glaucoma
DROPS 5ml		and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017
DORZOLAMIDE		
DORZOLAMIDE 20mg/ml EYE DROPS 5ml	R	Second line carbonic anhydrase inhibitor for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. MMTC, August 2017
DORZOLAMIDE 20mg/ml & TIMOLOL 5mg/ml EYE DROPS 5ml	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017
DORZOLAMIDE 20mg/ml & TIMOLOL 5mg/ml EYE DROPS TTO 5ml	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, February 2013.
GANFORT		
BIMATOPROST/TIMOLOL 300MCG/5ML 0.4ML EYE DROPS PRESERVATIVE FREE	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017

BIMATOPROST 300micrograms/ml & TIMOLOL 5mg/ml EYE DROPS 3ml	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue MMTC, August 2017
LATANOPROST		
LATANOPROST 0.005% (50micrograms/ml) UNIT DOSE EYE DROPS PRES FREE	R	First line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, August 2017
LATANOPROST 50microgram/ml + TIMOLOL 5mg/ml EYE DROPS 2.5ml	R	This combinations is not deemed to be clinically effective. All requests should be challenged. Please see the OUH-OCCG glaucoma and ocular hypertension guideline. Medicines Effectiveness, April 2018
LATANOPROST 0.005% (50micrograms/ml) UNIT DOSE EYE DROPS TTO PACK	SR	
LATANOPROST 0.005% (50micrograms/ml) EYE DROPS 2.5ml	R	First line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. MMTC, August 2017
LATANOPROST 0.005% (50micrograms/ml) EYE DROPS TTO 2.5ml	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
LEVOBUNOLOL 0.5% UNIT DOSE EYE DROPS	Y	
(PRES FREE) PILOCARPINE		
PILOCARPINE 2% EYE DROPS 10ml	Y	
PILOCARPINE 4% EYE DROPS 10ml	Y	

PILOCARPINE 2% EYE DROPS (MINIMS) (20)	Y	
PILOCARPINE 1% EYE DROPS 10ml	Y	
TAFLUPROST 15microgram/ml EYE DROPS (SIL DOSE UNITS) (30)	NGLE R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, August 2017
TAFLUPROST + TIMOLOL		
TAFLUPROST 15micrograms/ml and TIMOLOL 5mg/ml EYEDROPS Preservative Free	R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue. MMTC, August 2017
TIMOLOL		
TIMOLOL 0.5% EYE DROPS 2.5ml L.A.	R	First line treatment in Infantile haemangiomas (Off-label), initiation must be on advise of dermatology team. MMTC, July 2023
TIMOLOL 0.1% EYE GEL Preservative free 30	R	First line beta blocker for the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Preservative-free drops should only be used if there are documented intolerance or allergy to preservatives or there is a pre-existing ocular surface disease which is likely to be exacerbated by preservatives. MMTC, August 2017
TIMOLOL 0.5% EYE DROPS 5ml	NF	

TIMOLOL 0.25% EYE DROPS 5ml	R	First line beta blocker for the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. MMTC, August 2017
TIMOLOL 0.25% EYE DROPS 2.5ml L.A.	R	Second line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. MMTC, August 2017
TIMOLOL + TRAVOPROST		
TRAVOPROST 40micrograms in 1ml / TIMOLO in 1ml EYE DROPS 2.5ml	L 5mg R	For the treatment of glaucoma and ocular hypertension as per the OUH-OCCG treatment guideline. NB: Fixed dose combinations should only be used if the patient requires more than two different eye drops or compliance is an issue. MMTC, August 2017
11.06.00 Optic neuropathy		
IDEBENONE		
IDEBENONE 150mg TABLETS (Free of charge E	EAS) R	For the treatment of Duchenne's muscular dystrophy in those patients registered on the national Exceptional Access Scheme (ExAS) only. NB: each request should be ordered on a case-by-case basis via a SharePoint request for each order and a Blueteq number. MMTC, January 2018
11.06.00 Retinal disorders		
CARBACHOL		
CARBACHOL 3.0% EYE DROPS 10ml	NF	
11.07 Local anaesthetics 11.07.00 Local anaesthetics <b>BENOXINATE (OXYBUPROCAINE)</b> OXYBUPROCAINE 0.4% MINIMS	Y	
LIDOCAINE LIDOCAINE 4% & FLUORESCEIN 0.25% MINIM	IS Y	
PROXYMETACAINE		
PROXYMETACAINE 0.5% EYE DROPS (MINIM	S) Y	

# TRAVOPROST

TRAVOPROST EYE DROPS 2.5ml	R	Second line prostaglandin analogue for the treatment of glaucoma and ocular hypertension as per the OUH- OCCG treatment guideline. MMTC, August 2017
11.07.00.00 Local anaesthesia		
LIDOCAINE		
LIDOCAINE 5% & PHENYLEPHRINE 0.5% TOPICAL SOLUTION 2.5ml	Y	
TETRACAINE		
TETRACAINE 1% EYE DROPS (MINIMS)	Υ	
15.02 Anaesthesia		
	V	
TETRACAINE 0.5% EYE DROPS (MINIMS)	Y	
11.08 Miscellaneous ophthalmic preparations		
Acetylcholine		
ACETYLCHOLINE CHLORIDE 20mg INTRAOCULAR IRRIGATION AMPOULES	Y	
11.08 Miscellaneous ophthalmic preparations		
DISODIUM EDETATE		
DISODIUM EDETATE 0.37% SOLUTION 20ml (PRES FREE)	SR	For Ophthalmology use only. Medicines Effectiveness, May 2013.
11.08.00 Miscellaneous ophthalmic pre		
POLYHEXAMETHYLENE BIGUANIDE		
POLYHEXAMETHYLENE BIGUANIDE 0.02% EYE DROPS	SR	For use by Ophthalmology only. Medicines Effectiveness, January 2014.
11.08.00 Miscellaneous ophthalmic preparations		
CARMELLOSE		
CARMELLOSE 1% EYE DROPS 0.4ml (30)	R	For use by Ophthalmology only. Medicines Effectiveness, March 2013.

# CICLOSPORIN

CICLOSPORIN 1mg/ml UNIT DOSE EYE DROPS 0.3mlR (30)		For treating dry eye disease that has not improved despite treatment with artificial tears as per NICE TA369. Initiation by consultant ophthalmologist only. MMTC, April 2016
DISODIUM EDETATE		
DISODIUM EDETATE EYE DROPS 0.37% 10ml	SR	For Ophthalmology use only. Medicines Effectiveness, May 2013.
MYDRICAINE		
MYDRICAINE No2 INJECTION	SR	For use by Ophthalmology only. Meidicines Effectiveness, November 2013.
NATAMYCIN		
NATAMYCIN 5% EYE DROPS 15ml	UNR	For proven or suspected or fungal keratitis infections. Restricted to consultant ophthalmology and/or microbiology/infectious diseases physician prescribing or recommendation only. MMTC June 2019
OCRIPLASMIN		
OCRIPLASMIN 500microgram IN 0.2ml INTRAVITREALR INJECTION		For vitreomacular traction on advice of a consultant ophthalmologist in line with NICE TA297. MMTC, January 2014.
POLYHEXAMETHYLENE BIGUANIDE		
POLYHEXAMETHYLENE BIGUANIDE (POLIHEXANIDE) 0.06% EYE DROPS		SR For use by Ophthalmology only. Medicines Effectiveness, January 2014.
Sodium acetate		
SODIUM CHLORIDE 5% EYE OINTMENT (Preservative free)	NF	
SODIUM HYALURONATE		
SODIUM HYALURONATE 0.2% EYE DROPS (PRES FREE) 10ml	Y	
SODIUM HYALURONATE 0.1% EYE DROPS (PRES FREE) 10ml	Y	
VERTEPORFIN	5	
VERTEPORFIN 15mg INJECTION	R	Restricted for Central Serous Chorioteinopathy, Medicines Effectiveness 2018

VISCOTEARS CARBOMER 980 0.2% LIQUID GEL 10g	Y	
11.08.01 Tear deficiency, ocular lubricants and astringen LIQUID PARAFFIN LIQUID PARAFFIN EYE OINTMENT	rts Y	
	-	
11.08.01 Tear deficiency, ocular lubricants, and astringer ACETYLCYSTEINE	าเร	
ACETYLCYSTEINE 5% EYE DROPS 10ml	Υ	
ARTIFICIAL TEARS ARTIFICIAL TEARS MINIMS	Y	
BALANCED SALT SOLUTION		
BALANCED SALT SOLUTION 15ml	Y	
BALANCED SALT SOLUTION 500ml	Y	
BALANCED SALT SOLUTION PLUS 500ml	Y	
CARMELLOSE		
CARMELLOSE 0.5% EYE DROPS 0.4ml (30)	R	For use by Ophthalmology only. Medicines Effectiveness, March 2013.
CARMELLOSE SODIUM 0.5% EYE DROPS 0.4ML TTO (30)	SR	For areas allowed to keep TTO packs. For use by Ophthalmology only. Medicines Effectiveness, March 2013.
CARMELLOSE 0.5% GLYCERINE 1% CASTOR OIL 0.25% EYE DROPS	Y	
CARMELLOSE 0.5% EYE DROPS 10ml (OPTIVE)	Y	
CATIONORM		
CATIONORM PRESERVATIVE-FREE EYE DROPS 10ml	Y	
HYPROMELLOSE		
HYPROMELLOSE 0.3% EYE DROPS 10ml	UNR	
HYPROMELLOSE 0.3% EYE DROPS TTO PACK 10m	I SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.

# LACRI-LUB

LACRI-LUBE EYE OINTMENT 3.5g	Y	
LIQUIFILM TEARS LIQUIFILM TEARS EYE DROPS 15ml	Y	
LIQUIFILM TEARS UNIT DOSE EYE DROPS (PRES FREE)	Y	
LUBRI TEARS LUBRI TEARS EYE OINTMENT 5g	NF	
SODIUM CHLORIDE SODIUM CHLORIDE 5% EYE DROPS 10ml	Y	
SODIUM CHLORIDE 5% EYE DROPS PRES FREE 10ml	Y	
SODIUM CHLORIDE 0.9% EYE DROPS 10ml	NF	
SODIUM HYALURONATE + DEXPANTHENOL SODIUM HYALURONATE 0.1% & DEXPANTHENOL 2% EYE DROPS 10ml	NF	
11.08.02 Ocular diagnostic and peri-operative preparation	ns and pł	notodynamic treatment
APRACLONIDINE APRACLONIDINE 0.5% EYE DROPS 5ml	Y	
APRACLONIDINE 1% PRESERVATIVE FREE SOLUTION	Y	
BROMFENAC		
BROMFENAC 0.09% EYE DROPS	R	For post-cataract extraction in patients at high risk ofdeveloping cystoid macular oedema (CMO). MMTC, August 2013.
DICLOFENAC		
DICLOFENAC 0.1% EYE DROPS (Preservative free)	R	For patients requiring a preservative free NSAID eye drop. For all other patients recommend changing to Ketorolac eye drops. Medicines Effectiveness, January 2001.
FLUORESCEIN FLUORESCEIN 2% EYE DROPS (MINIMS)	Y	
KETOROLAC 0.5% EYE DROPS 5ml	Y	

KETOROLAC 0.5% EYE DROPS TTO 5ml	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
POVIDONE IODINE		
POVIDONE IODINE 5% OPHTHALMIC SOLUTION 4x20ml	SR	For pre-op in eye theatres only, Medicines Effectiveness, August 2018
POVIDONE IODINE 5% EYE DROPS (MINIMS) 0.4ml	R	For use in EYE O/Ps only. Medicines Effectiveness, Apr 2015.
RANIBIZUMAB		
RANIBIZUMAB 1.65mg in 0.165ml (10mg/ml) PRE- FILLED SYRINGE	R	For use by Consultant Ophthalmology in patients with age related macular degeneration as per NICE TA155; and treating choroidal neovascularisation associated with pathological myopia NICE TA298. Also approved for use as per other NICE TAs following the completion of a NICE implementation form (see PPDU SharePoint). MMTC, February 2014.
SIMPLE EYE OINTMENT B.P 4g	Y	
SODIUM CHLORIDE		
SODIUM CHLORIDE 0.9% EYE DROPS (MINIMS)	Y	
SODIUM HYALURONATE		
SODIUM HYALURONATE 18mg in 1ml (0.85ml) G.V INJECTION	Y	
SODIUM HYALURONATE 23mg in 1ml (0.6ml) INJECTION	Y	
SODIUM HYALURONATE 10mg in 1ml (0.55ml) INJECTION (PROVISC)	Y	
SODIUM HYALURONATE 0.18% EYE DROPS SINGL USE 0.3ml (20sach)	E	R For use by Ophthalmology only. Medicines Effectiveness, September 2006.
SODIUM HYALURONATE 10mg in 1ml (0.85ml) INJECTION	Y	

11.08.02 Ocular diagnostic and peri-operative preparations and photodynamic treatments

### **FLUORESCEIN**

FLUORESCEIN 10% INJECTION 5ml		UNR	Restricted to angiography (eye) and confocal endomicroscopy, Fluorescent guided neurosurgery for visualisation of brain tumour and tumour vessels in adult patients. MMTC, December 2021.
FLUORESCEIN 10% INJECTION 5ml		R	Restricted to angiography (eye) and confocal endomicroscopy, Fluorescent guided neurosurgery for visualisation of brain tumour and tumour vessels in adult patients. MMTC, December 2021.
12 Ear, nose, and oropharynx			
12.01 Drugs acting on the ear			
Fluticasone FLUTICASONE PROPIONATE 400microg DROPS 0.4ml UNITS	grams NASAL	R	For the treatment of oral mucosal diseases following recommendation by oral medicine or dermatology. Also available for use by ENT surgery. MMTC, January 2017
12.01.01 Otitis externa			
ALUMINIUM ACETATE			
ALUMINIUM ACETATE 13% EAR DROP	S 10ml	SR	For inflammation in otitis externa. Medicines Effectiveness, January 2014.
BORIC ACID			
POVIDONE IODINE 1% w/w in BORIC A0 5g	CID POWDER		UNR For Otitis Externa. Medicines Effectiveness, March 2013.
CHLORAMPHENICOL			
CHLORAMPHENICOL 5% EAR DROPS	10ml	Y	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
GENTAMICIN			
GENTAMICIN HC EAR DROPS 10ml		Y	

#### LOCORTEN-VIOFORM

LOCORTEN-VIOFORM EAR DROPS 7.5ml	Y	
OTOMIZE EAR OTOMIZE EAR SPRAY 5ml	Y	
SOFRADEX SOFRADEX EAR/EYE DROPS 8ml TTO PACK	SR	For areas allowed to keep TTO packs.
SOFRADEX EAR/EYE DROPS 8ml	Y	
12.01.03 Removal of ear wax		
OLIVE OIL 92ml	Y	
SODIUM BICARBONATE SODIUM BICARBONATE 5% EAR DROPS B.P 10ml	Y	
12.02 Drugs acting on the nose 12.02.00 Drugs acting on the nose <b>SODIUM CHLORIDE</b>		
SODIUM CHLORIDE 0.9% NASAL DROPS 10ml	Y	
12.02.00 Drugs for the treatment of soft-tissue disorders	and topic	al pain relief
GLUCOSE 25% and GLYCEROL Nasal drops 30ml	Y	
12.02.01 Drugs used in nasal allergy BECLOMETASONE		
BECLOMETASONE AQUEOUS 50micrograms/DOSE NASAL SPRAY	Y	
FLUTICASONE		
FLUTICASONE FUROATE 27.5microgram NASAL SPRAY	NF	
FLUTICASONE 50microgram AQUEOUS NASAL SPR	AY NF	
MOMETASONE		
MOMETASONE 50microgram NASAL SPRAY	R	For 2nd line use after beclomethasone nasal spray. Medicines Effectiveness, January 2001.
12.02.02 Topical nasal decongestants <b>FLUTICASONE</b>		

	FLUTICASONE PROPIONATE 400microgram/0.4ml NASULES TTO 28'S	SR	For areas allowed to keep TTO packs. For initiation by chest physician only. Medicines Effectiveness, November 2004.
	IPRATROPIUM		
	IPRATROPIUM BROMIDE 21microgram/dose NASAL SPRAY	Y	
	SODIUM CHLORIDE		
	SODIUM CHLORIDE 0.9% NASAL SPRAY 100ml	Υ	
	TRIAMCINOLONE		
	TRIAMCINOLONE 55microgram NASAL SPRAY 120 DOSE	NF	
	XYLOMETAZOLINE		
	XYLOMETAZOLINE 0.05% DROPS 10ml (paediatric)	Y	
	XYLOMETAZOLINE 0.1% NASAL DROPS 10ml	Y	
	XYLOMETAZOLINE 0.1% NASAL SPRAY 10ml	Y	
	12.02.03 Nasal preparations for infection		
	MUPIROCIN 2% NASAL OINTMENT 3g	Y	
	NASEPTIN		
	NASEPTIN NASAL CREAM 15g	Υ	
	NASEPTIN NASAL CREAM 15g TTO PACK	SR	For areas allowed to keep TTO packs. Medicines Effectiveness, March 2013.
	2.02.03Nasal preparations for infection		
	MUPIROCIN		
	MUPIROCIN 2% NASAL OINTMENT TTO PACK 3g	SR	To be used in areas allowed to use TTO packs only Medicines Effectiveness, June 2021
Ĩ	2.03.01 Drugs used in nasal allergy		
	BUDESONIDE		
	BUDESONIDE 64micrograms/DOSE NASAL SPRAY 120DOSE	NF	
12.	03 Drugs acting on the oropharynx		
	2.03.00 Drugs acting on the oropharynx BIOXTRA		

BIOXTRA DRY MOUTH SPRAY 50ml	R	For head and neck patients undergoing radiotherapy. Medicines Effectiveness, November 2017
MUCIN + XYLITOL SALIVA ORTHANA LOZENGES	NF	
12.03.01 Drugs for oral ulceration and inflammation <b>BENZYDAMINE</b>		
BENZYDAMINE 0.15% SPRAY 30ml	Y	
BENZYDAMINE 0.15% ORAL RINSE 300ml	Y	
CHOLINE SALICYLATE CHOLINE SALICYLATE 8.7% DENTAL GEL BP 15g	Y	
EPISIL EPISIL ORAL SPRAY 10ml (72 dose)	NF	
GELCLAIR GELCLAIR CONCENTRATED ORAL GEL SACHETS (21X15ml)	R	For use in Paediatric Haemato- oncology patients only. Medicines Effectiveness, September 2004.
HYDROCORTISONE HYDROCORTISONE SUCCINATE 2.5mg LOZENGES	Y	
ORABASE ORABASE ORAL PASTE 30g	Y	
12.03.02 Oropharyngeal anti-infective drugs MICONAZOLE		
MICONAZOLE 20mg/g ORAL GEL 80g	Y	
MICONAZOLE ORAL GEL 15g	Y	
NYSTATIN NYSTATIN 100,000international units/ml LIQUID 30ml	R	First line for the treatment of oral thrush. ASG, March 2017
12.03.04 Mouthwashes, gargles, and dentifrices		

**CHLORHEXIDINE** 

CHLORHEXIDINE 0.2% MOUTHWASH 300ml PLAIN	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
CHLORHEXIDINE MINT 0.2% MOUTHWASH 300ml	Υ	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
HEXETIDINE 0.1% MOUTHWASH 200ml	Y	
MOUTHWASH TABLETS MOUTHWASH TABLETS (100)	Y	
12.03.05 Treatment of dry mouth BIOXTRA		
BIOXTRA TOOTHPASTE 50ml	R	For head and neck patients undergoing radiotherapy. MMTC, July 2014.
BIOXTRA MOUTHWASH 250ml	R	For head and neck patients undergoing radiotherapy. MMTC, July 2014.
BIOXTRA ORAL GEL 40ml	R	For head and neck patients undergoing radiotherapy. MMTC, July 2014.
ORALBALANCE ORALBALANCE SALIVA REPLACEMENT GEL 50g	Y	
PILOCARPINE PILOCARPINE 5mg TABLETS	NF	
SALIVA ORTHANA SALIVA ORTHANA ORAL SOLUTION 50ml	Y	
SST TABLETS	NF	

Aminolevulinic acid hydrochloride 5-AMINOLEVULINIC ACID 78mg/g GEL	R	
DIPHENYLCYCLOPROPENONE (DCP) 2% LIQUID	SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.075% LIQUI	D	SR Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 1.5% LIQUID	SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 1% LIQUID	SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.025% LIQUI	D	SR Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 1.25% LIQUID	SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016

DIPHENYLCYCLOPROPENONE (DCP) 0.25% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 1.75% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 2.5% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.001% LIQUID	SR Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.01% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.1% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.75% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
DIPHENYLCYCLOPROPENONE (DCP) 0.05% LIQUID SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016

DIPHENYLCYCLOPROPENONE (DCP) 0.5% LIQUID	SR	Restricted for the topical treatment of alopecia areata, viral warts and in transit melanoma metastases by dermatology only. MMTC, February 2016
POTASSIUM HYDROXIDE POTASSIUM HYDROXIDE 20% SOLUTION 10ml	Y	
SULPHUR 2% IN AQUEOUS CREAM 100g	Y	
13.00 Skin 13.00.00 Skin <b>PHENOL</b>		
PHENOL 89% SWAB (30) <<	Υ	
13.01 Management of skin conditions		
DUPILUMAB HC DUPILUMAB 300mg in 2ml PRE-FILLED SYRINGE	R	For treatment of moderate to severe atopic dermatitis in adults as per NICE TA534 and in adolescents aged 12 to 17 years. MMTC September 2019
13.01.00 Management of skin conditions DUPILUMAB		
DUPILUMAB 300mg in 2ml PRE-FILLED PEN (ExAS - ASTHMA)	NF	***** For Issue to Chest Clinic patients only. NOT dopd - for these patients use DHA403 **** CW 20/2/19
DUPILUMAB 300mg IN 2ml PRE-FILLED SYRINGE	R	For treatment of moderate to severe atopic dermatitis in adults as per NICE TA534 and in adolescents aged 12 to 17 years. MMTC September 2019
DUPILUMAB 300mg in 2ml PRE-FILLED SYRINGE (SEVERE ASTHMA 7EC)	NF	
DUPILUMAB 300mg IN 2ml PRE-FILLED SYRINGE (COMPASSIONATE USE)	NF	
DUPILUMAB 300mg in 2ml PRE-FILLED PEN (SEVERE ASTHMA 7EC)	NF	
13.02 Emollient and barrier preparations 13.02.01 Emollients AQUEOUS CREAM		

AQUEOUS CREAM 500g	Y	
AQUEOUS CREAM 100g	Y	
ARACHIS OIL ARACHIS OIL 200ml	Y	
BALNEUM BALNEUM PLUS CREAM 500g	NF	
BALNEUM PLUS BALNEUM PLUS Bath Oil 500ml	Y	
CETOMACROGOL CREAM CETOMACROGOL CREAM BP (FORMULA A) 500g	Y	
CETRABEN CREAM CETRABEN CREAM 150g	Y	
DERMOL 500 LOTION 500ml	R	Restricted to Dermatology only. Medicines Effectiveness, March 2013.
		2013.
DERMOL 600 BATH EMOLLIENT	NF	2013.
DERMOL 600 BATH EMOLLIENT DIPROBASE DIPROBASE CREAM 50g	NF Y	2013.
DIPROBASE		2013.
DIPROBASE DIPROBASE CREAM 50g	Y	2013.
DIPROBASE CREAM 50g DIPROBASE CREAM 500g DRAPOLENE CREAM	Y Y	2013.
DIPROBASE CREAM 50g DIPROBASE CREAM 500g DRAPOLENE CREAM 100g E45 BATH	Y Y Y	2013.
DIPROBASE CREAM 50g DIPROBASE CREAM 500g DIPROBASE CREAM 500g DRAPOLENE CREAM 100g E45 BATH OIL 500ml E45 CREAM	Y Y Y	2013.
<ul> <li>DIPROBASE CREAM 50g</li> <li>DIPROBASE CREAM 500g</li> <li>DAPOLENE CREAM 100g</li> <li>DAPOLENE CREAM 100g</li> <li>E45 BATH OIL 500ml</li> <li>E45 CREAM</li> <li>E45 CREAM 500g</li> </ul>	Y Y Y Y	

EMULSIFYING OINTMENT BP 500g	Y	
ENOPEN CREAM 500g	Y	
ENOPEN CREAM 50g	Y	
EPADERM EPADERM CREAM 500G	NF	
EPADERM OINTMENT 500g	NF	
FLAMINAL FORTE GEL FLAMINAL FORTE GEL 50g	R	Restricted to prescribing by and on advice of Tissue Viability Team only. MMTC October 2019
HYDROMOL HYDROMOL OINTMENT 500g	R	Second-line use after aqueous cream or emulsifying ointment. Medicines Effectiveness, June 2007.
HYDROMOL OINTMENT 125g	R	Second-line use after aqueous cream or emulsifying ointment. Medicines Effectiveness, June 2007.
ZEROBASE (LIQUID PARAFFIN) CREAM 500g	NF	
LIQUID PARAFFIN + WHITE SOFT PARAFFIN LIQUID PARAFFIN 50% & WHITE SOFT PARAFFIN 50% SPRAY 240ml	R	For treatment of exceptionally painful skin and children with severe eczema on Dermatology recommendation only. If the patient gets supplied 100g or more, details of the Paraffin Alert must be issued (flammable). MAC, June 2009.
LUBRICATING LUBRICATING JELLY STERILE 5g SACHETS (TEMP PROCUREMENT SUPPLY)	Y	
LUBRICATING JELLY LUBRICATING JELLY 42g (AQUAGEL)	R	Only for X-ray. Medicines Effectiveness, January 2012.

LUBRICATING JELLY 42g (OPTILUBE)	Y
LUBRICATING JELLY STERILE 5g SACHETS	Υ
	V
OILATUM EMOLLIENT 500ml	Y
OILATUM PLUS BATH ADDITIVE 500ml	Y
PARAFFIN	
PARAFFIN YELLOW SOFT 15g (TEMP PROCUREMENT SUPPLY)	Y
PARAFFIN YELLOW SOFT 15g	Υ
PARAFFIN LIQUID 50% in WHITE SOFT PARAFFIN 250g	Υ
UNGUENTUM CREAM 50g	Y
	NF
WOOL FAT HYDROUS OINTMENT BPC 500g	
ZINC OXIDE ZINC & CASTOR OIL OINTMENT 500g	Y
ZINC OXIDE OINTMENT	Y
13.02.02 Barrier preparations	
KERI LIQUID KERI LIQUID 380ml (NF)	NF
METANIUM	
METANIUM OINTMENT 30g	Y
SIOPEL CREAM	
SIOPEL CREAM 50g	Y
13.03 Topical local anaesthetics and antipruritics	
13.03.00 Topical local anaesthetics and antipruritic	
CROTAMITON CROTAMITON 10% CREAM 30g	Y
13.03.00 Topical local anaesthetics and antipruritics CALAMINE	

CALAMINE LOTION 200ml	Y
MENTHOL MENTHOL 1% IN AQUEOUS CREAM 100g	Y
13.04 Topical corticosteroids	
HYDROCORTISONE HC HYDROCORTISONE 2.5% CREAM 15g	NF
13.04.00 Topical corticosteroids <b>FLUTICASONE</b> FLUTICASONE PROPIONATE 15g CREAM	Y
13.04.00 Corticosteroids BETAMETHASONE BETNOVATE C OINTMENT 30g	Y
VIOFORM HYDROCORTISONE VIOFORM HYDROCORTISONE OINTMENT 30g	Y
<ul> <li>13.04.00 Topical circulatory preparations</li> <li>ACTISORB</li> <li>ACTISORB SILVER 10.5cm X 10.5cm DRESSINGS (220)</li> <li>13.04.00 Topical corticosteriods</li> <li>HYDROCORTISONE</li> <li>HYDROCORTISONE 0.5% CREAM 30g</li> </ul>	NF Y
13.04.00 Topical corticosteroids BETAMETHASONE BETNOVATE-C CREAM 30g	Y
BETNOVATE-N CREAM 30g	Y
BETAMETHASONE 0.1% OINTMENT 30g	Y
BETAMETHASONE 0.1% CREAM 30g	Y
BETAMETHASONE 0.1% SCALP APPLICATION 100n	nIY
BETAMETHASONE RD 0.025% CREAM 100g	Y
BETAMETHASONE RD 0.025% OINTMENT 100g	Y

CLOTRIMAZOLE CLOTRIMAZOLE & HYDROCORTISONE 1% CREAM 30g DAKTACORT	Y
DAKTACORT OINTMENT 30g	Y
DAKTACORT CREAM 30g	Y
DERMOVATE DERMOVATE 0.05% OINTMENT 100g	Y
DERMOVATE 0.05% SCALP APPLICATION 30ml	Y
DERMOVATE 0.05% CREAM 30g	Y
DERMOVATE 0.05% OINTMENT 30g	Y
DERMOVATE 0.05% SCALP APPLICATION 100ml	Y
CLOBETASOL 0.05%, NEOMYCIN 0.5% & NYSTATIN 100,000units OINTMENT 30g	Y
DERMOVATE 0.05% CREAM 100g	Y
DIPROSALIC	
DIPROSALIC SCALP APPLICATION 100ml	Y
DIPROSALIC OINTMENT 30g	Y
EUMOVATE	
EUMOVATE CREAM 100g	Y
EUMOVATE OINTMENT 100g	Y
EUMOVATE OINTMENT 30g	Y
EUMOVATE CREAM 30g	Y
EURAX-HYDROCORTISONE EURAX-HYDROCORTISONE CREAM 30g	Y
FLUDROXYCORTIDE 7.5cm X 20cm TAPE (HAELAN)	Y

## FLUOCINOLONE

FLUOCINOLONE ACETONIDE 0.025% GEL 30g	Y
FLUOCINOLONE ACETONIDE 0.025% CREAM 30g	Y
FUCIBET FUCIBET 30g CREAM	Y
FUCIDIN H FUCIDIN H CREAM 30g	Y
HYDROCORTISONE HYDROCORTISONE 1% OINTMENT 15g	Y
HYDROCORTISONE 1% CREAM 15g	Y
HYDROCORTISONE BUTYRATE 0.1% LIPOCREAM	Y
30g HYDROCORTISONE 2.5% CREAM 15g	NF
TIMODINE TIMODINE CREAM 30g	Y
TRIMOVATE TRIMOVATE CREAM 30g	Y
13.04.00Topical corticosteroids BETAMETHASONE BETAMETHASONE 0.1% CREAM 100g	Y
13.10.00 Anti-infective skin preparations BETAMETHASONE BETNOVATE-N OINTMENT 100g	NF
BETAMETHASONE 0.1% LOTION 100ml	Y
CROTAMITON CROTAMITON 10% LOTION 100ml	Y
FLUOCINOLONE ACETONIDE 0.0025% CREAM 50g	Y
HYDROCORTISONE HYDROCORTISONE BUTYRATE 0.1% SCALP APPLICATION LOTRIDERM CREAM	NF

LOTRIDERM CREAM 30g	Y	
TRIADCORTYL TRIADCORTYL OINTMENT 4g	SR	For use by ENT only for otitis externa and mastoid cavity infections. MMTC, Novemeber 2013
13.05 Preparations for eczema and psoriasis		
RISANKIZUMAB 360mg/2.4ML INJECTION	R	For previously treated moderately to severely active Crohn's disease as per NICE TA888. MMTC, Feb 2024
Bimekizumab		
BIMEKIZUMAB 160mg/1ml SOLUTION FOR INJ PRE- FILLED SYRINGE	R	For treatment of plaque psoriasis in adults as per NICE TA723. For treatment of active ankylosing spondylitis as per NICE TA918. For treating active psoriatic arthritis as per NICE TA916. MMTC, March 2024.
BIMEKIZUMAB 160mg in 1ml PRE FILLED PEN	R	For treatment of active ankylosing spondylitis as per NICE TA918. For treating active psoriatic arthritisas per NICE TA916 MMTC March 2024
Mirikizumab		
MIRIKIZUMAB 300mg in 15ml INJECTION	NICE	
Risankizumab		
RISANKIZUMAB 600mg INJECTION	NICE	NICE TA888 for Crohn's only, not yet been to MMTC indivual use only 19/12/23
RISANKIZUMAB 600mg INJECTION	R	For previously treated moderately to severely active Crohn's disease as per TA888. MMTC, Feb 2024
SECUKINUMAB 300mg in 2ml PRE FILLED PEN	R	?For treatment of active moderate to severe hidradenitis suppurativa (acne inversa) in adults as per NICE TA935.MMTC, Feb 2024

13.05 Preparations for eczema and psoriasis

METHOXYPSORALEN METHOXYPSORALEN 10mg TABLETS (8 MOP)	UNR	For use by Dermatology for PUVA treatment only. Medicines Effectiveness, March 2013.
13.05.00 Preparations for eczema an <b>CALCIPOTRIOL</b> CALCIPOTRIOL 50MCG/G WITH BETAMETHASONE 0.05% FOAM 60g	R	For the treatment of psoriasis following recommendation by dermatology only. MMTC, October 2017
CALCIPOTRIOL + BETAMETHASONE CALCIPOTRIOL 50micrograms/gram & BETAMETHASONE 0.05% foam 120g 13.05.00 Preparations for eczema and psoriasis ACITRETIN	R	
ACITRETIN 25mg CAPSULES	Y	
ACITRETIN 10mg CAPSULES	Y	
ALITRETINOIN 30mg CAPSULES	R	Dermatology consultants only. For the treatment of severe chronic hand eczema as per NICE TA177. MAC, February 2011.
ALITRETINOIN 10mg CAPSULES	R	Dermatology consultants only. For the treatment of severe chronic hand eczema as per NICE TA177. MAC, February 2011.
ALPHOSYL ALPHOSYL SHAMPOO 125ml	Y	
CALCIPOTRIOL + BETAMETHASONE CALCIPOTRIOL 0.005% / BETAMETHASONE 0.05%	NF	

CALCIPOTRIOL 0.005% / BETAMETHASONE 0.05% NF OINTMENT 30g

DIMETHYL FUMARATE

DIMETHYL FUMARATE 30MG TABLETS	R	For the treatment of: - Psoriatic arthritis as per NICE TA220; - Rheumatoid arthritis as per TA233; - Ankylosing spondylitis as per TA233; -Spondyloarthritis as per NICE TA497; -Ulcerative colitis as per NICE TA329. MMTC, December 2018
DIMETHYL FUMARATE 120mg TABLETS	R	For the treatment of moderate to severe plaque psoriasis as per NICE TA475. MMTC, December 2017
DITHRANOL		
DITHRANOL 5% in LASSARS PASTE 50g	R	For Dermatology use only. Medicines Effectiveness, January 2009.
DITHRANOL 3% IN LASSARS PASTE 50g	R	For Dermatology use only. Medicines Effectiveness, January 2009.
DITHRANOL 2% in LASSARS PASTE 100g	R	Restricted to Dermatology only. Medicines Effectiveness, January 2009.
DITHRANOL 1% in LASSARS PASTE 100g	R	Restricted to Dermatology only. Medicines Effectiveness, January 2009.
DITHRANOL 0.5% in LASSARS PASTE 100g	R	Restricted to Dermatology only. Medicines Effectiveness, January 2009.
DITHRANOL 0.25% in LASSARS PASTE 100g	R	Restricted to Dermatology only. Medicines Effectiveness, January 2009.
DITHRANOL 0.5% CREAM 50g	Y	
DITHRANOL 0.1% in LASSARS PASTE 50g	R	Restricted to Dermatology only. Medicines Effectiveness, January 2009.
DITHRANOL 0.1% CREAM 50g	Y	
DITHROCREAM		
DITHRANOL 2% CREAM 50g	Y	

DITHRANOL 1% CREAM 50g	Y	
DOVONEX DOVONEX 30g OINTMENT	Y	
DUPILUMAB DUPILUMAB 200mg in 1.14ml PRE-FILLED SYRINGE (DOPD only)	R	For treatment of moderate to severe atopic dermatitis in adults as per NICE TA534 and in adolescents aged 12 to 17 years. MMTC September 2019
EXOREX EXOREX LOTION 250ml	Y	
GUSELKUMAB GUSELKUMAB 100mg IN 1ml PRE-FILLED PEN	R	Restricted for treatment of psoriasis as per NICE TA52. MMTC September 2018
METHOXYPSORALEN METHOXSALEN 0.005% GEL 50g	SR	For use by Dermatology for PUVA treatment only. Medicines Effectiveness, March 2013.
METHOXYPSOROLEN METHOXYPSOROLEN 20mg TABLETS (5-MOP)	UNR	For use by Dermatology for PUVA treatment only. Medicines Effectiveness, March 2013.
Mirikizumab MIRIKIZUMAB 100mg in 1ml PRE FILLED PENS	NICE	As per NICE TA 925
MOMETASONE MOMETASONE FUROATE 0.1% OINTMENT 100g	Y	
MOMETASONE FUROATE 0.1% OINTMENT 30g	Y	
PIMECROLIMUS 1% CREAM 30g	R	For moderate atopic eczema on the face and neck of children aged 2-16yrs in line with NICE TA 82. MMTC, March 2013
RISANKIZUMAB RISANKIZUMAB 75mg PRE-FILLED SYRINGE	R	For treatment of severe plaque psoriasis in adults as per NICE TA596. MMTC September 2019

SECUKINUMAB		
SECUKINUMAB 150mg PRE-FILLED PEN	R	For treatment of: Ankylosing spondylitis TA407; Moderate to severe plaque psoriasis as per NICE TA350; Psoriatic arthritis as per NICE TA445. MMTC, July 2017
13.05.02 Preparations for psoriasis		
CALCIPOTRIOL + BETAMETHASONE		
CALCIPOTRIOL 0.005% / BETAMETHASONE 0.05% GEL 60g	NF	
CALCITRIOL		
CALCITRIOL 3microgram/g OINTMENT 100g	NF	
13.05.03 Drugs affecting the immune response		
IXEKIZUMAB		
IXEKIZUMAB 80mg PRE-FILLED PEN	R	For the treatment of: Plaque psoriasis in adults as per NICE TA442 ; Psoriatic arthritis in adults as per NICE TA537 MMTC, October 2018
USTEKINUMAB		
USTEKINUMAB 130mg IN 26ml INJECTION VIAL	R	For treatment of moderately to severely active Crohn's disease as per NICE TA456 MMTC September 2018
USTEKINUMAB 45mg in 0.5ml PRE-FILLED SYRINGE	R	For the treatment of: - moderate to severe psoriasis, as per NICE TA180; - active psoriatic arthritis as per NICE TA340. MMTC, June 2017

13.05.03 Drugs affecting the immune response > Cytokine modulators HC SECUKINUMAB

SECUKINUMAB 150mg PRE-FILLED SYRINGE R For treatment, Ankylosing spondylitis NICE TA407; Moderate to severe plaque psoriasis as per NICE TA350; Psoriatic arthritis as per NICE TA445; Moderate to severe plaque psoriasis in children and young people as per NICE TA734 MMTC, December 2021.

**SECUKINUMAB** 

SECUKINUMAB 150mg IN 1ml PRE-FILLED PEN (FREE OF CHARGE)	R	For treatment, Ankylosing spondylitis NICE TA407; Moderate to severe plaque psoriasis as per NICE TA350; Psoriatic arthritis as per NICE TA445; Moderate to severe plaque psoriasis in children and young people as per NICE TA734 MMTC, December 2021.
USTEKINUMAB		
USTEKINUMAB 90mg IN 1ml PRE-FILLED SYRINGE	R	For the treatment of: Moderate to severe psoriasis as per NICE TA180 Active psoriatic arthritis as per NICE TA340 Moderately to severely active Crohn's disease as per NICE TA456, and moderately to severely active ulcerative colitis in adults as per NICE TA633. MMTC, November 2020
3.05.00 Preparations for eczema and psoriasis		
DIMETHYL FUMARATE		
DIMETHYL FUMARATE 120mg TABLETS (SKILARENCE)	R	For the treatment of moderate to severe plaque psoriasis as per NICE TA475. MMTC, December 2017
or eczema and psoriasis		
COCOIS		
COCONUT OIL COMPOUND SCALP APPLICATION 100g	R	For use by Dermatology only. Medicines Effectiveness, March 2013.
ZINC OXIDE		
ZINC & SALICYCLIC ACID PASTE 50% in WHITE SOFT PARAFFIN 100g	Y	
Preparations for eczema and psoriasis		
MOMETASONE		
MOMETASONE FUROATE 0.1% CREAM 30g	Y	
13.06 Acne and rosacea		
13.06 Acne and rosacea		
DIANETTE		
DIANETTE TABLETS	Y	
13.06.00 Acne and rosacea ADAPALENE + BENZOYL PEROXIDE		

	ADAPALENE 0.1% / BENZOYL PEROXIDE 2.5% GEL 45g	NF	
	CLINDAMYCIN		
		N/	
	CLINDAMYCIN 1% AQUEOUS LOTION 60ml	Y	
	CLINDAMYCIN AQUEOUS LOTION 30ml	Y	
	COAL TAR		
	CAPASAL 250ml SHAMPOO	Υ	
	ERYTHROMYCIN		
	ERYTHROMYCIN 4% GEL	NF	
	ISOTRETINOIN		
	ISOTRETINOIN 40mg CAPSULES	NF	
	ISOTRETINOIN 20mg CAPSULES (BEACON BRAND)	Y	
	TRETINOIN		
	TRETINOIN 0.025% CREAM (RETIN-A) 60g	Y	
	TRETINOIN 0.025% CREAM (RETIN-A) 00g	I	
	10.00.04 Tenies I american diana fan arma		
	13.06.01 Topical preparations for acne		
	AZELAIC ACID		
	AZELAIC ACID 20% CREAM 30g	Υ	
13	07 Preparations for warts and calluses		
	13.0.00reparations for		
	TRICHLOROACETIC		
	TRICHLOROACETIC ACID 90% SOLUTION 10ML	SR	For the treatment of anogenital
			warts by specialist healthcare
			professionals in sexual health
			services only. Medicines
			Effectiveness, October 2016
	12.05.00 Proportions for approximation		
	13.05.00 Preparations for eczema and psoriasis		
	ISOTRETINOIN		
	ISOTRETINOIN 5mg CAPSULES (ALLIANCE-BEACON	J) Y	
	12.07.00 Proparations for warts and callusos		

13.07.00 Preparations for warts and calluses Imiquimod

IMIQUIMOD 5% CREAM SACHETS	UNR	Only to be use if DGI344 is unavailable? For superficial basal cell carcinoma; and GUM consultant or associate specialist initiation for patients with recalcitrant external anogenital warts. MAC, October 2007.
IMIQUIMOD 5% CREAM (12x250mg SACHETS)	R	For superficial basal cell carcinoma OR for patients with recalcitrant external anogenital warts (initiation by GUM consultants only) . MAC, October 2007.
PODOPHYLLOTOXIN		
PODOPHYLLOTOXIN 0.5% SOLUTION 3ml	Y	
PODOPHYLLOTOXIN 0.15% CREAM 5g	Υ	
SALACTOL SALACTOL PAINT	Y	
SALATAC SALATAC GEL 8g	Y	
SILVER NITRATE SILVER NITRATE APPLICATORS 75%	Y	
13.08 Sunscreens and camouflagers 13.08.01 Sunscreen prepara ANTHELIOS		
ANTHELIOS SUNCREAM SPF50+ CREAM 50ml	R	For photosensitivity from genetic disorders or photodermatosis following recommendation by Dermatology only. MMTC, October 2015
13.08.01 Sunscreen preparations		
DAILY FACE DAILY FACE SPF60 CREAM 75g	NF	
E45 SUN E45 SUN LOTION Spf25 150ml	Y	
METHY-5-AMINOLEVULINATE		
METHY-5-AMINOLEVULINATE 160mg/g CREAM 2g	R	For use by Dermatology for PUVA treatment only. Medicines Effectiveness, September 2008.

P20 SPF50 SUNSCREEN LOTION P20 SPF50 SUNSCREEN LOTION SAMPLES	R	Second line sunscreen in those undergoing photodynamic therapy (PDT) only. For dermatology use only. MMTC, January 2018
<b>REFLECTANT</b> REFLECTANT SUNSCREEN (COFFEE) CREAM 50g	NF	
SUNSENSE ULTRA SPF60 MILK (NF)	NF	
13.08.02 Camouflagers <b>PIGMANORM</b> PIGMANORM CREAM 15g	UNR	For use by Dermatology only. Medicines Effectiveness, March 2013.
13.09 Shampoos and other preparations for scalp and hair 13.09.00 Shampoos and other preparations for scalp and <b>COCOIS</b>		
COCOIS SCALP OINTMENT 100g	R	For use by Dermatology only. Medicines Effectiveness, March 2013.
3.09.00 Shampoos and other preparations for scalp and <b>EFLORNITHINE</b>	hair conc	litions
EFLORNITHINE 11.5% CREAM 60g	NF	
SELENIUM SULFIDE SELSUN SHAMPOO 150ml	Y	
13.10 Anti-infective skin preparations 13.10 Anti-infective skin preparations <b>DIMETICONE</b> DIMETICONE 4% LOTION 50ml	Y	
13.10.00 Anti-infective skin preparations BISMUTH + IODOFORM	Y	
BISMUTH & IODOFORM PASTE BPC 30g	I	
SODIUM FUSIDATE SODIUM FUSIDATE 2% OINTMENT 30g	Y	
13.10.01 Antibacterial preparations		

FUSIDIC ACID FUSIDIC ACID 2% CREAM 15g	Y	
GENTAMICIN GENTAMICIN 0.1% CREAM 15g	UNR	For Tenckhoff catheter exit site infections. Medicines Effectiveness, March 2013.
METRONIDAZOLE METRONIDAZOLE 0.75% GEL 40g (Metrogel)	Y	,,
METRONIDAZOLE 0.75% GEL 40g	Y	
MUPIROCIN MUPIROCIN 2% OINTMENT 15g	Y	
PATCH TEST FRAMYCETIN 20% IN 5ml FOR PATCH TEST	Y	
PHENOSEPT 1% IN W.S.P PATCH TEST	Y	
SILVER SULPHADIAZINE SILVER SULFADIAZINE 1% CREAM 50g	Y	
13.10.02 Antifungal preparations AMOROLFINE AMOROLFINE 5% NAIL LACQUER 5ML	NF	
CLOTRIMAZOLE CLOTRIMAZOLE 1% CREAM 20g	Y	
CLOTRIMAZOLE 1% SOLUTION 20ml	Y	
KETOCONAZOLE 2% CREAM 30g	R	For seborrhoeic dermatitis and pityriasis versicolor. Medicines Effectiveness, March 2013.
KETOCONAZOLE 2% SHAMPOO 120ml	Y	
MICONAZOLE MICONAZOLE POWDER 2% 20g	Y	
MICONAZOLE 2% CREAM 30g	Y	

TERBINAFINE

TERBINAFINE 1% CREAM 15g	R	This antimicrobial requires prescribing by: - Dermatology (adult + paediatric) consultant or registrar It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar Antimicrobials Steering Group, January 2012.
TIOCONAZOLE TIOCONAZOLE NAIL SOLUTION	NF	
13.10.03 Antiviral preparations		
ACICLOVIR ACICLOVIR 5% CREAM 2g	Y	
13.10.04 Parasiticidal preparations MALATHION		
MALATHION 0.5% LIQUID 150ml (DERBAC-M)	Y	
PERMETHRIN		
PERMETHRIN DERMAL CREAM 30g	Y	
PERMETHRIN 1% CREAM RINSE 59ml	Y	
PHENOTHRIN		
PHENOTHRIN 0.5% LIQUID 200ml	NF	
13.10.05 Preparations for minor cuts and abrasions <b>HISTOACRYL</b>		
HISTOACRYL 0.5ml TISSUE ADHESIVE CLEAR (TEMP PROCUREMENT SUPPLY)	Y	
HISTOACRYL TISSUE ADHESIVE 500mg in 0.5ml AMPOULE	Y	
HISTOACRYL TISSUE ADHESIVE BLUE 0.5ml	R	To secure paediatric epidurals. MMTC, August 2013.
MAGNESIUM SULPHATE		
MAGNESIUM SULPHATE PASTE 50g	Y	
3.10.04 Parasiticidal preparations PERMETHRIN		
PERMETHRIN 1% CREAM RINSE TWIN PACK	Y	
3.11 Skin cleansers, antiseptics, and desloughing agents		

13.11 Skin cleansers, antiseptics, and desloughing agents

# DEQUALINIUM

DEQUALINIUM CHLORIDE 10mg VAGINAL TABLETS NF

# HAEMOGLOBIN

HAEMOGLOBIN HAEMOGLOBIN SPRAY 12ml (GRANULOX)	NF	
NORMASOL		
NORMASOL SACHETS 25ml	Υ	
13.11.00 Skin		
BONNEY'S BLUE		
BONNEY'S BLUE (Brilliant Green & Crystal Violet Paint 10ml bottle, NON STERILE)	t UNR	For marking the skin before an operation. Medicines Effectiveness, 2016.
CHLORHEXIDINE		
CHLORHEXIDINE GLUCONATE 0.5%w/v in IPA CLEA SOLUTION 500ml (HIBI)	AR Y	
HYDROGEN PEROXIDE		
HYDROGEN PEROXIDE 1% CREAM 25g	R	For use by Dermatology only. Medicines Effcetiveness, March 2013.
OCTENIDINE		
OCTENIDINE LOTION 150ml (OCTENISAN)	R	For decontamination of premature neonates where chlorhexidine cannot be used. Antimicrobials Steering Group, July 2010.
OCTENILINE		
OCTENILINE IRRIGATION SOLUTION 350ml	NF	TVN recommendation
POTASSIUM PERMANGANATE POTASSIUM PERMANGANATE TABLETS	Y	
POVIDONE IODINE		
POVIDONE IODINE ANTISEPTIC SOLUTION 500ml	Y	
POVIDONE IODINE ALCOHOLIC SOLUTION 500ml	Y	
POVIDONE IODINE 2.5% DRY POWDER SPRAY (BETADINE) 100ml	Y	
POVIDONE IODINE SURGICAL SCRUB 500ml	Y	

TISEPT

13.11.00 Skin cleansers, antiseptics, and desloughing ag CHLORHEXIDINE CHLORHEXIDINE OBSTETRIC CREAM + DISPENSEI		
250ml		
13.11.01 Alcohols and saline		
IMS		
IMS 70% SPRAY 200ml	Y	
13.11.02 Chlorhexidine salts		
CHLORHEXIDINE		
CHLORHEXIDINE GLUCONATE 1% SKIN WASH 150 (CEPTON)	ml NF	
TRAVASEPT		
CHLORHEXIDINE ACETATE 0.015%, CETRIMIDE 0.15% 1L (TRAVASEPT 100) FKF7774	Y	
3.11.00 Skin cleansers, antiseptics and desloughing agen	ts	
OCTENIDINE		
OCTENIDINE LOTION 500ML (OCTENISAN)	R	
13.12 Antiperspirants		
13.12.00 Antiperspirants		
GLYCOPYRRONIUM		
GLYCOPYRRONIUM BROMIDE 0.05% SOLUTION IN WATER 500ml	UNR	For intractable hyperhidrosis. Medicines Effectiveness, March 2013.
13.13 Topical circulatory preparations		
13.13.00 Topical circulatory preparations		
ALLEVYN		
ALLEVYN LIFE 10.3cm x 10.3cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
HIRUDOID		
HEPARINOID 0.3% CREAM 50g	Y	
PRONTOSAN		
PRONTOSAN PRONTOSAN IRRIGATION SOLUTION 350ml	R	Following recommendation by
PRONTOSAN IRRIGATION SOLUTION SOUTH	ĸ	the Tissue Viability team ONLY. MAC, December 2009.
PRONTOSAN HYDROGEL		

PRONTC	SAN HYDROGEL WOUND GEL 50g	R	Following recommendation by the Tissue Viability team ONLY. MAC, December 2009
SORBIOI SORBIOI	N SANA N SANA 12cm X 22cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
ACTIVHE		X	
ACTIV HI	EAL HYDROGEL 15g	Y	
	<b>1 + IODOFORM</b> H & IODOFORM GAUZE 1.25cm X 100cr	m (10) Y	
GRANUF	LEX		
GRANUF	LEX PASTE 30g	R	Following recommendation by Tissue Viability Team MAC, October 2009.
IODOSOI	RB		
IODOSO	RB OINTMENT 10g	R	Following recommendation by Tissue Viability Team. MAC, October 2009.
PURILON	4		
	N 15g GEL	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SILICON	E		
SILICON	E GEL SHEET 15x12cm	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SORBSA	N		
SORBSA	N PACKING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
ZINC OX	IDE		
ZINC OX	IDE 20% STOCKING	R	For use by Dermatology only. Medicines Effcetiveness, March 2013.
14 Immunologi	cal products and vaccines		

14.04 Vaccines and antisera

# **BCG (BACILLUS CALMETTE-GURIN)**

BCG INTRADERMAL VACCINE 10 DOSE	Y	
DIPHTHERIA		
DIPHTHERIA (adsorbed), TETANUS, PERTUSIS (Acellular), HEPATITIS B, POLIOMYELITIS and	Y	
DIPHTHERIA, TETANUS, PERTUSSIS (ACELLULAR, COMPONENT) AND INACTIVATED POLIOMYELITIS	Y	
DIPHTHERIA, TETANUS AND PERTUSSIS		
Diphtheria,Tetanus,Acellular Pertussis & Inactivated Poliomyelitis VACCINE PFS (Outbreak stock)	R	For issue to Occupational Health only. Medicines Effectiveness, Aug 2012
Diphtheria, Tetanus, Acellular Pertussis, Inactivated Polio & ACT-HIB VACCINE 0.5ml	Y	
DIPTHERIA, TETANUS PERTUSSIS POLIOMYELITIS HAEMOPHILUS INFLUENZA B VACCINE	Y	
DIPHTHERIA, TETANUS AND POLIOMYELITIS		
DIPHTHERIA, TETANUS AND POLIOMYELITIS VACCINE SYRINGE	Y	
FLU		
FLU VACCINE NASAL SPRAY 0.2ml (FLUENZ FOR SNIFFLE STUDY)	R	For use by CDW only. For SNIFFLE study only. Medicines Effectiveness, October 2013.
FLU VACCINE		
FLU VACCINE RECOMBINANT 0.5ml SYRINGE (FLUCELVAX TETRA)	R	To be alligned with EPR when decided.

HAEMOPHILLUS

HAEMOPHILLUS TYPE B + NEISSERIA MENINGITIDIS Y C VACCINE

#### **HEPATITIS**

HEPATITIS B VACCINE 40microgram IN 1ml	R	For immunisation against
INJECTION (FENDRIX)		Hepatitis B in patients with
		Chronic Kidney Disease in

Oxford Kidney Unit. MMTC,

November 2020

HEPATITIS A VACCINE 1ml SYRINGE (HAVRIX ADULT) Y

HEPATITIS A+B VACCINE SYRINGE (ADULT) 1ml Y

HEPATITIS A+B PAEDIATRIC VACCINE SYRINGE Y 0.5ml

HEPATITIS B PAEDIATRIC 0.5ml VACCINE (ENGERIX) Y

	HEPATITIS B PAEDIATRIC VACCINE 5microgram in 0.5ml INJECTION (HB VAX PRO)	NF	
	HEPATITIS B VACCINE 10microgram IN 1ml INJECTION (HB VAX PRO)	Y	
н	IEPATITIS B		
	HEPATITIS B VACCINE 20microgram in 1ml PRE- FILLED SYRINGE (ENGERIX - PFS)	Y	
Н	IEPATITIS B VACCINE		
	HEPATITIS B VACCINE 40microgram IN 1ml INJECTION (HB VAX PRO)	NF	
н	IUMAN PAPILLOMA VIRUS VACCINE		
	HUMAN PAPILLOMA VIRUS VACCINE (GARDASIL) 0.5ml PRE-FILLED SYRINGE (MSM STOCK)	R	For vaccination against Human Papillomavirus in Men who have sex with Men (MSM), as per Public Health England (PHE) guidance MMTC July 2018
I	NFLUENZA VACCINE ADJUVANTED QUADRIVA	LENT	
I	INFLUENZA VACCINE ADJUVANTED QUADRIVALEN 0.5ml SYRINGE (FLUAD TETRA)		R For patients' and staff members over the age of 65 years. MMTC, March 2018 WARNING - Risk of selection error due to similar flu vaccines - please check you are selecting the correct product. Medicines Effectiveness Sep 2021
	IEASLES, MUMPS AND RUBELLA MEASLES, MUMPS AND RUBELLA VACCINE 0.5ml	Y	
I	IENINGOCOCCAL MENINGOCOCCAL GROUP B VACCINE (BEXSERO) 0.5ML	R	For use in line the Department of Health guidelines for childhood immunisation and asplenia/ hyposplenia schedules. MMTC, May 2016
	MENINGOCOCCAL GROUP B VACCINE 0.5ml PFS (BEXSERO) (CHARGEABLE STOCK)	Y	
	MENINGOCOCCAL A,C, W135 & Y CONJUGATE VACCINE (MENVEO)	R	For preventing severe infections in patients with an absent or dysfunctional spleen as recommended on the MIL: Preventing Severe Infection in Patients with an Absent or Dysfunctional Spleen. Medicines Effectiveness, August 2012.

**MENINGOCOCCAL A,C,W135&Y** 

MENINGOCOCCAL A,C,W135&Y CONJUGATE VACCINE (NIMENRIX)	NF	For preventing severe infections in patients with an absent or dysfunctional splee
PNEUMOCOCAL PNEUMOCOCAL VACCINE CONJUGATED INJECTIC PREVENAR 13 DOH		
PNEUMOCOCCAL POLYSACCHARIDE VACCINE		
PNEUMOCOCCAL POLYSACCHARIDE VACCINE 0.5ml PRE-FILLED SYRINGE	Y	Ordered in to replace pneumovax II during shortage,
RABIES		
RABIES VACCINE (BP)	R	For use following approval by a microbiologist (Registrar or Consultant), if not available the HPA form (http://www.hpa.org.uk/topics/infe ctious diseases/infectionsAZ/rabies) should be completed by microbiologist within 24 hours. Medicines Effectiveness, March 2001.
ROTAVIRUS		
ROTAVIRUS VACCINE 1.5ml PRE-FILLED ORAL SYRINGE	R	As per the National Immunisation Programme. MMTC, April 2014
SPECIFIC IMMUNOGLOBULIN		
RABIES HUMAN IMMUNOGLOBULIN (HRIG) (NP)	UNR	
VACCINE VI CAPSULAR POLYSACCHARIDE VACCINE (TYPHI VI)	ΜY	
RABIES VACCINE (VERORAB) - WHOLESALE USE ONLY	NF	
HEPATITIS B 20mcg IN 1ml VACCINE PRE-FILLED SYRINGE	Y	
HEPATITIS A+B VACCINE SYRINGE (ADULT)	Υ	
VARICELLA ZOSTER VACCINE		
VARICELLA ZOSTER VACCINE (ZOSTAVAX)	NF	
VI CAPSULAR POLYSACCHARIDE VI CAPSULAR POLYSACCHARIDE VACCINE (TYPHI VI)	ΜΥ	

14.04.00 Vaccination

COVID-19 VACCINE VIDPREVTYN Beta Monovalent B.1.351 5micrograms /dose (Sanofi)	R	COVID-19 booster for patients and staff triaged into the high- risk anaphylaxis clinic who are ineligible for mRNA-based vaccinations. MMTC, October 2023
COVID-19 VACCINE COMIRNATY MONOVALENT Omicron XBB.1.5 30micrograms /dose (Pfizer)	R	COVID-19 booster for patient and staff ager 12 years and over who are eligible for a booster vaccine as per the Green book. MMTC, October 2023
HEPATITIS		
HEPATITIS A VACCINE 0.5ml SYRINGE (HAVRIX JUNIOR)	Y	
IMMUCOTHEL		
IMMUCOTHEL 1mg INJECTION (CTASU)	UNR	
Measles + Mumps + Rubella vaccine MMR VACCINE (LIVE) POWDER AND SOLVENT FOR SOLUTION FOR INJECTION 0.5ML PFS	R NF	
PNEUMOCOCCAL POLYSACCHARIDE PNEUMOCOCCAL POLYSACCHARIDE VACCINE 0.5ml PRE-FILLED SYRINGE (PNEUMOVAX)	Y	
Rotavirus vaccine		
ROTAVIRUS VACCINE 1.5ml TUBE FOR ORAL SUSPENSION	R	**WHOLESALE USE ONLY**
Tick-borne encephalitis vaccine		
TICOVAC 0.5ML VACCINE	NF	
14.04.00 Vaccines and antisera SNAKE ANTIVENOM		
SNAKE ANTI-VENOM (EUROPEAN VIPER) INJECTIC (ViperaTAb)	DN	UNR For use by A&E only
SNAKE ANTI-VENOM		
SNAKE ANTI-VENOM (EUROPEAN VIPER) INJECTIC (VIPERFAV)	N	UNR For use in A and E only, for treatment of snake bites. Medicines Effectiveness, August 2021
14.04.14 Vaccine for smallpox		
SMALLPOX VACCINE (LIVE) SUSPENSION FOR	UNR	

INJECTION 0.5ml (JYNNEOS)

SMALLPOX VACCIN

SMALLPOX VACCINE (LIVE) SUSPENSION for INJECTION 0.5ml	R	For vaccination of patients who meet UK HSA criteria, for use at OSHS only. MMTC July 2022
14.05.00 Immunoglobulins VACCINE		
VARICELLA VACCINE INJECTION 0.5ml	R	For use in NON-IMMUNE healthcare workers with patient exposure. Medicines Effectiveness, June 2017
14.05 Immunoglobulins		
14.05.00 Immunoglobulins		
IMMUNOGLOBULIN		
IMMUNOGLOBULIN NORMAL IV 10g IN 100ml (10%) INFUSION (PANZYGA)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients. Restricted for use by Immunology Only. Medicines Effectiveness, April 2018. Currently to be used for acute indications only AP 23.06.21
IMMUNOGLOBULIN SUB-CUTANEOUS 4g in 20ml INJECTION (CUVITRU)	R	To be used strictly in accordance to the 'demand management' protocol only. DO NOT substitute brands in established patients. MMTC, November 2017
IMMUNOGLOBULIN NORMAL IV 20g in 200ml (10%) INFUSION (INTRATECT)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016
IMMUNOGLOBULIN NORMAL IV 20g IN 200ml (10%) INFUSION (PANZYGA)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients. Restricted for use by Immunology Only. Medicines Effectiveness, April 2018. Currently to be used for acute indications only AP 23.06.21

IMMUNOGLOBULIN NORMAL IV 5g IN 50ml (10%) INFUSION (PANZYGA)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients. Restricted for use by Immunology Only. Medicines Effectiveness, April 2018. Currently to be used for acute indications only AP 23.06.21
IMMUNOGLOBULIN NORMAL IV 10g in 100ml (10%) INFUSION (INTRATECT)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016
IMMUNOGLOBULIN NORMAL IV 20g IN 200ml (10%) INFUSION (GAMUNEX)	R	Restricted for use by immunology ONLY. MMTC, September 2017
IMMUNOGLOBULIN SUB-CUTANEOUS 2g in 10ml INJECTION (CUVITRU)	R	To be used strictly in accordance to the 'demand management' protocol only. DO NOT substitute brands in established patients. MMTC, November 2017
IMMUNOGLOBULIN NORMAL IV 5g IN 50ml (10%) INFUSION (GAMUNEX)	R	Restricted for use by immunology ONLY. MMTC, September 2017
IMMUNOGLOBULIN NORMAL IV 10g IN 100ml (10%) INFUSION (GAMUNEX)	R	Restricted for use by immunology ONLY. MMTC, September 2017
IMMUNOGLOBULIN NORMAL		
IMMUNOGLOBULIN NORMAL IV 2.5g INF (KIOVIG)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016.
IMMUNOGLOBULIN NORMAL IV 20g INF (KIOVIG)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016.

IMMUNOGLOBULIN NORMAL IV 5g INF (KIOVIG)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016.
IMMUNOGLOBULIN NORMAL IV 10g INF (KIOVIG)	R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016.
IMMUNOGLOBULIN NORMAL IV 2.5g in 50ml (5%) IN (FLEBOGAMMADIF)	IFR	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 20g in 200ml (10%) INFUSION (OCTAGAM)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 20g in 200ml INFUSION (PRIVIGEN)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 2g IN 20ml (10%) INFUSION (OCTAGAM)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 5g in 50ml INFUSIO (PRIVIGEN)	Ν	R To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.

IMMUNOGLOBULIN NORMAL IV 5g IN 50ml (10%) INFUSION (OCTAGAM)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 5g in 100ml (5%) INF (FLEBOGAMMADIF)		R To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 2.5g in 25ml INFUSION (PRIVIGEN)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 10g in 200ml (5%) INF (FLEBOGAMMADIF)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 10g in 100ml INFUSION (PRIVIGEN)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 10g IN 100ml (10%) INFUSION (OCTAGAM)	R	To be used strictly in accordance to the "demand management" protocol only. Do not substitute brands in established patients, but use Octagam for initiated patients. Medicines Effectiveness, March 2013.
IMMUNOGLOBULIN NORMAL IV 5g in 50ml (10%) IMMUNOGLOBULIN NORMAL IV 5g in 50ml (10%) INFUSION (INTRATECT)	) R	To be used strictly in accordance with the demand management protocol only. Do not substitute brands in established patients, but use Privigen for newly initiated patients. Medicines Effectiveness, November 2016

IMMUNOGLOBULIN SUB-CUTANEOUS IMMUNOGLOBULIN SUB-CUTANEOUS 8g in 40ml INJECTION (CUVITRU)	R	To be used strictly in accordance to the Demand Management Protocol only. Do not substitute brands in established patients. MMTC, November 2017
	D	
IMMUNOGLOBULIN SUB-CUTANEOUS 4g IN 25ml INJECTION (SUBGAM)	R	RESTRICTED to IMMUNOLOGY use only. Medicines Effectiveness, November 2004
IMMUNOGLOBULIN SUB-CUTANEOUS 2g in 12.5ml INJECTION (SUBGAM)	R	RESTRICTED to IMMUNOLOGY use only. Medicines Effectiveness, November 2004
VARICELLA		
VARICELLA VACCINE (VARILRIX)	R	Immunisation should continue to be done by the GP as often as possible, but this is on the formulary as a contingency if for any reason access to the GP is likely to be delayed. MMTC August 2018
VARICELLA ZOSTER IMMUNOGLOBULIN 250mg VACC (VZIG)	UNR	Following recommendation od Microbiology only. Medicines Effectiveness, March 2013.
14.05.02 Disease-specific immunoglobulins HEPATITIS		
HEPATITIS B IMMUNOGLOBULIN 5,000international units in 100ml (HUMAN)	NF	
IMMUNOGLOBULIN		
IMMUNOGLOBULIN SUB-CUTANEOUS 1g in 6.25ml INJECTION (SUBGAM)	R	RESTRICTED to PAEDIATRIC IMMUNOLOGY use only. Medicines Effectiveness, November 2004
SPECIFIC IMMUNOGLOBULIN		
IMMUNOGLOBULIN ANTI-TETANUS 250units	Y	
15.03.00 Antiviral drugs		
INTERFERON		
INTERFERON GAMMA 100microgram in 0.5ml INJECTION	Y	
15 Anaesthesia		
10.02 Drugs used in neuromuscular disorders		
10.02.02 Skeletal muscle relaxants		
BACLOFEN		

BACLOFEN 60mg IN 20ml INJECTION (INTRATHECAL)	SR	For use by Neurology Consultants only. Medicines Effectiveness, February 2013.
15 Anaesthesia 15.01.04 Pre-op Sedation <b>Dexmedetomidine</b>		
DEXMEDETOMIDINE 200micrograms IN 2ml INJECTION	R	For use as continuous sedation in adult patients on critical care units (400 microgram size preferred); and procedural sedation of paediatric patients undergoing MRI scans under direct supervision by an anaesthetist. MMTC May 2020
Midazolam		
MIDAZOLAM 5mg in 5ml PRE FILLED SYRINGE	R	FOR USE IN ED RESUS ONLY. MMTC MAY 2023.
MIDAZOLAM 10mg in 5ml ORAL SOLUTION IN SINGLE DOSE CONTAINER (ozalin)	NF	
15.01 General anaesthesia		
Fentanyl		
FENTANYL 25microgram in 2ml PRE FILLED SYRINGE NEONATES	SR	For use in neonates to assist elective or semi-elective intubation, MMTC July 2023.
Glycopyrronium bromide		
GLYCOPYRRONIUM BROMIDE 2mg/5ml LIQUID 60 (SIALANAR)	)ml	SR For use in upper airways and hypersalivation. Medicines Effectiveness, March 2013.
PARECOXIB		
PARECOXIB 40mg INJECTION	NF	
C C		
PARECOXIB 40mg INJECTION	R	For management of pain in palliative care patients when oral route is not available on advice of palliative care team. MMTC, Feb 2024
15.01 00 Drugs for pre-med and peri operative <b>ATROPINE</b>		
ATROPINE SULPHATE 1mg in 5ml SYRINGE	Y	
15.01 04 Sedative and analgesic peri-operative drugs	3	

FENTANYL 100micrograms in 2ML INJECTION (UNLICENSED)	UNR	Only to be ordered while there is a supply problem with the licensed product. RESTRICTED: For use in critical care areas, renal & transplant, interventional areas xray, endoscopy, cardiac cath labs, theatres, anaesthetics & recovery, A&E resus areas, Toms and Melanies. NB: fentanyl is non-formulary for other ward areas for PRN analgesia or preparation of PCAs unless advised by the acute pain team or approved by John Reynolds MAC DEC 2010
15.01 General anaesthesia		
REMIFENTANIL 2mg INJECTION	R	ADULTS: For analgesia, sedation or as part of anaesthesia in mechanically ventilated patients on in critical care and theatres only. PAEDIATRICS: For analgesia and enhancement of anaesthesia in theatres only. Medicines Effectiveness, April
REMIFENTANIL 1mg INJECTION	R	ADULTS: For analgesia, sedation or as part of anaesthesia in mechanically ventilated patients on in critical care and theatres only. PAEDIATRICS: For analgesia and enhancement of anaesthesia in theatres only. Medicines Effectiveness, April
REMIFENTANIL 5mg INJECTION	R	ADULTS: For analgesia, sedation or as part of anaesthesia in mechanically ventilated patients on in critical care and theatres only. MMTC, April 2016
15.01.01 Intravenous anaesthetics		
ETOMIDATE		
ETOMIDATE 20mg in 10ml INJECTION	Y	
KETAMINE KETAMINE (KETAMINUM) 200mg in 20ml INJECTION (VIALS)	UNR	
KETAMINE 200mg IN 20ml INJECTION	Y	

KETAMINE 500mg IN 10ml INJECTION (LICENSED)	Υ	
PROPOFOL PROPOFOL 200mg IN 20ml (1%) INJECTION	Y	
PROPOFOL 1g in 100ml (1%) INJECTION	Y	
PROPOFOL 500mg IN 50ml (1%) INJECTION	Υ	
THIOPENTAL THIOPENTAL 500mg INJECTION (without water)	Y	
THIOPENTAL 500mg IN 20ml INTRAVENEOUS PRE- FILLED SYRINGE	SR	For emeregency intubation prioir to cesarian section. Medicines Effectiveness, March 2013.
15.01.02 Inhalational anaesthetics		
DESFLURANE 240ml	NF	
ISOFLURANE ISOFLURANE 250ml LIQUID	Y	
METHOXYFLURANE		
METHOXYFLURANE 999mg in 1g (99.9%) INHALATION VAPOUR 3ml	R	For use to relieve moderate to severe pain in conscious adult patients with trauma and associated pain in Emergency Departments MMTC, May 2020
SEVOFLURANE		
SEVOFLURANE 250ml <<	Y	
15.01.03 Antimuscarinic drugs ATROPINE		
ATROPINE SULPHATE 600micrograms IN 1ml INJECTION	Y	
ATROPINE SULPHATE 3mg in 10ml SYRINGE	Y	
GLYCOPYRRONIUM		
GLYCOPYRRONIUM BROMIDE 600mcg IN 3ml	Y	
INJECTION		

GLYCOPYRRONIUM BROMIDE 200micrograms IN 1n INJECTION	nl Y	
HYOSCINE HYDROBROMIDE HYOSCINE HYDROBROMIDE 400microgram in 1ml INJECTION	R	For Ward stock NITU and CCU (Horton) only. MAC, April 2011.
PROPOFOL PROPOFOL 500mg IN 50ml (1%) INJECTION PRE- FILLED SYRINGE (CTASU PREP)	UNR	For use on critical care areas during covid-19. Medicines Effectiveness, April 2020
15.01.03 General anaesthesia GLYCOPYRRONIUM BROMIDE GLYCOPYRRONIUM BROMIDE 1mg/5ml LIQUID	R	For use in upper airways and hypersalivation. Medicines Effectiveness, March 2013.
15.01.04 Sedative and anal		
Fentanyl		
FENTANYL 100microgram/DOSE NASAL SPRAY (8 DOSE)	NF	
15.01.04 Sedative and analgesic peri-operative drugs		
ALFENTANIL 1mg IN 2ml INJECTION	R	Restricted for on advice of the palliative care team only. MMTC September 2018
ALFENTANIL CONCENTRATE 5mg IN 1ml INJECTIO	NC	R Restricted for on advice of the palliative care team only. MMTC September 2018
DEXMEDETOMIDINE		
DEXMEDETOMIDINE 400micrograms IN 4ml	R	Restricted for use in sedation on AICU and CICU. Initiation by ICU consultants only as per dexmedetomidine guidelines. MMTC, March 2019
FENTANYL FENTANYL 2.5mg in 50ml PRE-FILLED SYRINGE	SR	
FENTANYL 500micrograms in 10ml INJECTION	R	For use in critical care areas, renal & transplant, interventional areas xray, endoscopy, cardiac cath labs, theatres, anaesthetics & recovery, A&E resus areas, Toms and Melanies.
FENTANYL 2.5mg in 50ml INJECTION VIAL (UNLICENSED)	UNR	MMTC, May 2020

FENTANYL 2.5mg in 50ml VIAL	R	Restricted to Critical Care wards only for use in continuous infusions. Medicines Effectiveness, May 2019
FENTANYL 500microgram IN 10ml INJECTION	R	For use in critical care areas, renal & transplant, interventional areas xray, endoscopy, cardiac cath labs, theatres, anaesthetics & recovery, A&E resus areas, Toms and Melanies. NB: fentanyl is non-formulary for other ward areas for PRN analgesia or preparation of PCAs unless advised by the acute pain team or approved by Dr. John Reynolds. MAC, December 2010.
FENTANYL 100microgram IN 2ml INJECTION	R	For use in critical care areas, renal & transplant, interventional areas xray, endoscopy, cardiac cath labs, theatres, anaesthetics & recovery, A&E resus areas, Toms and Melanies. NB: fentanyl is non-formulary for other ward areas for PRN analgesia or preparation of PCAs unless advised by the acute pain team or approved by Dr. John Reynolds. MAC, December 2010.
KETOROLAC KETOROLAC 30mg IN 1ml INJECTION	Y	
MIDAZOLAM		
MIDAZOLAM 50mg in 10ml INJECTION	R	Temporary product during shortage of normal strength. Restricted for use on Neuro Intensive Care Unit only. Medicines Effectiveness, April 2019
MIDAZOLAM 10mg IN 2ml INJECTION	R	HIGH STRENGTH product restricted to palliative care and paediatric use only. Medicines Effectiveness, July 2009.
MIDAZOLAM (BASE) 12.5mg/5ml LIQUID	SR	Pre-medication in children; and in adults with special needs undergoing dental procedures. MMTC, November 2013

MIDAZOLAM 100mg IN 50ml INJECTION 50ml VIAL	R	Restricted to adult ICU only. Medicines Effectiveness, Novemeber 2009.
MIDAZOLAM 5mg IN 5ml INJECTION	Y	
MORPHINE MORPHINE SULPHATE 100mg SACHETS M/R	NF	
15.01.05 Neuromuscular blocking drugs ATRACURIUM	V	
ATRACURIUM 50mg in 5ml INJECTION	Y	
ATRACURIUM 25mg in 2.5ml INJECTION	Y	
ATRACURIUM 250mg in 25ml INJECTION	Y	
CISATRACURIUM CISATRACURIUM 20mg IN 10ml INJECTION	R	For patients with proven hypersensitivity to atracurium and other curare like muscle relaxants. MAC, March 2009.
CISATRCURIUM CISATRCURIUM 150mg in 30ml INJECTION	NF	
EFGARTIGIMOD EFGARTIGIMOD ALFA 400mg in 20ml CONCENTRATE SOLUTION FOR INFUSION (FOC)	R	For treatment of patients under EAMS scheme only. MMTC Dec 2022
MIVACURIUM		
MIVACURIUM 20mg IN 10ml INJECTION	Y	
MIVACURIUM 10mg IN 5ml INJECTION	Y	
PANCURONIUM PANCURONIUM 4mg IN 2ml INJECTION	Y	
ROCURONIUM 100MG / 10ML INJECTION	Y	
ROCURONIUM 50mg IN 5ml INJECTION	Y	
Suxamethonium		

	SUXAMETHONIUM 10mg in 2ml PRE FILLED SYRINGES NEONATES	SR	For use in neonates to assist elective or semi-elective intubation, MMTC July 2023.
	SUXAMETHONIUM 100mg IN 2ml INJECTION	Y	
	SUXAMETHONIUM 200mg IN 10ml INTRAVENEOUS PRE-FILLED SYRINGE	SR	For emergency intubation in obstetrics for emergency cesarian section. Medicines Effectiveness, March 2013.
	VECURONIUM		
	VECURONIUM BROMIDE 10mg INJECTION	Y	
	15.01.06 Drugs for reversal of neuromuscular blockade <b>NEOSTIGMINE</b>		
	NEOSTIGMINE 2.5mg & GLYCOPYRROLATE 500microgram IN 1ml INJECTION	Y	
	15.01.07 Antagonists for central and respiratory depression	on	
	NALOXONE		
	NALOXONE 400microgram in 1ml INJECTION	Y	
	SUGAMMADEX		
	SUGAMMADEX 200mg IN 2ml INJECTION	R	For routine reversal of induced muscle paralysis during COVID- 19 only. MMTC, April 2020
	15.01.08 Drugs for malignant hyperthermia		
	DANTROLENE		
	DANTROLENE 20mg INJECTION	Y	
	15.02 Anaesthesia <b>KETAMINE</b>		
	KETAMINE 50mg/5ml LIQUID (SUGAR FREE)	SR	Pre-medication in children with
	······································		severe behavioural issues undergoing procedures; pre- medication in children during COVID-19; and in adults with special needs undergoing dental procedures. MMTC, April 2020.
15	.02 Local anaesthesia		
_	15.02 Anaesthesia		
	BUPIVACAINE		

BUPIVACAINE 0.5% INJECTION 10ml STERILE WRAPY

BUPIVACAINE 0.25% INJECTION 10ml STERILE WRAP	Υ
BUPIVACAINE HEAVY 20mg IN 4ml (0.5%) INJECTIO	N Y
EMLA CREAM EMLA CREAM 30g SURGICAL PACK	Y
ETHYL CHLORIDE ETHYL CHLORIDE BP SPRAY 100ml	Y
LIDOCAINE LIDOCAINE 2% 40mg in 2ml INJECTION	Y
LIDOCAINE 0.5% 50mg in 10ml INJECTION	Υ
LIDOCAINE 1% 100mg in 10ml INJECTION	Y
LIDOCAINE 2% & ADRENALINE 1:80,000units 2.2ml CARTRIDGE	Y
LIDOCAINE 10mg/dose SPRAY	Y
LIDOCAINE 2% 400mg in 20ml INJECTION	Y
LIDOCAINE 4% TOPICAL SOLUTION 25ml	Υ
LIDOCAINE 5% OINTMENT 15g	Y
LIDOCAINE 1% 200mg in 20ml INJECTION	Y
LIDOCAINE 1% 50mg in 5ml INJECTION	Y
LIDOCAINE 2% 100mg in 5ml INJECTION	Y
LIDOCAINE 1% 20mg in 2ml INJECTION	Y
PRILOCAINE PRILOCAINE 1% INJECTION 50ml	Y
TETRACAINE TETRACAINE GEL 1.5g	Y
15.02.00 Local anaesthesia BUPIVACAINE BUPIVACAINE 0.5% INJECTION 10ml STERILE WRAN	⊃γ

BUPIVACAINE 0.25% INJECTION 10ml STERILE WRAP	Y	
BUPIVACAINE + FENTANYL BUPIVACAINE 0.1% & FENTANYL 2microgram/ml IN SOD CHLOR 0.9% 250ml (3159471)	SR	
BUPIVACAINE/CLONIDINE CLONIDINE 250micrograms & BUPIVACAINE 0.1% EPIDURAL BAG 250ml	SR	For pain relief in children with cerebral palsy undergoing orthopaedic surgery. MMTC, February 2015.
EMLA CREAM		
EMLA CREAM 5g with DRESSING	Y	
LIDOCAINE		
LIDOCAINE 0.5% & ADRENALINE 1 in 200,000 INJECTION 10ml (UL)	UNR	
LIDOCAINE 1% & ADRENALINE 1 in 200,000 INJECTION 10ML	SR	For use ONLY IF DBI201 IS UNAVAILABLE.
LIDOCAINE 4% TOPICAL SOLUTION 40ml	UNR	For awake intubation procedures. Theatres only. Medicines Effectiveness, June 2013.
LIDOCAINE 5% (700mg) PATCHES	NF	
LIDOCAINE 1% & ADRENALINE 1 IN 200,000 INJECTION 20ml	R	
LIDOCAINE 1% INJECTION 20ml (For use in Eye Theatres for intraocular use only)	R	For use by Eye Theatres for intraoccular use only. Medicines Effectiveness, MArch 2013.
LIDOCAINE 4% ADRENALINE 0.1% TETRACAINE 0.5% STERILE GEL 3ml (L.A.T GEL)	SR	Restricted to max fax patients with simple lacerations. MAC, July 2009.
Lidocaine + Adrenaline		
LIDOCAINE 2% & ADRENALINE 1 IN 200,000 INJECTION 20ml	Y	
MEPIVACAINE		
MEPIVACAINE 3% INJECTION 2.2ml CARTRIDGE (PLAIN)	R	For use in the fitting of intrauterine devices (off-label indication). MMTC, June 2014.
PRILOCAINE PRILOCAINE 3% & OCTAPRESSIN INJECTION 2.2ml (Self-Aspirating)	Y	

PRILOCAINE 100mg IN 5ml (2%) HYPERBARIC INJECTION	R	For use in spinal anaesthesia for short procedures in the day surgery units at the Horton hospital, Churchill urology unit, NOC and Gynae theatres only. MMTC, January 2020
ROPIVACAINE		
ROPIVACAINE 500mg in 250ml SOLUTION FOR INFUSION PRE-FILLED DEVICE (FREE SUPPLY)	R	THE 20 TRIAL UNITS WILL BE USED IN CHURCHILL HOPSITAL ONLY
ROPIVACAINE 75mg IN 10ml INJECTION	R	For use by the NOC theatres only. Medicines Effectiveness, May 2003.
ROPIVACAINE 20mg in 10ml INJECTION	R	For use by the NOC theatres only. Medicines Effectiveness, May 2003.
15.02.00 Anaesthesia		
BUPIVACAINE		
BUPIVACAINE 0.125% INFUSION 250ml	Y	
BUPIVACAINE 0.25% + ADRENALINE INJECTION 10r	ml Y	
BUPIVACAINE 0.5% + ADRENALINE INJECTION 10m	ΙY	
LIDOCAINE		
LIDOCAINE 1% 100mg in 10ml INJECTION (STERILE WRAP)	Y	
15.02.00 Anaesthesia drugs		
	0.0	
COCAINE 5% NASAL SOLUTION 4ml (colourless)	SR	For topical local anaesthetisa in awake fibreotic intubation and during ENT procedures. Medicines Effectiveness, April 2016
15.02.00 Drugs used for anaesthesia		
COCAINE		
COCAINE 25% PASTE SYRINGE 2g	Y	
COCAINE 5% NASAL SOLUTION 2ml (colourless)	SR	For topical local anaesthetisa in awake fibreotic intubation and during ENT procedures. Medicines Effectiveness, April 2016

15.02.00 Local anaesthesia

ARTICAINE & ADRENALINE 1 in 100,000 INJECTION		
2.2ml (pk 50)	INF	
INSTILLAGEL		
LIDOCAINE 2% & CHLORHEXIDINE LUBRICATING GEL 6ml SYRINGE	Y	
LIDOCAINE 2% & CHLORHEXIDINE LUBRICATING GEL 11ml SYRINGE	Y	
16 Emergency treatment of poisoning		
ACETYLCYSTEINE		
ACETYLCYSTEINE 2g in 10ml (20%) INJECTION 10m	ΙY	
METHYLTHIONINIUM METHYLTHIONINIUM CHLORIDE 50mg in 10ml (0.5% INJECTION	) Y	
Uridine triacetate		
URIDINE TRIACETATE 10g ORAL SACHETS SF	UNR	
other poisons		
PRALIDOXIME		
PRALIDOXIME CHLORIDE 1g INJECTION	UNR	
16.03 Drug Toxicity		
16.03 Drug Toxicity		
IDARUCIZUMAB		
IDARUCIZUMAB 2.5g IN 50ml INJECTION	R	For urgent reversal of dabigatran only: (1) emergency surgery, i.e. where the surgery must be performed within the next 8 hours and (2) life-threatening or serious bleeding. MMTC, February 2016
Other poisons		
HYDROXOCOBALAMIN		
HYDROXOCOBALAMIN HYDROXOCOBALAMIN 5g INJECTION	R	For emergency treatment of cyanide poisoning. MMTC, April 2020
Cyananides		
SODIUM THIOSULPHATE		

ARTICAINE

SODIUM THIOSULPHATE 12.5g IN 50ml INJECTION	R	For use as part of Cyanide Poisons Antidote Kit kept in AE. Medicines Effectiveness, March 2013
Removal and elimination removal from the gastro-intestinal tract ACTIVATED CHARCOAL ACTIVATED CHARCOAL 200mg/ml LIQUID 250ml	Y	
	I	
23 Disinfectants 23.00 Disinfectants 23.00.00 Disinfectants CHLORHEXIDINE CHLORHEXIDINE 2% IN 70% IPA PINK 200ml	Y	
	·	
30. Injectable Contrast Media		
DOTAREM		
DOTAREM VIAL 10ml	R	For use by MRI only. MMTC, November 2017
DOTAREM VIAL 5ml	R	For use by MRI only. MMTC, November 2017
PERFLUTREN		
PERFLUTREN CONTAINING LIPID MICROSPHERES 150 microlitres IN 1ml INJECTION	R	Contrast for use in cardiac ECHO (cardiac out-patients) only. MMTC, September 2017
UROGRAFIN		
UROGRAFIN 150 (30%) 250ml	Y	
UROGRAFIN 150 (30%) 500ml	Y	
32 Dialysis fluids		
HAEMOFILTRATION HAEMOFILTRATION (Ci-Ca K2 DIALYSATE) INFUSION 5L	R	For use on CTCC only as part of citrate haemodiafiltration. MMTC, March 2013
SODIUM CHLORIDE		

	DIUM CHLORIDE 0.9% IRRIGATION 3L 27) UROMATIC	Y	
Υ.	NUM CHLORIDE 0.9% IRRIGATION BOTTLE	Y	
DF SOD	DIUM CHLORIDE 0.9% INFUSION 50ml 44073	2 Y	
	DIUM CHLORIDE 0.9% IRRIGATION 3L 28T) EASYFLOW	Y	
Appendix 02 B	Borderline substances		
A02.05 Feed	d additives		
A02.05.01	1 Special additives for conditions of intolerance		
PROBIO	TIC SACHET		
PROBIC	DTIC SACHET (VSL#3)	NF	
Appendix 05 V	Vound management products and elasticate	ed garmei	nts
	ic wound contact dressings		
	Basic wound management		
_	STATIC FELT		
HAEMO (LYOST	STATIC FELT 3cm x 5cm DRESSING YPT)	Y	
PARAFF	FIN GAUZE		
PARAFF	FIN GAUZE 5cm x 5cm DRESSING	R	This dressing may be used by Plastics or following recommendation by Tissue Viability Team. MAC, October 2009.
PARAFF	FIN GAUZE 10cm x 10cm DRESSING	R	This dressing may be used by Plastics or following recommendation by Tissue Viability Team. MAC, October 2009.
PARAFF	FIN GAUZE 40cm x 10cm DRESSING	R	This dressing may be used by Plastics or following recommendation by Tissue Viability Team. MAC, October 2009.
PARAFF	FIN GAUZE 15cm x 2m DRESSING (ROLL)	R	This dressing may be used by Plastics or following recommendation by Tissue Viability Team. MAC, October 2009.
05.01.02	Absorbent dressings		

**KERRAMAX** 

KERRAMAX 10cm x 22cm DRESSING	R	Following recommendation by Tissue Viability Team. MAC, October 2009.
KERRAMAX 20cm x 22cm DRESSING	R	Following recommendation by Tissue Viability Team. MAC, October 2009.
A05.02 Advanced wound dressings		
05.02.01 Hydrogel dressings		
ACTIFOAM		
ACTIFORM COOL 10cm X 10cm DRESSING	R	Following recommendation by Tissue Viability or Vascular only. MAC, May 2010.
ACTIFORM COOL 10cm X 15cm DRESSING	R	Following recommendation by Tissue Viability or Vascular only. MAC, May 2010.
ACTIVHEAL		
ACTIV HEAL HYDROCOLLOID 15cm X 15cm DRESSING	Y	
ACTIV HEAL HYDROCOLLOID 15cm X 18cm SACRA DRESSING	AL Y	
ACTIV HEAL HYDROCOLLOID 5cm X 7.5cm DRESS	ING Y	
ACTIV HEAL FOAM ADHESIVE 10cm X 10cm DRESSING	Y	
ACTIV HEAL FOAM 5cm X 5cm DRESSING	Y	
ACTIV HEAL HYDROCOLLOID 10cm X 10cm DRESSING	Y	
ACTIV HEAL FOAM ADHESIVE 15cm X 15cm DRESSING	Y	
ACTIV HEAL ALGINATE 10cm X 10cm DRESSING	Y	
ACTIV HEAL FOAM ADHESIVE 12.5cm X 12.5cm DRESSING	Y	
ACTIV HEAL FOAM 20cm X 20cm DRESSING	Y	
ACTIV HEAL FOAM 10cm X 17.8cm DRESSING	Y	
ACTIV HEAL FOAM 10cm X 10cm DRESSING	Υ	
ACTIV HEAL ALGINATE 5cm X 5cm DRESSING	Y	
ACTIV HEAL ALGINATE 10cm X 20cm DRESSING	Y	

INTRASITE

INTRASITE GEL 15g DRESSING APPLIPAK	R	For use by Plastic Out-patients (PLOP) only. Medicines Effectiveness, May 2010.
05.02.02 Vapour-permeable films and membranes OPSITE OPSITE SPRAY DRESSING 100ml	Y	
05.02.03 Soft polymer dressings	·	
ALLEVYN SACRUM 17cm x 17cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
BOOT DRESSING BOOT DRESSING FOR MAGGOTS	Y	
HALF BOOT HALF BOOT DRESSING FOR MAGGOTS	Y	
MEPILEX MEPILEX BORDER LITE 15cm X 15cm DRESSING	R	FOLLOWING RECOMMENDATION BY TISSUE VIABILITY TEAM ONLY. MAC, OCTOBER 2009
MEPILEX LITE 10cm X 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
MEPILEX WITH SILICONE ADHESIVE BORDER 17cr X 20cm DRESSING	n	R For use by A+E, Radiotherapy, Palliative Care and FEU, Plastics, Paediatrics OR following recommendation by Tissue Viability Team. MAC, October 2009.
MEPILEX TRANSFER 20cm X 50cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
MEPILEX LITE 15cm x 15cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
MEPILEX BORDER LITE 7.5 X 7.5cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.

MEPILEX BORDER LITE 4cm X 5cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
MEPILEX 10cm x 11cm DRESSING	R	For use by A+E, Radiotherapy, Palliative Care and FEU, Plastics, Paediatrics OR following recommendation by Tissue Viability Team. MAC, October 2009.
MEPILEX LITE 6cm X 8.5cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
MEPILEX 15cm X 16cm DRESSING	R	For use by A+E, Radiotherapy, Palliative Care and FEU, Plastics, Paediatrics OR following recommendation by Tissue Viability Team. MAC, October 2009.
SORBION SANA		
SORBION SANA 12cm X 12cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SORBION SANA 8.5cm X 8.5cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
URGOTUL SOFT POLYMER DRESSING WITH SILVER 16cm x 21cm	NF	
05.02.04 Hydrocolloid dressings		
DUO-DERM EXTRA		
DUO-DERM EXTRA THIN 10cm x 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
GRANUFLEX		
GRANUFLEX BORDERED 10cm x 10cm DRESSING S156	G R	Following recommendation by Tissue Viability Team MAC, October 2009.
05.02.06 Alginate dressings		
SORBSAN		
SORBSAN 10cm x 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.

SORBSAN 10cm x 20cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SORBSAN PLUS 10cm x 15cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SORBSAN 5cm x 5cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
SORBSAN PLUS 7.5cm x 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
05.02.08 Odour absorbent dressings		
CLINISORB		
CLINISORB 10cm x 10cm ODOUR CONTROL DRESSING	R	Following recommendation by Tissue Viability Team or Palliative care. MAC October 2009
CLINISORB 15cm x 25cm ODOUR CONTROL DRESSING	R	Following recommendation by Tissue Viability Team or Palliative care. MAC October 2010
CORREAN		
SORBSAN ALGINATE DRESSING WITH ACTIVATED CARBON (SORBSAN PLUS CARBON) 15cmX20cm A05.02.03 Soft polymer dressings	NF	
MEPILEX		
MEPILEX WITH SILICONE ADHESIVE BORDER 7cn 7.5cm DRESSING	ηx	R For use by A+E, Radiotherapy, Palliative Care and FEU, Plastics, Paediatrics OR following recommendation by Tissue Viability Team. MAC, October 2009
A05.03 Antimicrobial dressings 05.03.01 Honey MANUKA		
ACTIVON MANUKA HONEY TULLE 10cm X 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, May 2010.
MESITRAN		
MESITRAN MESH 20cm x 15cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.

MESITRAN MESH 10cm x 10cm DRESSING	R	Following recommendation by Tissue Viability Team only. MAC, October 2009.
05.03.02 Iodine <b>POVIDONE IODINE</b> POVIDONE IODINE 5cm x 5cm DRESSINGS (Inadine)	Y	
POVIDONE-IODINE POVIDONE-IODINE 9.5cm x 9.5cm DRESSINGS (Inadine) 05.03.03 Silver ACTICOAT	Y	
ACTICOAT FLEX 3 10cm x 20cm DRESSING	NF	
ACTISORB ACTISORB SILVER 10.5cm X 19cm DRESSINGS (220	)NF	
AQUACEL		
AQUACEL AG BURN 17cm x 15cm DRESSING	R	Restricted to use in burns patients only (under Mrs Sarah Tucker). Medicines Effectiveness, January 2014
AQUACEL AG BURN 23cm x 30cm DRESSING	R	Restricted to use in burns patients only (under Mrs Sarah Tucker). Medicines Effectiveness, January 2014
AQUACEL AG BURN 13cm x 10cm DRESSING	R	Restricted to use in burns patients only (under Mrs Sarah Tucker). Medicines Effectiveness, January 2014
ATRAUMAN AG		
ATRAUMAN AG 10cm X 10cm DRESSING	Y	
ATRAUMAN AG 20cm X 10cm DRESSING	Y	
ATRAUMAN AG 5cm X 5cm DRESSING	Y	
05.03.04 Other antimicrobials SUPRASORB		
SUPRASORB X + POLYHEXANIDE 14cm x 20cm DRESSINGS	R	Following recommendation by Tissue Viability Team. MAC, October 2009.
A05.03.01 Honey		

A05.03.01 Honey ALGIVON

ALGIVON (DRESSING IMPREGNATED WITH MEDICAL GRADE MANUKA HONEY) 5X5cm DRESS	R SING	Following recommendation by the Tissue Viability Team only. MAC, February 2010.
ALGIVON (DRESSING IMPREGNATED WITH MEDICAL GRADE MANUKA HONEY) 10X10cm	R	Following recommendation by the Tissue Viability Team only. MAC, February 2010.
A05.03 Antimicrobials		
05.03.01 Honey		
MANUKA		
MANUKA HONEY STERILE 25g	R	Following recommendation by Tissue Viability Team only. MAC, March 2010.
A05.04 Specialised dressings		
05.04.02 Silicone keloid dressings		
MEPIFORM		
MEPIFORM 9cm x 18cm SCAR DRESSING	NF	
A05.8 Bandages preparations		
05.08.09 Medicated bandages		
ICHTHOPASTE		
ICHTHOPASTE 7.5cm X 6m BANDAGE 120-659	Y	
Unknown		
PREGNANCY TEST 25million international units/ml	Y	
MID-STREAM (ALERE hCG EASY)	·	
Abrocitinib		
ABROCITINIB 100mg TABLETS	R	For treatment of moderate to
		severe atopic dermatitis as per NICE TA814. MMTC, March 2023
		NICE TROTA. MINITO, March 2023
ABROCITINIB 200mg TABLETS	R	For treatment of moderate to
		severe atopic dermatitis as per NICE TA814. MMTC, March 2023
		,
	V	
ACETAZOLAMIDE 250mg CAPSULES M/R	Y	

ACETIC ACID

ACETIC ACID 5% SOLUTION 200ml	SR	
ACETONE 50ml	R	Only to be used in approved areas
Acetylcysteine ACETYLCYSTEINE 600mg EFFERVESCENT TABL	ETS	C CLINICAL TRIAL USE ONLY
		STOCK TO BE KEPT IN PHARMACY - SHOULD GO STRAIGHT TO CLINICAL TRIALS. FOR Ph2 INBRX SA CS USE.
ACTICOAT		
ACTICOAT FLEX 3 10cm X 120cm DRESSING	NF	
Alpelisib		
ALPELISIB 150mg TABLETS	R	For treatment of hormone receptor-positive, HER2- negative, PIK3CA-mutated, locally advanced or metastatic breast cancer as per NICE TA816. MMTC, December 2022
ALPELISIB 200mg TABLETS	R	For treatment of hormone receptor-positive, HER2- negative, PIK3CA-mutated, locally advanced or metastatic breast cancer as per NICE TA816. MMTC, December 2022
ALPELISIB 50mg and 200mg TABLETS (28x 50mg 8 28 x200mg)	& R	For treatment of hormone receptor-positive, HER2- negative, PIK3CA-mutated, locally advanced or metastatic breast cancer as per NICE TA816. MMTC, December 2022
AMINOLEVULINIC ACID		
5-AMINOLEVULINIC ACID 30mg/ml (1.5g) POWDER FOR ORAL SOLUTION	R R	Visualisation of malignant tissue during surgery for malignant glioma. MMTC, November 2013.
Amoxicillin		
AMOXICILLIN 1g INJECTION	Y	
ANTI-THYMOCYTE IMMUNOGLOBULIN ANTI-THYMOCYTE IMMUNOGLOBULIN EQUINE 250mg in 5mL INJECTION Arginine + Lysine	R	

NO

L-ARGININE 25g & L-LYSINE HYDROCHLORIDE 25g INFUSION 1L (LYSAKARE)	R	
ARTISS FIBRIN SEALANT 4ml	R	OUH formulary approved for use in Breast Surgery. MMTC, September 2015
ARTISS SEALANTS 2ml SOLUTIONS FOR SEALANT	R	For use in breast surgery. MMTC, September 2015
AUTO DROP		
AUTO DROP	Y	
Avelumab AVELUMAB 200mg in 10ml INJECTION (Urothelial Maintenance EAMS)	NF	
AZITHROMYCIN		
AZITHROMYCIN 500mg INJECTION	R	As per OUH Antimicrobial Guidelines. It is also available following approval/prescribing by: - Microbiology/ID consultant or registrar - Paediatric ID consultant or registrar MMTC, April 2020.
Bambuterol		
BAMBUTEROL 10mg TABLETS (3 X 10)	NF	
BARIUM SULPHATE		
BARIUM SULPHATE 96% EZ-PAQUE POWDER (24x177g)	R	Only to be ordered for Radiology Trial only
BARIUM SULPHATE LIQUID 300ml	Y	
BARIUM SULPHATE EZ-HD (24x340g)	Y	
BARIUM SULPHATE 94.6%W/W GRANULES	Y	

**BECLOMETASONE + FORMOTEROL** 

BECLOMETASONE 200micrograms / FORMOTEROL 6micrograms INHALER 120 dose (LUFORBEC)	R	For the management of COPD as per Maintenance Management of COPD Inhaled and Oral Therapies (Adults) guidelines and for the management of asthma as per Maintenance Management of Asthma Inhaled and Oral Therapies (adults) guidelines. To be used instead of Fostair in newly initiated patients. MMTC, December 2022
BECLOMETASONE 100micrograms / FORMOTEROL 6micrograms INHALER 120 dose(LUFORBEC)	R	For the management of COPD as per Maintenance Management of COPD Inhaled and Oral Therapies (Adults) guidelines and for the management of asthma as per Maintenance Management of Asthma Inhaled and Oral Therapies (adults) guidelines. To be used instead of Fostair in newly initiated patients. MMTC, December 2022
Beclometasone + Formoterol + Glycopyrronium		
BECLOMETASONE 88micrograms / GLYCOPYRRONIUM 9micrograms / FORMOTEROL	NF	
BECLOMETASONE + GLYCOPYRRONIUM +		
BECLOMETASONE 172micrograms/ GLYCOPYRRONIUM 9micrograms/ FORMETEROL	NF	
BEDAQUILINE		
BEDAQUILINE 100mg TABLETS (COMPASSIONATE USE)	NF	
Belatacept		
BELATACEPT 250mg INJECTION (CTASU)	R	To prevent rejection in bowel transplant patients who have demonstrable tacrolimus

#### BEROTRALSTAT

BEROTRALSTAT 150mg CAPSULES R BEVACIZUMAB

BEVACIZUMAB 100mg IN 4ml INJECTION (FREE STOCK)

#### **BORIC ACID**

BORIC ACID 5g POWDER

demonstrable tacrolim nephrotoxicity. MMTC, February 2013.

UNR Restricted for use in the ear Medicines Effectiveness, June 2011.

NF

### BROLUCIZUMAB

BROLUCIZUMAB 120mg in 1ml PRE-FILLED SYRINGE		R For treating wet age-related
		macular degeneration as per NICE TA672. MMTC, May 2021
BUDESONIDE BUDESONIDE 160microgram / FORMOTEROL 4.5micrograms INHALER 60dose	NF	
Cabotegravir		
CABOTEGRAVIR 600mg in 3ml PROLONGED RELEASE INJECTION	R	For treatment of HIV-1 infection, to be used alongside rilpivirine as per NICE TA757. MMTC, July 2022
CABOTEGRAVIR 30mg TABLETS	R	
CALCIUM CARBONATE		
CALCIUM CARBONATE 1750mg & CALCIUM LACTATE GLUCONATE 2263mg EFFERVESCENT	Y	
CALCIUM PHOSPHATE		
CAPHOSOL (CALCIUM PHOSPHATE SOLUTION) 2 15ml ORAL RINSE	x NF	
CANNABIDIOL		
CANNABIDIOL 100mg/ml LIQUID 100ml (Free of charge stock)	NF	Restricted for use in paediatric patients with Dravets Syndrome and Lennox Gastaut Syndrome who are enrolled on the compassionate use scheme only. MMTC, May 2019
CANNABIDIOL 500mg/5ml LIQUID 100ml	R	For the treatment of Dravet's Syndrome as per NICE TA614 and Lennox-Gastaut Syndrome as per NICE TA615. MMTC, February 2020
carboxymethylcellulose		
AQUACEL AG+ 2cm x 45cm DRESSING	R	
AQUACEL AG+ EXTRA 10 x 10cm DRESSING	R	
AQUACEL AG+ EXTRA 15 x 15cm DRESSING	R	
AQUACEL AG+ EXTRA 5cm x 5cm DRESSINGS	R	
CARDIOPLEGIA		
CARDIOPLEGIA STERILE CONCENTRATE 20ml	R	For use by perfusionists only. Medicines Effectiveness, August

Medicines Effectiveness, August 2008.

CARNOYS SOLUTION 10ml	SR	For use in Cancer Ambulatory Care only. MMTC, May 2020
CAROB BEAN CAROB BEAN 1% SOLUTION C	Y	
CASIRIVIMAB CASIRIVIMAB 1332mg per 11.1mL with IMDEVIMAB 1332mg per 11.1ml	R	For treatment of Covid-19 in hospitalised and non- hospitalised patients with non- omicron variant infection. MMTC, December 2021.
CHLOR-CLEAN TABLETS		
CHLOR-CLEAN TABLETS	Y	
CHLORHEXIDINE		
CHLORHEXIDINE 0.5% in DEB PINK SPRAY 200ml (TEMP PROCUREMENT SUPPLY)	R	
CHLORHEXIDINE 2% IN 70% IPA 500ml (TEMP PROCUREMENT SUPPLY)	UNR	For skin preparation prior to surgical incision in theatres, anaesthetics and other interventional areas. Medicines Effectiveness, February 2013.
CHLORHEXIDINE GLUCONATE DENTAL GEL 1% 500	gY	
CHLORHEXIDINE ACETATE 0.05% CLEAR 1L IRRIGATION BOTTLES (FKF7984)	Y	
CHLORHEXIDINE 0.5% in DEB PINK SPRAY 200ml	Y	
CHLORHEXIDINE 2% IN 70% IPA PINK 500ml	UNR	For skin preparation prior to surgical incision in theatres, anaesthetics and other interventional areas. Medicines Effectiveness, February 2013.
Ciclosporin		
CICLOSPORIN 50mg CAPSULES (SANDIMMUN)	NF	
CICLOSPORIN 1mg/ml (VERKAZIA) UNIT DOSE EYE DROPS 0.3ml (120)	R	Severe vernal keratoconjunctivitis (VKC) in children from 4 years of age and adolescents. MMTC, March 2021
CITRIC ACID CITRIC ACID 1g in 10ml SACHET + SOLUTION (CARBEX) Clindamycin	Y	

CLINDAMYCIN 600mg IN 4ml INJECTION	Y	
CLINDAMYCIN 300mg IN 2ml INJECTION	Y	
Clindamycin + Tretinoin CLINDAMYCIN 1% & TRETINOIN 0.025% GEL 30g	NF	
Clotrimazole CLOTRIMAZOLE 1% CREAM 50g	Y	
COCAINE COCAINE HYDROCHLORIDE POWDER	Y	
COCONUT OIL BP	R	For use by Dermatology only. Medicines Effectiveness, March 2013.
COD LIVER OIL COD LIVER OIL 400mg CAPSULES	UNR	For use as a marker in Radiology. Medicines Effectiveness, February 2016
Colecalciferol COLECALCIFEROL 20,000unit CAPSULES	R	Restricted to use for patients with significant vitamin D deficiency OR paediatric patients with cystic fibrosis under the care of Dr. Jeremy Hull. Medicines Effectiveness, February 2019
COLLATAMP G COLLATAMP EG 10cm x 10cm IMPLANT	NF	
COLLATAMP G 5 x 20cm IMPLANT	NF	
CRIZANLIZUMAB CRIZANLIZUMAB 100mg IN 10ml SOLUTION FOR		
INFUSION	R	For the prevention of vaso- occlusive crises in sickle cell disorders as per NICE TA743. MMTC, February 2022
INFUSION CUTIMED CUTIMED SORBACT 4cm X 6cm DRESSING	R	occlusive crises in sickle cell disorders as per NICE TA743.

DACOMITINIB 45mg TABLETS	NICE	Approved for use as per NICE TA595 only. An individual patient NICE implementation form is required (see PPDU SharePoint). Medicines Effectiveness, January 2020
Dapagliflozin + Metformin DAPAGLIFLOZIN 5mg & METFORMIN 1g TABLETS	NF	
Daratumumab DARATUMUMAB 400mg IN 20ml INJECTION (PAEDS FREE OF CHARGE STOCK)	NF	
DARATUMUMAB 100mg IN 5ml INJECTION (PAEDS FREE OF CHARGE STOCK)	NF	
DIAMINOPYRIDINE 20mg TABLETS (DURBIN)	SR	To enhance neuromuscular transmission in the treatment of Myasthenia gravis (MG), Lambert-Eaton Myasthenic Syndrome (LEMS), Congenital Myasthenia (CM). Use by Neurology only. Medicines Effectiveness, February 2013.
DIBOTERMIN DIBOTERMIN ALFA 12mg VIAL (IMPLANT)	R	Bone morphogenetic protein-2 for use in spinal fusion as per NHSE Policy 16063/P. MMTC April 2018
DIHYDROXYACETONE DIHYDROXYACETONE 30% W/V SOLUTION	Y	
DIMETHYL FUMARATE DIMETHYL FUMARATE 0.1% PATCH TEST DOR643 5ml	Y	
Dinutuximab beta DINUTUXIMAB BETA 20mg in 4.5mL INJECTION	NF	
Dioralyte DIORALYTE SACHETS (BLACKCURRANT)	Y	
Diroximel fumarate DIROXIMEL FUMARATE 231mg GR CAPSULES	R	For treating relapsing remitting multiple sclerosisas per NICE TA794. MMTC, November 2022

DOTAREM

DOTAREM VIAL 20ml	R	For use by MRI only. MMTC, November 2017
		November 2017
DOTAREM VIALS 15ml	R	For use by MRI only. MMTC, November 2017
Dronabinol + Cannabidiol		
DRONABINOL 2.7mg & CANNABIDIOL 2.5mg OROMUCOSAL SPRAY (FOC)	R	
Dupilumab		
DUPILUMAB 200mg in 1.14ml PRE-FILLED PE	N R	For treatment of moderate to severe atopic dermatitis as per NICE TA 534 for adults and children from the age of 6, for treatment of severe asthma with type 2 inflammation as per NICE TA 751 for adults and children from the age of 6. MMTC, Dec 2023.
Eculizumab		
ECULIZUMAB 300mg in 30ml INJECTION (COMPASSIONATE USE)	NF	
EMICIZUMAB		
EMICIZUMAB CONVENIENCE KIT	R	To be supplied with emicizumab prescriptions
EMICIZUMAB 60mg IN 0.4ml INJECTION (COMPASSIONATE USE)	NF	
ENCORAFENIB		
ENCORAFENIB 50mg CAPSULES (COMPASS USE)	IONATE NF	
ENTRECTINIB		
ENTRECTINIB 200mg CAPSULES	R	For treatment of solid tumours expressing a neurotrophic tyrosine receptor kinase (NTRK) gene fusion, in patients aged 12 years and older as per NICE TA644 and CDF criteria. MMTC, January 2022
Erenumab		
ERENUMAB 140mg in 1ml INJECTION PRE-FI	LLED PEN	R "For Use in Neurology as per NICE TA682 MMTC, September 2021"
ERYTHROMYCIN		
E2499 ERYTHROMYCIN 1%	Y	

Eslicarbazepine

ESLICARBAZEPINE 200mg TABLETS	R	
ESTER GUM ESTER GUM RESIN 20% IN WSP 5g	Y	
	I	
ETANERCEPT		
ETANERCEPT 50mg INJECTION PRE-FILLED PEN (BENEPALI)	R	
EVA		
EVA BAG 1000ml (CTASU)	Y	
EVA BAG		
EVA BAG 500ml (CTASU)	Υ	
EVA BAG 250ml (CTASU)	Y	
EVEROLIMUS		
EVEROLIMUS 2.5mg TABLETS	R	For the treatment of: advanced renal cell carcinoma as per NICE TA432; advanced human epidermal growth factor receptor 2 (HER2)-negative, hormone- receptor-positive breast cancer as per NICE TA421; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017
EVEROLIMUS 5mg DISPERSIBLE TABLETS sugar free (COMPASSIONATE USE)	NF	
EVEROLIMUS 5mg TABLETS	R	For the treatment of: advanced renal cell carcinoma as per NICE TA432; advanced human epidermal growth factor receptor 2 (HER2)-negative, hormone- receptor-positive breast cancer as per NICE TA421; well- or moderately differentiated unresectable or metastatic

neuroendocrine tumours (NETs)

of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017

EVEROLIMUS 10mg TABLETS	R	For the treatment of: advanced renal cell carcinoma as per NICE TA432; advanced human epidermal growth factor receptor 2 (HER2)-negative, hormone- receptor-positive breast cancer as per NICE TA421; well- or moderately differentiated unresectable or metastatic neuroendocrine tumours (NETs) of pancreatic origin in adults with progressive disease as per NICE TA449. MMTC, August 2017
EXTRAVASATION		
EXTRAVASATION KIT	Y	
Faricimab		
FARICIMAB 6mg in 0.05mL INTRAVITREAL INJECTION (VABYSMO)	R	??For treatment of diabetic macular oedema as per NICE TA799 and for treatment of wet age-related macular degeneration as per NICE TA800. MMTC, Nov 2022
FEDRATINIB		
FEDRATINIB 100mg CAPSULES	R	For treatment of disease-related splenomegaly or symptoms of primary myelofibrosis, post- polycythaemia vera myelofibrosis or post-essential thrombocythemia myelofibrosis in adults, as per NICE TA756. MMTC, March 2022
Fidaxomicin		
FIDAXOMICIN 40mg in 1ml ORAL SUSPENSION	R	For tretament of Clostridioides Difficile infection for patients who have an NG tube or have difficulty swallowing
Filgotinib		
FILGOTINIB 100mg TABLETS	R	For treating moderately to severely active ulcerative colitis as per NICE TA792. For treatment of active rheumatoid arthritis in adults whose disease has responded inadequately to intensive therapy with 2 or more DMARDs, alongside methotrexate as per NICE TA676. MMTC, March 2024.

# Filgrastim

FILGRASTIM 120microgram (12million unit) in 0.2ml SYRINGE	NF	
Flumazenil FLUMAZENIL 500micrograms IN 5ml INJECTION	R	
FLUMAZENIL 500microgram in 5ml INJECTION	Y	
FLUTICASONE FLUTICASONE 500micrograms IN 2ml NEBULES	NF	
FLUTICASONE 0.05% CREAM 30G	NF	
Fluticasone + Azelastine FLUTICASONE PROPIONATE 50micrograms & AZELASTINE 137micrograms NASAL SPRAY	NF	
Folinic acid CALCIUM FOLINATE 100mg in 10ml INJECTION	Y	
FOMEPIZOLE FOMEPIZOLE 1.5g IN 1.5ml INJECTION	UNR	For use after recommendation by the Poison Unit only. Medicines Effectiveness, December 2009.
FORMALDEHYDE FORMALDEHYDE 2% PATCH TEST (TRIAL) 8ml	Y	
FORMALDEHYDE SOLUTION BP 4% V/V IN PURIFIE WATER 50ml	D	UNR For radiation proctitis. MMTC, October 2012
Fostamatinib FOSTAMATINIB 150mg TABLETS	R	??For treatment of refractory chronic immune thrombocytopenia as per NICE TA835. MMTC, December 2022
FOSTAMATINIB 100mg TABLETS	R	?For treatment of refractory chronic immune thrombocytopenia as per NICE TA835. MMTC, December 2022
Fremanezumab FREMANEZUMAB 225mg/1.5ml solution for injection pre-filled disposable devices	R	For preventing migraine in adults as per NICE TA764. MMTC, September 2022

## FRUCTOSE

FRUCTOSE POWDER 25G	SR	For Hydrogen breath test. Medicines Effectiveness, June 2015.
Galantamine GALANTAMINE 20mg/5mL ORAL SOLUTION	NF	
Galcanezumab GALCANEZUMAB 120mg/1ml solution for injection pre-filled disposable devices	R	For neurology use only as per NICE TA659. MMTC, September 2021
Ganirelix GANIRELIX 250micrograms in 0.5ml PRE-FILLED SYRINGE	NF	
GASTROMIRO SOLUTION GASTROMIRO 300 SOLUTION 50ml	Y	
GAUZE KERLIX GAUZE ROLL 11.4cm X 3.7m DRESSING	NF	
Gelatin ISOPLEX 4% INFUSION 500ml	R	
GELOFUSINE GELOFUSINE INFUSION 500ml	Y	
Gentamicin GENTAMICIN 1.5% EYE DROPS (PRES FREE) 5ml	SR	
GLUCOMEN GLUCOMEN AREO SENSORS BLOOD GLUCOSE TEST STRIPS (50)	R	For use in the womens centre only. Medicines Effectiveness, February 2016.
GLUCOSE GLUCOSE (DEXTROSE MONOHYDRATE) POWDER 75g	UNR	Used for Glucose tolerance test during pregnancy. Medicines Effectiveness, June 2013.
GLUCOSE ANHYDROUS POWDER (LEMON) 75g	Y	
GLYCERIN GLYCERIN 100ml	Y	

GLYCERYL MONOTHIOGLYCOLATE

G004 GLYCERYL MONOTHIOGLYCOLATE (GMTG)	Y	
GLYCOPYRROLATE GLYCOPYRROLATE AQUEOUS SOLUTION 0.5% 50ml	SR	For use by Dermatology only. Medicines Effectiveness, March 2013.
GLYCOPYRROLATE 0.5% IN AQUEOUS CREAM 50g	UNR	For intractable hyperhidrosis. Medicines Effectiveness, March 2013.
HAEMOFILTRATION HAEMOFILTRATION (Ci-Ca K4 DIALYSATE) INFUSION 5L	R	For use on CTCCU & ITU'sonly as part of citrate haemodiafiltration. MMTC, March 2013
HAEMOFILTRATION multiBic 0 SUBSTITUTION FLUII (NO POTASSIUM) 5L	D	R For use on CTCC only as part of citrate haemodiafiltration. MMTC, March 2013.
HAEMOFILTRATION multiBic 4 SUBSTITUTION FLUII (20mmol POTASSIUM) 5L	D	R For use on CTCC only as part of citrate haemodiafiltration. MMTC, March 2013.
HAEMOFILTRATION multiBic 2 SUBSTITUTION FLUII (10mmol POTASSIUM) 5L	D	R For use on CTCC only as part of citrate haemodiafiltration. MMTC, March 2013.
HAEMOPHILLUS HAEMOPHILLUS TYPE B + NEISSERIA MENINGITID C VACCINE 0.5ml INJECTION HAZ-TAB	IS NF	
HAZ-TAB GRANULES 500g	Y	
HAZ-TAB 4.5g TABLETS	Y	
HC HAH EMERGENCY DELIVERY FEE HC HAH EMERGENCY DELIVERY FEE (STOP! CHECK THIS IS APPROVED)	R	
HEMASTIX REAGENT HEMASTIX REAGENT STRIPS	Y	
HEMOSOL HEMOSOL B0 SOLUTION FOR HAEMODIALYSIS/HEAMOFILTRATION 5L Heparin	R	

HEPARIN SODIUM 5,000units IN 1litre INFUSION BAGS 1L (FKB0934G)	R	For use by neuroradiology for mechanical thrombectomies - MMTC December 2021
Herpes-Zoster HERPES-ZOSTER VACCINE (RECOMBINANT, ADJUVANTED) 0.5ml	NF	
HEXAMINOLEVULINATE		
HEXAMINOLEVULINATE 85mg POWDER FOR BLADDER INSTILLATION	R	For use by Urology Department only. Medicines Effectiveness, Septemeber 2008.
HIBISCRUB		
HIBISCRUB PUMP DISPENSERS	Y	
HISTOACRYL		
HISTOACRYL 0.5ml TISSUE ADHESIVE CLEAR (TEMP PROCUREMENT SUPPLY)	Y	
Human papillomavirus vaccine HUMAN PAPILLOMAVIRUS (GARDASIL 9) VACCINE 0.5ml pre-filled syringes	NF	
HYDROCORTISONE		
HYDROCORTISONE ACETATE 5mg/5mL LIQUID	SR	
HYDROFILM		
HYDROFILM 10cm X 15cm DRESSING	NF	
HYDROXYMETHYLPENTYLCYCLOHEXENECARE HYDROXYMETHYLPENTYLCYCLOHEXENECARBOX LDEHYDE 5% PATCH TEST		
HYDROXYPROPYL METHYLCELLULOSE		
HYDROXYPROPYLMETHYLCELLULOSE (HPMC) 2% PRE-FILLED SYRINGE 2ml	R	For use by Ophthalmology only. Medicines Effectiveness, September 2017
HYDROXYZINE		
H028 HYDROXYZINE HYDROCHLORIDE 1% PATCH TEST	Y	
IDEBENONE		
IDEBENONE 45mg TABLETS	UNR	For use by Consultant in Mitochondrial Genetics for Mitochondrial Myopathy. Medicines Effectiveness, August 2009.
ILOPROST		
ILOPROST 10microgram/ml NEBULISER SOLUTION	NF	

# Imatinib

**IMATINIB 400mg TABLETS** 

R

For the treatment of: Philadelphia-chromosomepositive chronic myeloid leukaemia (CML) who initially present in the accelerated phase or with blast crisis and chronic phase in those who have not had previous treatment but have progressed to the accelerated phase or blast crisis as per NICE TA70; untreated chronic-phase Philadelphia chromosomepositive chronic myeloid leukaemia in adults as per NICE TA426; chronic graft versus host disease (GvHD) as per NHSE policy 16069/P. MMTC, August 2017

### IMIQUIMOD

IMIQUIMOD 5% CREAM 250mg SACHETS TTO 12's SR

### **IMMUNOGLOBULIN**

IMMUNOGLOBULIN SUB-CUTANEOUS 4g in 20ml PRE R FILLED SYRINGE (HIZENTRA)

### **IMMUNOGLOBULIN NORMAL**

IMMUNOGLOBULIN 10g in 50ml INJECTION (CUVITRU)	R	2
IMMUNOGLOBULIN NORMAL IV 20g in 400ml (5%) INF (FLEBOGAMMADIF)	Y	,
IMMUNOGLOBULIN NORMAL IV 4g in 24ml INFUSION (CUTAQUIG)	١	R
IMMUNOGLOBULIN NORMAL IV 3.3g in 20ml INFUSION (CUTAQUIG)	R	2
IMMUNOGLOBULIN NORMAL IV 2g in 12ml INFUSION (CUTAQUIG)	١	R
IMMUNOGLOBULIN NORMAL IV 1.65g in 10ml INFUSION (CUTAQUIG)	R	2
IMMUNOGLOBULIN NORMAL IV 1g in 6ml INFUSION (CUTAQUIG)	R	2
IMMUNOGLOBULIN NORMAL IV 8g in 48ml INFUSION (CUTAQUIG)	١	R
IMMUNOGLOBULIN SUB-CUTANEOUS 4g IN 20ml INJECTION (HIZENTRA)	R	2
IMS		
IMS 70% POUR BOTTLES 600ml	Y	,

### I

IMS 70% POUR BOTTLES 600ml	Y
IMS 70% in DEB SPRAY 500ml	Y

**RESTRICTED TO IMMUNOLOGY** USE ONLY.

Imuderm Emollient IMUDERM EMOLLIENT 500g	NF	
INFACARE BABY INFACARE BABY BATH	NF	
Infliximab INFLIXIMAB 100mg INJECTION (ZESSLY)	R	For rheumatoid arthritis as per NICE TA130 and TA295, psoriasis as per TA134, for ulcerative colitis as per TA163 and TA329, Crohn's disease as per TA187, and psoriatic arthritis as per TA199. MMTC, June
IOHEXOL IOMERON 350 INJECTION 200ml	NF	
OMNIPAQUE 350 INJECTION 500ml	R	For use with syringeless multidose equipment only in CT departments (JR, WW and HGH). MMTC, December 2019
OMNIPAQUE 350 INJECTION 200ml	Y	
OMNIPAQUE 350 INJECTION 75ml	Y	
IOMERON 350 INJECTION 100ml	NF	
IOMERON 350 50ml	NF	
IPILIMUMAB IPILIMUMAB 50mg/10ml INJECTION (EAMS MESOTHELIOMA)	NF	
IPILIMUMAB 200mg in 40ml INJECTION (EAMS MESOTHELIOMA)	NF	
ISOCYANATE ISOCYANATE COMPLETE SERIES I-1000	Y	
KELTROL SUSPENSION DILUENT A (XANTHAN GUM 1%)	Y	
KEROSENE 10% IN W.S.P	Y	
KEROSENE 10% IN OLIVE OIL	Y	

KETOCONAZOLE 200mg TABLETS	NF	
LACTIC ACID LACTIC ACID SALICYLIC, PROPYLENE IN AQUEOUS CREAM	Y	
	-	
LENVATINIB 4mg CAPSULES (KISPLYX)	R	For treatment of advanced renal cell carcinoma in adults. To be used with everolimus as per NICE TA498. MMTC, August 2018
LENVATINIB 10mg CAPSULES (KISPLYX)	R	For treatment of advanced renal cell carcinoma in adults. To be used with everolimus as per NICE TA498. MMTC, August 2018
Levofloxacin		
LEVOFLOXACIN 5mg/ml EYE DROPS PRESERVATIVE FREE 5ml	R	
LEVOFLOXACIN 5mg/ml EYE DROPS PRESERVATIVE FREE 5ml - TTO PACK	SR	
LEVOSIMEDAN		
LEVOSIMENDAN 12.5mg in 5ml INFUSION	UNR	For use by CTCCU consultant only as last line therapy in patients with cardiogenic shock or acute decompensated Heart failure. MMTC August, 2023.
LIPIODOL ULTRA		
LIPIODOL ULTRA FLUID 10ml INJECTION	Y	
LIQUID PARAFFIN,		
LIQUID PARAFFIN, WHITE SOFT PARAFFIN & LANOLIN EYE OINTMENT 5g	R	
MAGGOTS		
MAGGOTS IN 4cm X 5cm BIOBAG BB100	R	This dressing may be used by Vascular, Plastics or following recommendation by Tissue Viability team. MAC, October 2009.
MAGGOTS IN 12cm X 6cm BIOBAG BB300	R	This dressing may be used by Vascular, Plastics or following recommendation by Tissue Viability team. MAC, October 2009

**KETOCONAZOLE** 

MAGGOTS IN 10cm X 10cm BIOBAG BB400	R	This dressing may be used by Vascular, Plastics or following recommendation by Tissue Viability team. MAC, October 2009.
MAGGOTS IN 5cm X 6cm BIOBAG BB200	R	This dressing may be used by Vascular, Plastics or following recommendation by Tissue Viability team. MAC, October 2009.
MAGGOTS LOOSE FULL POT (300 LARVAE)	R	This dressing may be used by Vascular, Plastics or following recommendation by Tissue Viability team. MAC, October 2009.
MAGNEVIST		
MAGNEVIST 0.04mmol in 20ml (2mmol/L) PRE FILLED SYRINGE	E- R	For use as contrast enhancement in direct magnetic resonance arthrography at the NOC onlly. MMTC, November 2020
MANUKA		
MESITRAN HONEY OINTMENT 15g	NF	
Maribavir		
MARIBAVIR 200mg TABLETS	R	For treatment of refractory cytomegalovirus infection after hematopoietic stem cell transplant or solid organ transplant as per NICE TA860. MMTC, May 2023
MEDIHONEY		
MEDIHONEY (MANUKA HONEY) 80% WOUN	D GEL 20g	R FOLLOWING RECOMMENDATION BY THE TISSUE VIABILITY TEAM ONLY. MAC OCTOBER 2009
MEDIHONEY (MANUKA HONEY) 80% WOUN	D GEL 10g	R Following recommendation by the Tissue Viability Team only. MAC, October 2009.
Menotrophin		
MENOTROPHIN 150international units INJECT (MENOPUR) MENTHOL	TION R	
MENTHOL MENTHOL 5% in AQUEOUS CREAM 500g	NF	
MERITAO		

## **MEPITAC**

<b>METHACHOLINE</b>	
WEINACHULINE	CHLUKIDE

METHACHOLINE CHLORIDE		
METHACHOLINE CHLORIDE 2mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 4mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 16mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 8mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 0.125mg/ml INHALATION CHALLENGE SOLUTION 5ml	N SR	
METHACHOLINE CHLORIDE 0.25mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 32mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 1mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 0.0625mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHACHOLINE CHLORIDE 0.5mg/ml INHALATION CHALLENGE SOLUTION 5ml	SR	
METHADONE		
METHADONE 1mg IN 1ml MIXTURE	NF	
METHYLISOTHIGZOLINE		
METHYLISOTHIGZOLINE 200parts per million PATCH TEST (TRIAL) 8ml	Y	
Metolazone		
METOLAZONE 5mg TABLETS	R	To be initiated under advice of HF team only (doctors or specialist nurses) Note this is a new licensed product and is twice as potent as previous unlicensed product.
MILTON MILTON 2% SOLUTION 500ml	Y	
MINI-HAZ- TABS HAZ-TAB 0.5g TABLETS (MINI-HAZ)	Y	
MO12- MO12- METHYL-4- HYDROXYBENZOATE	Y	

# Mogamulizumab

MOGAMULIZUMAB 20mg/5ml SOLUTION FOR INFUSION VIALS	R	For treatment of Szary syndrome in adults who have had at least 1 systemic treatment, as per NICE TA754. MMTC, March 2022
Molnupiravir MOLNUPIRAVIR 200mg CAPSULES	R	For treatment of mild to moderate COVID-19 in non- hospitalised adults (aged 18 years and over) who can't receive nMAB. MMTC, December 2021
MONSELS MONSELS SOLUTION (FERRIC SUBSULPHATE)	SR	For Haemostasis following cervical biopsy. For use by GUM and Colposcopy Only. Medicines Effectiveness, December 2017
MULTIHANCE MULTIHANCE INJECTION 10ml	R	Restricted to use in liver scans only. MMTC, November 2017
MULTISTIX MULTISTIX 8-SG	Y	
MULTISTIX 10SG REPORT PADS	Y	
MULTISTIX 10-SG	Y	
MULTISTIX 8SG REPORT PADS	Y	
Natalizumab		
NATALIZUMAB 150mg in 1ml PRE FILLED SYRINGES	S R	For the treatment of adults with highly active relapsing-remitting multiple sclerosis as NICE TA 127. MMTC, December 2022
NIRMATRELVIR + RITONAVIR PF-07321332 150mg & RITONAVIR 100mg TABLETS (PAXLOVID) (pk30)	R	For treatment of COVID-19 in adults as per NICE TA878. MMTC August, 2023
Normal immunoglobulin human IMMUNOGLOBULIN SUB-CUTANEOUS 2g in 10ml PF FILLED SYRINGE (HIZENTRA)	RE R	
Nutryelt NUTRYELT INJECTION 10ml	Y	

### NYSTATIN

	NYSTATIN 100,000 VAGINAL TABLETS	UNR	Restricted for use in Vaginal candida resistant to standard alternatives while vaginal cream is unavailable. MMTC June 2020
(	OMNIPAQUE		
	OMNIPAQUE 140 INJECTION 200ml	Y	
	OMNIPAQUE 240 INJECTION 50ml	Y	
	OMNIPAQUE 300 INJECTION 100ml	Υ	
	OMNIPAQUE 300 INJECTION 200ml	Y	
	OMNIPAQUE 300 INJECTION 50ml	Y	
	OMNIPAQUE 350 INJECTION 100ml	Y	
	OMNIPAQUE 350 INJECTION 50ml	Y	
	OMNIPAQUE 300 INJECTION 20ml	Y	
	Paravit		
	PARAVIT CF LIQUID 7ml	R	For treatment of Fat soluble vitamin replacement in CF patients. intiation under CF team only. MMTC, August 2021.
	Paravit-cf capsules		
	PARAVIT CAPSULES	R	For treatment of Fat soluble vitamin replacement in CF patients. intiation under CF team only. MMTC, August 2021.
	PATCH TEST		
	FERROUS SULPHATE 5% PATCH TEST ALLERGEN 2405	Y	
	CETYL/STEARYL ALCOHOL 20% PATCH TEST	Y	
	D006 - BUTYL HYDROXY TOLUENE (BHT) 2% PATCH TEST	Y	
	FINASTERIDE 10% PATCH TEST IN W.S.P	Y	
	B035 BISPHENOL F, EPOXY RESIN 0.25% PATCH	Y	

D049A - METHYLDIBROMO GLUTARONITRILE 0.3% Y PATCH TEST

TEST

FINASTERIDE 1% PATCH TEST IN W.S.P	Υ	
DALTEPARIN 1:10 in SODIUM CHLORIDE PATCH TEST	Y	
DIMETHYL FUMARATE 0.01% PATCH TEST DO66B 5ml	Y	
B036 1,4-BUTANEDIOL DIGLYCIDYLETHER 0.25% PATCH TEST	Y	
E1303 ALPHA-AMYL-CINNAMALDEHYDE 1% PATCH TEST	Y	
DALTEPARIN 1:100 in SODIUM CHLORIDE PATCH TEST	Y	
P013= POLYSORBATE 80 PATCH TEST	Y	
S017 SODIUM TETRACHLOROPALLADATE HYDRATE PATCH TEST	Y	
p-PHENYLENEDIAMINE 0.01% PATCH TEST (PPD)	Υ	
CHLORHEXIDINE DIGLUCONATE PATCH TEST	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
PATCH TESTS		
PATCH TESTS FOR ORDERING (1)	R	
PERFLUTREN PERFLUTREN CONTAINING LIPID MICROSPHERES 150microlitres IN 1ml INJECTION	R	Contrast for use in cardiac ECHO (cardiac out-patients) only. MMTC, September 2017
PERITONEAL DIALYSIS FLUID PERITONEAL DIALYSIS FLUID 1.5% No2 2L	Y	
PHENOBARBITAL PHENOBARBITAL SODIUM BP	Y	
PHOXILIUM PHOXILIUM 1.2mmol per litre PHOSPHATE SOLUTION FOR HAEMODIALYSIS/HAEMOFILTRATION 5L	NR	
PLASMALYTE		
PLASMALYTE 148 (PH 7.4) SOLUTION FOR INFUSION 1L BAGS (FKB2534)	R	For infusion as part of the priming solutions for the cardio- pulmonary bypass during cardiac surgery. MMTC February, 2022

PLASTIC TRAY       Y         PLASTIC ALLERGEN TRAY       Y         PLIAZON       R         PLIAZON CREAM 100ml       R         PNEUMOCOCCCAL POLYSACCHARIDE CONJUGATED R         VACCINE 0.5ML PFS (PREVENAR 13)	PLASMALYTE 148 (PH 7.4) SOLUTION INFUSION 500ml (FKE0323)	FOR NF	
PLIAZON         PLIAZON CREAM 100ml       R         Pliazon cream free of charge for patients receiving cetuximab. Medicines Effectiveness, October 2017         Pneumococcal vaccine         PNEUMOCOCCAL POLYSACCHARIDE CONJUGATED R	PLASTIC TRAY		
PLIAZON CREAM 100ml       R       Pliazon cream free of charge for patients receiving cetuximab. Medicines Effectiveness, October 2017         Pneumococcal vaccine       PNEUMOCOCCAL POLYSACCHARIDE CONJUGATED R	PLASTIC ALLERGEN TRAY	Y	
patients receiving cetuximab. Medicines Effectiveness, October 2017 PNEUMOCOCCAL POLYSACCHARIDE CONJUGATED R	PLIAZON		
PNEUMOCOCCAL POLYSACCHARIDE CONJUGATED R	PLIAZON CREAM 100ml	R	patients receiving cetuximab. Medicines Effectiveness, October
PNEUMOCOCCAL POLYSACCHARIDE CONJUGATED R	Pneumococcal vaccine		
	PNEUMOCOCCAL POLYSACCHARIDE		
POTASSIUM ASCORBATE	POTASSIUM ASCORBATE		
POTASSIUM ASCORBATE 10% EYE DROPS (PRESERVATIVE FREE) 5ml SR For management of chemical eye injury alongside topical steroids, antibiotics and lubricants. MMTC February 2022		ROPS SR	injury alongside topical steroids, antibiotics and lubricants. MMTC
POTASSIUM CHLORIDE	POTASSIUM CHLORIDE		
POTASSIUM CHLORIDE STRONG 15% (20mmol)RFor use as per approved local guidelines on: - Children's areas - Silver Star - Cardiac Theatres MMTC, May 2017		6 (20mmol) R	guidelines on: - Children's areas - Silver Star - Cardiac Theatres
POVIDONE IODINE			
		SOLUTION 50ml	
PREGNANCY TEST	PREGNANCY TEST		
PREGNANCY TEST 25million International Units/ml Y (ALERE hCG CASSETTE)		nal Units/ml Y	
PRICK TEST	PRICK TEST		
PEA GREEN SKIN PRICK TEST R For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.	PEA GREEN SKIN PRICK TEST	R	Dermatology/Immunology only. Medicines Effectiveness, March
WHITE BEAN SKIN PRICK TEST R For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.	WHITE BEAN SKIN PRICK TEST	R	Dermatology/Immunology only. Medicines Effectiveness, March
EGGPLANT SKIN PRICK TEST R	EGGPLANT SKIN PRICK TEST	R	
SKIN PRICK TEST SOLUTIONS (1) R	SKIN PRICK TEST SOLUTIONS (1)	R	

LONDON PLANE SKIN TEST SOLUTION 3ml	R	
POTATO SKIN PRICK TEST	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
RED OAK SKIN TEST SOLUTION 3ml	R	
COCOA SKIN PRICK TEST	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
COCONUT SKIN PRICK TEST	R	
OYSTER PRICK TEST	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
D065= DECYL GLUCOSIDE PRICK TEST	Y	
L004= LAURYL POLYGLUCOSE PRICK TEST	Y	
SOLU-PRICK-NEGATIVE CONTROL 002228 3ml	R	For use by Dermatology/Immunology only. Medicines Effectiveness, March 2013.
PRISMOCAL		
PRISMOCAL B22 SOLUTION FOR HAEMODIALYSIS/HAEMOFILTRATION 5L	R	
PRISMOCITRATE		
PRISMOCITRATE 18/0 SOLUTION FOR HAEMODIALYSIS/HAEMOFILTRATION 5L	R	
PROHANCE		
PROHANCE VIAL 20ml	R	Strictly restricted for use in those unable to have Dotarem. MMTC, November 2017
PROHANCE VIAL 15ml	R	Strictly restricted for use in those unable to have Dotarem. MMTC, November 2017
Pseudoephedrine PSEUDOEPHEDRINE HYDROCHLORIDE 60mg TABLETS	Y	
PYRIDOXINE PYRIDOXINE 100mg IN 2ml INJECTION	UNR	

RADIO-OPAQUE RADIO-OPAQUE MARKER CAPSULES 6 CAPSULE PACK (3X2)	R	For use by Radiology , Paediatric Gastroenterology and Collorectal Surgery. Medicines Effectiveness, March 2013.
Raltegravir RALTEGRAVIR 100mg SACHETS	NF	
RANIBIZUMAB RANIBIZUMAB 2.3mg in 0.23ml INTRAVITREAL INJECTION	R	
Ravulizumab RAVULIZUMAB 300mg in 3ml INJECTION (CTASU)	R	
RAVULIZUMAB 300mg in 30ml INJECTION (CTASU)	NF	
RAVULIZUMAB 1.1g in 11ml INJECTION (CTASU)	R	
RED STAINING DYE FOR CHLORHEXIDINE	Y	
Ribavirin RIBAVIRIN 200mg TABLETS	R	For use by Consultant Hepatologist for oral Hepatitis treatment as per TA75, TA106 and TA200.MAC, April 2003
RILPIVIRINE 900mg in 3ml PROLONGED RELEASE INJECTION	R	For treatment of HIV-1 infection, to be used alongside cabotegravir as per NICE TA 757. MMTC, July 2022
ROMOSOZUMAB 105mg in 1.17ml PRE FILLED PEN (EVENITY)	R	For tretament of severe osteoporosis in people after menopause who are at high risk of fracture as per NICE TA791. MMTC Febuary, 2022
Roxadustat ROXADUSTAT 50mg TABLETS	R	For Symptomatic anemia in chronic kidney disease as per NICE TA807. MMTC, October 2022

ROXADUSTAT 150mg TABLETS	R	For Symptomatic anemia in chronic kidney disease as per NICE TA807. MMTC, October 2022
ROXADUSTAT 70mg TABLETS	R	For Symptomatic anemia in chronic kidney disease as per NICE TA807. MMTC, October 2022
ROXADUSTAT 100mg TABLETS	R	For Symptomatic anemia in chronic kidney disease as per NICE TA807. MMTC, October 2022
ROXADUSTAT 20mg TABLETS	R	For Symptomatic anemia in chronic kidney disease as per NICE TA807. MMTC, October 2022
Rucaparib		
RUCAPARIB 250mg TABLETS	R	"For maintenance treatment of relapsed platinum-sensitive ovarian, fallopian tube or peritoneal cancer as per NICE TA611 MMTC, Feb 2020"
Rupatadine		
RUPATADINE 10mg TABLETS	NF	
SALAZOPYRIN SALAZOPYRIN 10% IN W.S.P PATCH TEST	Y	
Sapropterin SAPROPTERIN 100mg SOLUBLE TABLETS SF	NF	
SECRETIN		
SECRETIN 100international units INJECTION	UNR	For secretin-stimulated magnetic resonance cholangiopancreatography (MRCP) (unlicensed indication). Medicines Effectiveness, June 2007.
Siponimod		
SIPONIMOD 250microgram TABLETS	R	For treatment of secondary progressive Multiple Sclerosis as per NICETA656. MMTC, May 2021.

SIPONIMOD 2mg TABLETS	R	For treatment of secondary progressive Multiple Sclerosis as per NICETA656. MMTC, May 2021.
SIPONIMOD 250microgram TABLETS	R	For treatment of secondary progressive Multiple Sclerosis as per NICETA656. MMTC, May 2021.
SKIN MARKER		
SKIN MARKER PENS SM-R	Y	
Sodium chloride		
SODIUM CHLORIDE 5% INHALATION CHALLENGE SOLUTION 10ml	SR	"For use by Lung Function Lab only for Induced Sputum Testing to assess bronchial hyperresponsivenes MMTC, May 2014."
SODIUM CHLORIDE 0.9% NASAL SPRAY 50ml	Y	
SODIUM CHLORIDE 4% INHALATION CHALLENGE SOLUTION 10ml	SR	"For use by Lung Function Lab only for Induced Sputum Testing to assess bronchial hyperresponsivenes MMTC, May 2014."
SODIUM CHLORIDE 0.9% PLASTIC AMP 10ml	Y	
SODIUM CHLORIDE 0.9% PLASTIC AMP 5ml	Y	
SODIUM CHLORIDE 3% INHALATION CHALLENGE SOLUTION 10ml	SR	"For use by Lung Function Lab only for Induced Sputum Testing to assess bronchial hyperresponsivenes MMTC, May 2014."
SODIUM CHLORIDE 0.9% PLASTIC AMP 10ml	Y	
DF SODIUM CHLORIDE 0.9% INFUSION 250ml (FE1322)	Y	
DF SODIUM CHLORIDE 0.9% INFUSION 1L (FE1324)	Y	
SODIUM CHLORIDE 0.9% INFUSION 1L FKE1324TPS	SΥ	
SODIUM CHLORIDE 0.9% FLOWFUSOR 2L (FBP7215)	Y	

SODIUM CHLORIDE 5% BRONCHIAL SOLUTION FO NEBULISATION 100ml	R	UNR For use by Lung Function Lab only for Induced Sputum Testing to assess bronchial hyperresponsivenes MMTC, May 2014.
SODIUM CHLORIDE 2.7% INTRAVENOUS INFUSION 500ml	IR	Restricted for the use of intracranial pressure on NICU and AICU as per Neurosciences Guideline and Severe Symptomatic Hyponatraemia as per the MIL: Guidelines for the Management of Acute Severe Symptomatic Hyponatraemia in Adults. MMTC, March 2016
SODIUM CHLORIDE 0.9% 50ml VIAL	Y	
SODIUM CHLORIDE 30% (50mmols) INJECTION 10m	nl Y	
SODIUM CHLORIDE 0.9% INFUSION 250ml FE1322	Y	
SODIUM CHLORIDE 4% BRONCHIAL SOLUTION FO NEBULISATION 100ml	R	UNR For use by Lung Function Lab only for Induced Sputum Testing to assess bronchial hyperresponsivenes MMTC, May 2014.
SODIUM CHLORIDE 30% (25mmol/5ml) LIQUID	UNR	Sodium Supplementation to adjust the serum levels (and sodium urine losses) in neonates, infants and in children with sodium deficiency (hyponatraemia). Medicines Effectiveness, March 2013.
SODIUM CHLORIDE 0.9% PLASTIC AMP 20ml	Y	
SODIUM CHLORIDE 0.9% PLASTIC AMP 5ml	Y	
SODIUM CHLORIDE 0.9% PLASTIC AMP 10ml	Y	
SODIUM CHLORIDE 0.9% IRRIGATION BOTTLE 1L UKF7124	Y	
SODIUM CHLORIDE 0.9% IRRIGATION BAGS 1L (FKB7525T) EASIFLOW	Y	
SODIUM CHLORIDE 0.9% IRRIGATION 3L (FKB7528T) EASYFLO	Y	
SODIUM CHLORIDE 0.9% IRRIGATION 3L (B7127) UROMATIC	R	For use at NOC theatres only. Medicines Effectiveness, August, 2001.

SODIUM CHLORIDE 3% BRONCHIAL SOLUTION FO NEBULISATION 100ml		
SODIUM CITRATE		
SODIUM CITRATE GRANULES	Y	
SODIUM FLUORIDE		
SODIUM FLUORIDE TOOTHPASTE 1.1% (5000ppm) TOOTHPASTE 51g	NF	
Sodium glycerophosphate		
SODIUM GLYCEROPHOSPHATE 20mmol (of phosphate) in 20ml INJECTION	Y	
SODIUM NITRITE		
SODIUM NITRITE 300mg IN 10ml INJECTION (UL)	UNR	For use by Accidents and Emergency Department for treatment of poisoning with cyanides (used in conjunction with sodium thiosulfate). Medicines Effectiveness, October 2013.
SODIUM NITRITE 300mg IN 10ml INJECTION	R	For use by Accidents and Emergency Department for treatment of poisoning with cyanides (used in conjunction with sodium thiosulfate). Medicines Effectiveness, October 2013.
SODIUM PHENYLBUTYRATE		
SODIUM PHENYLBUTYRATE 2g in 10ml INJECTION	UNR	For the treatment of Urea Cycle Defects as per BIMDG adult emergency management guideline. To be initiated following discussion with Metabolic Medicine or as per patient's care plan from the national centre. MMTC, July 2016

### SODIUM THIOSULFATE

SODIUM THIOSULFATE 12.5g in 50ml INJECTION UNR (Unlicensed)

## SODIUM ZIRCONIUM CYCLOSILICATE

SODIUM ZIRCONIUM CYCLOSILICATE 10g POWDEF	RR	For use in the emergency care of acute life threatening hyperkalaemia and for use in patients with persistent hyperkalaemia and chronic kidney disease or heart failure as
SODIUM ZIRCONIUM CYCLOSILICATE 5g POWDER	R	For use in the emergency care of acute life threatening hyperkalaemia and for use in patients with persistent hyperkalaemia and chronic kidney disease or heart failure as per NICE TA599.
SOFTISAN S016 = SOFTISAN 649	Y	
SOLIFENACIN SOLIFENACIN 5mg/5ml LIQUID	NF	
Solriamfetol		
SOLRIAMFETOL 75mg TABLETS	R	For treatment of excessive daytime sleepiness caused by narcolepsy as per NICE TA 758. MMTC, September 2022
SOLRIAMFETOL 150mg TABLETS	R	For treatment of excessive daytime sleepiness caused by narcolepsy as per NICE TA 758. MMTC, September 2022
SOLU-BEEF		
SOLU-BEEF	Y	
SONOVUE 40microlitres/5ml INJECTION	R	Restricted to use by radiology (adults and paediatrics) and cardiac physiology only. MMTC, January 2018
Sotorasib SOTORASIB 120mg TABLETS (ORBIS FOC STOCK)	NF	
SOTORASIB 120mg TABLETS	NF	
SOTROVIMAB		

SOTROVIMAB 500mg in 8mL INJECTION	R	For treatment of COVID-19 in adults and young people aged 12 years and over and weighing at least 40 kg as per NICE TA878. MMTC, August 2023
SPILLAGE		
SPILLAGE PILLOWS 230 X 380mm (POWERSORB)	Y	
SUCROFERRIC OXYHYDROXIDE SUCROFERRIC OXYHYDROXIDE (iron 500mg) CHEWABLE TABLETS	R	For treatment of Hyperphosphataemia in CKD patients where the use of sevelamer and lanthanum are inappropriate. To be initiated only on recommendation of Renal team. MMTC, January 2022
SUPRASORB		
SUPRASORB X + POLYHEXANIDE 9cm x 9cm DRESSING	R	Following recommendation by Tissue Viability Team. MMCT, October 2009
TACHOSIL TACHOSIL 3cm X 2.5cm MEDICATED SPONGE	R	For adults with CSF leak or skull base defects undergoing ENT/Neuro surgery only. MMTC, November 2019
TALAZOPARIB		
TALAZOPARIB 250micrograms CAPSULES (COMPASSIONATE USE)	NF	
TALC	_	
STERILE TALC POUDRAGE KIT 2x3g	R	For dry powder pleurodesis during / after a thorocoscopy. Consultant use only. NB: plain pleurodesis is still carried out using the old sterile talc (DIB289) and added to NaCl 0.9%. MAC, September 2010.
STERILIZED TALC 4g	R	For pleuridesis. MAC, September 2010.
TARTRAZINE TARTRAZINE 2.5% DYE 10ml	UNR	
TELMISARTAN TELMISARTAN 40mg TABLETS	NF	

TELMISARTAN 80mg TABLETS	NF	
TEST STRIPS		
WAVESENSE JAZZ DUO TEST STRIPS 2X25	R	FOR USE IN WOMENS CENTRE ONLY
BLOOD GLUCOSE TEST STRIPS - FREESTYLE OPTIUM NEO H (100)	R	NOT FOR TRUST USE - FOR WHOLESALE ORDER USE ONLY
TETRACYCLINE TETRACYCLINE 3% IN W.S.P. OINTMENT	NF	
THALIDOMIDE		
THALIDOMIDE 50mg CAPSULES	R	For chronic myeloid leukaemia as per NICE TA228. Medicines Effectiveness, March 2011 A maximum of: * Four weeks of therapy for women of childbearing potential * Twelve weeks of therapy for all other patients. Approval from the Celgene Medical Director is a mandatory requirement prior to any deviation from these stipulated prescription lengths
TISEPT TISEPT SACHETS 100ml	Y	
Tralokinumab TRALOKINUMAB 150mg in 1ml PRE FILLED SYRING	ES	R For treating moderate to severe atopic dermatitis as per NICE TA814. MMTC, October 2022
TROPICAMIDE TROPICAMIDE/PHENYLEPHRINE 0.28mg/5.4mg OPHTHALMIC INSERT	R	WARD STOCK ONLY
TUBERCULIN TUBERCULIN 2tuberculin units in 0.1ml INJECTION 1.5ml	UNR	For Mantoux test. Mediciens Effectiveness, July 2011.
Tuestinik		
TUCATINIB 50mg TABLETS	R	For treatment of HER2-positive locally advanced or metastatic breast cancer as per NICE TA786. MMTC, December 2022
U003 URETHANE		
U003 URETHANE DIACRYLATE 0.05	Y	

### UBIQUINONE

UDIQUINUNE		
UBIQUINONE 200mg CAPSULES	UNR	For use in mitochondrial diseases by consultants in mitochondrial genetics only. MMTC July 2012
UBIQUINONE 100mg CAPSULES	UNR	For use in mitochondrial diseases by Consultants in Mitochondrial Genetics only. MMTC, July 2012.
UBIQUINONE 30mg CAPSULES	UNR	For use in mitochondrial diseases by Consultants in Mitochondrial Genetics only. MMTC, July 2012.
UBIQUINONE 50mg/5ml LIQUID 500ml	UNR	For use in mitochondrial diseases by Consultants in Mitochondrial Genetics only. MMTC, July 2012.
Upadacitinib		
UPADACITINIB 45mg TABLETS M/R	NF	For the treatment of moderate to severe active rheumatoid arthritis in adult patients as per NICE TA665. For treatment of active psoriatic arthritis after inadequate response to DMARDs as per NICE TA768. For treatment of active ankylosing spondylitis as per NICE TA829. For treatment of moderate to severe atopic dermatitis as per NICE TA814.
UPADACITINIB 30mg TABLETS M/R	R	For the treatment of moderate to severe active rheumatoid arthritis in adult patients as per NICE TA665. For treatment of active psoriatic arthritis after inadequate response to DMARDs as per NICE TA768. For treatment of active ankylosing spondylitis as per NICE TA829. For treatment of moderate to severe atopic dermatitis as per NICE TA814. For treatment of moderately to severely active ulcerative colitis as per NICE TA 856. MMTC, April
UPADACITINIB 30mg TABLETS M/R (EAS PRICE	NF	

UPADACITINIB 45mg TABLETS M/R	R	For the treatment of moderate to severe active rheumatoid arthritis in adult patients as per NICE TA665. For treatment of active psoriatic arthritis after inadequate response to DMARDs as per NICE TA768. For treatment of active ankylosing spondylitis as per NICE TA829. For treatment of moderate to severe atopic dermatitis as per NICE TA814. For treatment of moderately to severely active ulcerative colitis as per NICE TA 856. MMTC, April
UREA		
UREA 10% CREAM 100g	NF	
Vindesine VINDESINE 5mg INJECTION (CTASU)	С	For CTASU use only.
VISIPAQUE VISIPAQUE 270 INJECTION 50ml (PLASTIC)	R	For use in patients who are at risk of developing contrast induced nephropathy. MAC, July 2009.
Water WATER FOR INJECTION PLASTIC AMP 10ml	Y	
WATER FOR INJECTIONS		
WATER FOR INJECTION PLASTIC AMP 10ml	Y	
WATER FOR INJECTION 100ml VIALS	R	Only to be used for administration of Ribavarin. PPDU, March 2007.
WATER FOR INJECTION PLASTIC AMP 20ml	Y	
WATER FOR INJECTION PLASTIC AMP 10ml	Y	
WATER FOR IRRIGATION		
WATER FOR IRRIGATION FLOWFUSOR 1L	Υ	
WATER FOR IRRIGATION 1L BOTTLES UKF7114	Y	
WATER FOR IRRIGATION 1L (EASIFLOW BAGS) FKB7515T	Y	
09.02.02 Parenteral preparations for fluid and electrolyt	e imbalan	се

# SODIUM BICARBONATE

### Unknown

ADALIMUMAB ADALIMUMAB 40mg PRE-FILLED PEN for INJECTION	NF	
Beclometasone BECLOMETASONE 5mg M/R TABLETS	NF	
BUPIVACAINE + FENTANYL BUPIVACAINE 0.125% & FENTANYL 2microgram/mL IN SODIUM CHLORIDE 0.9% 500mL (UNLICENSED)	SR	
Caplacizumab CAPLACIZUMAB 10mg INJECTION	R	Restricted as per NICE TA667. Medicines Effectiveness
Darolutamide DAROLUTAMIDE 300MG TABLETS (PROJECT ORBIS) FOC	NF	
Defibrotide DEFIBROTIDE 200mg INJECTION (Compassionate use)	NF	
Dipyridamole DIPYRIDAMOLE 50mg/5ml S/F ORAL SOLUTION	NF	
Dobutamine DOBUTAMINE 250mg IN 20ml INJECTION	Y	
DUTASTERIDE DUTASTERIDE 500microgram CAPSULES	NF	
Estradiol ESTRADIOL 50microgram PATCHES (EVOREL)	Y	
FOLLITROPIN ALFA FOLLITROPIN ALFA 900units in 1.5ml PRE FILLED PENS	R	
GRANISETRON GRANISETRON 3mg in 3ml INJECTION	NF	
GRANISETRON 1mg TABLETS	NF	
Isoprenaline		

ISOPRENALINE HYDROCHLORIDE 1mg/5ml INJECTION		R For use in bradycardia in anaesthetics, critical care and resus areas only Medicines Effectiveness, October 2022"""
Isosorbide dinitrate ISOSORBIDE DINITRATE 10mg in 10ml INJECTION	Y	
LIDOCAINE LIDOCAINE SPRAY NOZZLES	Y	
METARAMINOL METARAMINOL 25mg IN 50ml INJECTION PRE- FILLED SYRINGE (CTASU PREP)	SR	For use on critical care areas during covid-19. Medicines Effectiveness, April 2020
Pyridostigmine PYRIDOSTIGMINE 60mg/5mL ORAL SOLUTION SUGAR FREE	NF	
PYRIDOSTIGMINE 60mg TABLETS (UL)	UNR	
ROCURONIUM ROCURONIUM 400mg in 40ml INJECTION PRE- FILLED SYRINGE (CTASU PREP)	UNR	
SODIUM CHLORIDE SODIUM CHLORIDE 0.9% INJECTION 10ml (STERILE WRAP)	E SR	
TAUROLIDINE TAUROLIDINE / CITRATE 4% & UROKINASE 25,000units PORT & CATHETER LOCK SOLUTION	R	
TAUROLIDINE + HEPARIN HEPARIN 500units AND TAUROLIDINE / CITRATE 4% PORT & CATHETER LOCK SOLUTION 5ml	/ 0	R Locking haemodialysis and haemofiltration lines. MMTC, August 2013.
TIOPRONIN TIOPRONIN 100mg TABLETS (NP)	UNR	Restricted for use in Renal patients for the treatment of cystinuria in patients who are intolerant of penicillamine. MMTC, August 2018
Unknown AJMALINE AJMALINE 50mg in 10ml INJECTION	UNR	Diagnostic test for Brugada syndrome. Medicines Effectiveness, February 2013.

# CARDIOPLEGIA

CARDIOPLEGIA CARDIOPLEGIA (BLOOD) PERFUSION SOLUTION - HIGH STRENGTH POTASSIUM 500ml INFUSION	SR	For use by perfusionists only. Medicines Effectiveness, August 2008.
		2000.
GAVISCON		
GAVISCON ORIGINAL LIQUID (ANISEED)	Y	
HELICOBACTER		
HELICOBACTER PYLORI 45mg BREATH TEST (CHILD) (INFAI)	Y	
HELICOBACTER PYLORI 75mg BREATH TEST (ADULT) (INFAI)	Y	
ISOPRENALINE		
ISOPRENALINE HYDROCHLORIDE 2mg IN 2ml INJECTION	SR	For use in bradycardia only. Medicines Effectiveness, July 2011
PATENT BLUE		
PATENT BLUE DYE 2.5% INJECTION 2ml	UNR	For lymph node mapping. Medicines Effectiveness, March 2013.
Phenol		
PHENOL 6% INJECTION 5ml	NF	
SPILLAGE KIT		
SPILLAGE KIT FOR CHEMOTHERAPY	Y	