

Oxford Eye Hospital

Eye tests for children

Information for parents and carers



It is important for all children to have their eyes checked at the earliest opportunity if there is any concern about their vision. Otherwise, they should have a routine vision screening test at 4-5 years of age.

School Vision Screening

This is provided by the Oxfordshire Orthoptic Service and carried out by one of the Orthoptists based at Oxford Eye Hospital.

All children, whether they go to a state or private school, are offered a vision screening check during their first year at school. This checks their vision, eye alignment, eye co-ordination and binocular (3D) vision.

If your child does not pass this test they will be referred to either the Oxford Eye Hospital service or you will be advised to take them to a local Optician (Optometrist).

What should I do if I am concerned about my child's eyes before this time?

Speak to your GP or Health Visitor, who will refer your child to the Oxford Eye Hospital service. They will be seen by one or more of the Eye Team. This may be the Orthoptist, Optometrist or Ophthalmologist.

We also have a service at the Horton General Hospital in Banbury.

It may be possible for your child to be seen at one of our Community clinics. These are held at Abingdon, Bicester, Didcot, Thame, Wantage and Witney.

I am worried that my baby's eyes aren't straight and they seem to have a squint. What should I do?

Your baby should be seen by an Orthoptist. Speak to your Health Visitor or GP who can make a direct referral to the Orthoptic Service. This will be at the Oxford Eye Hospital, the Horton General Hospital in Banbury or at one of our Community clinics.

My child missed their school eye test. What should I do?

Take your child to a local Optician (Optometrist) to be checked. They will be able to make an onward referral to the Oxford Eye Hospital service, if needed.

I have older children who were checked when they were younger. Do they need regular eye checks?

Regular checks with an Optician are advisable; at least once every 2-3 years. If your child complains of vision problems, has symptoms which you think may be eye related or you have any other concerns about their eyes, you should take them to a local Optician sooner than their next routine review. Alternatively you can speak to your GP.

I am short sighted and started wearing glasses in my teens. Should I get my teenage son/daughter checked?

The need for glasses often runs in families so it would be advisable for your child to be checked by a local Optician. Short sight often does not develop until later on and your child may have passed their first school vision screening without a problem.

My child often confuses their colours. How do I get this checked?

If there are concerns about your child's colour vision, an Optician can perform a screening colour vision test (Ishihara test). The test is easier to do once a child reaches 5 or 6 years of age. The Optician can then refer your child to the Optometry Department at the Oxford Eye Hospital for further assessment if there are any concerns.

How to contact us

If you have any further questions please call us:

Orthoptic Department

Tel: 01865 234 742

Monday to Friday, 8.45am - 4.30pm

Optometry Department

Tel: 01865 234 740

Monday to Friday, 9.00am – 5.00pm

If you have a specific requirement, need an interpreter, a document in Easy Read, another language, large print, Braille or audio version, please call **01865 221 473** or email **PALSJR@ouh.nhs.uk**

Author: Claire MacIntosh, Orthoptist
November 2014
Review: November 2017
Oxford University Hospitals NHS Trust
Oxford OX3 9DU
www.ouh.nhs.uk/patient-guide/leaflets/library.aspx

