




Oxford University Hospitals
NHS Foundation Trust

Endoscopy Department
**Discharge advice after
your gastroscopy with
oesophageal dilation**

Information for patients



After your gastroscopy/dilation

The sedation you have been given makes you sleepy and can cause forgetfulness and lack of concentration for up to 24 hours. You should go home and rest today.

You must be collected and accompanied home.

If you have had sedation and live alone, we recommend that you try to arrange for someone to stay with you overnight.

For 24 hours after the sedation you must not:

- drive
- drink alcohol
- operate heavy machinery
- sign any legally binding documents.

Most people feel back to normal after 24 hours.

After effects

You may have a sore throat for about 24 hours. This is quite normal.

You should contact the number at the back of this leaflet if you experience:

- **severe pain in your neck, chest or abdomen**
- **trouble breathing**
- **vomiting blood.**

Eating and drinking

Unless you are given specific instructions by your doctor, you can eat and drink straight after your procedure. You can also continue taking your usual medication, unless advised otherwise.

Try eating small meals regularly and chew food well. Drink plenty of fluids with your meals and when taking tablets.

What happens next?

A copy of the endoscopy report will be sent to your GP within 1 working day. You should also be given a copy of the report before you go home.

Your results

If the investigation was requested by a hospital Consultant, the report will be sent to them. The Consultant will then write to your GP to tell them the results of the biopsy. If you are having other tests your Consultant may need to wait for all the results before they write to your GP. This may not be until after you have returned for a further outpatient appointment.

If your GP referred you for the test, you and your GP will receive your results from one of our Gastroenterologists.

Your follow up is:

- No further appointment is needed
- An outpatient appointment will be sent to you in weeks/months
- A repeat procedure will be arranged in weeks/years
- The following further investigations will be arranged:

.....

.....

.....

How to contact us

If you have severe pain in your neck, chest or abdomen, difficulty breathing, or are vomiting blood, please call the Urgent Endoscopy Advice Line (24 hour).

Tel: **01865 741 166** – ask to bleep **6825**

Let us know your views

Comments about your experience in the Endoscopy Departments can be emailed to:

John Radcliffe:	endoscopy@ouh.nhs.uk
Horton General Hospital:	horton.endoscopy@ouh.nhs.uk

Or you can write to:

Endoscopy Sister	Endoscopy Sister
Endoscopy Department	Endoscopy Department
Level 2	Horton General Hospital
John Radcliffe Hospital	Banbury
Headley Way	OX16 9AL
Oxford OX3 9DU	

If you have a specific requirement, need an interpreter, a document in Easy Read, another language, large print, Braille or audio version, please call **01865 221 473** or email **PALS@ouh.nhs.uk**

Author: Julia Wood, Matron
October 2017
Review: October 2020
Oxford University Hospitals NHS Foundation Trust
Oxford OX3 9DU
www.ouh.nhs.uk/information

