




Oxford University Hospitals
NHS Foundation Trust

Discharge advice after your gastroscopy

Information for Patients



Endoscopy Department

After your gastroscopy

The sedation you have been given makes you sleepy and can cause forgetfulness and lack of concentration for up to 24 hours. You should go home and rest today.

You must be collected and accompanied home.

If you have had sedation and live alone, we recommend that you try to arrange for someone to stay with you overnight.

For 24 hours after the sedation you must not:

- drive
- drink alcohol
- operate heavy machinery
- sign any legally binding documents.

Most people feel back to normal after 24 hours.

After effects

You may have a sore throat for about 24 hours. This is quite normal.

You should contact us on the number at the back of this leaflet if you experience:

- Severe pain in your neck, chest or abdomen
- Trouble breathing
- Vomiting

Eating and drinking

- **If you have had throat spray** you must not eat or drink for 1 hour after your gastroscopy. After 1 hour you can try a small sip of water. If this does not make you cough or gag you can eat and drink normally. If you experience coughing or gagging, do not eat or drink for a further 30 minutes and then try again.
- **If you have not had throat spray** you can eat and drink straight after your procedure, unless advised otherwise.
- When you are swallowing normally you can start taking your usual medications, unless advised otherwise.

What happens next?

A copy of the endoscopy report will be sent to your GP electronically within 1 working day. You should also be given a copy of the report before you go home.

Your results

If the investigation was requested by a hospital Consultant, the report will be sent to them. The Consultant will then write to your GP to tell them the results of the biopsy. If you are having other tests your Consultant may need to wait for all the results before they write to your GP. This may not be until after you have returned for a further outpatient appointment.

If your GP referred you for the test, you and your GP will receive your results from one of our Gastroenterologists.

Your follow up is:

- No further appointment is needed
- An outpatient appointment will be sent to you in
..... weeks/months
- A repeat procedure will be arranged in weeks/years
- The following further investigations will be arranged:

.....

.....

.....

.....

How to contact us

If you have severe pain in your neck, chest or abdomen, please call the Urgent Endoscopy Advice Line.

Tel: **01865 741 166** – ask to bleep **6825**

Let us know your views and experience in the Endoscopy Department

You can comment by visiting: **ouh.nhs.uk/fft**

Or you can email:

John Radcliffe:

endoscopy@ouh.nhs.uk

Horton General Hospital:

horton.endoscopy@ouh.nhs.uk

Or write to:

Endoscopy Sister

Endoscopy Sister

Endoscopy Department

Endoscopy Department

Level 2

Horton General Hospital

John Radcliffe Hospital

Banbury

Headley Way

OX16 9AL

Oxford OX3 9DU

Further information

If you would like an interpreter, please speak to the department where you are being seen.

Please also tell them if you would like this information in another format, such as:

- Easy Read
- large print
- braille
- audio
- electronic
- another language.

We have tried to make the information in this leaflet meet your needs. If it does not meet your individual needs or situation, please speak to your healthcare team. They are happy to help.

Author: Endoscopy Team
August 2021
Review: August 2024
Oxford University Hospitals NHS Foundation Trust
www.ouh.nhs.uk/information



Making a difference across our hospitals

charity@ouh.nhs.uk | 01865 743 444 | hospitalcharity.co.uk

OXFORD HOSPITALS CHARITY (REGISTERED CHARITY NUMBER 1175809)

