



## Pathology and Laboratories Directorate

### Directorate Protocol.

Title: Directorate Specimen Transport Protocol

Code:	POL 054
Version:	3.5
Authors:	Andrew Platt, Dan Smith, and Sharon Roberts-Gant
Location Of Copy:	Oxford - All departments
Section:	Oxford - All departments
Document Status:	Authorised
Document Category:	Directorate Protocol
Authorised By:	Andrew Platt
Authorised on:	12-Nov-2020
Date Time Printed:	12-Nov-2020 20:45
Date Time Of Last Update:	12-Nov-2020 20:42

### **This is a controlled document**

*The master copy of this document is held on iPassport. This document must not be copied or altered without express permission from appropriate management teams. This document will be reviewed on a regular, scheduled basis.*

## **Introduction and Scope**

This is the specimen transport protocol for the directorate of Laboratory Medicine

**Directorate of Pathology and Laboratory Medicine Specimen Transport Protocol**

**Table of Contents**

Directorate of Pathology and Laboratory Medicine Specimen Transport Protocol ..... 0

    Updates relating to this version..... 1

Legislation ..... 1

Classification ..... 1

Collection and Labelling of specimens for transport ..... 1

    Instructions for labelling ..... 1

    Specimens containing infectious agents..... 2

    Packaging of specimens for transport..... 2

Spillages and Breakages..... 3

    Histological Specimens ..... 3

    Large Volume Spills ..... 3

    Small Volume Spills ..... 3

    Spillages in Vehicles Transporting Specimens ..... 3

Transport methods ..... 3

    Collection points during working day ..... 4

    Collection points out of routine hours..... 4

    Use of City Sprint for specimen transport ..... 4

    City Sprint Contacts ..... 4

    SCAS contacts ..... 4

    ASH Cabs contacts ..... 5

    Transport Failures ..... 5

    The transport of specimens within Trust sites ..... 5

        1. Pneumatic (air) tube system..... 5

        2. Porter staff ..... 5

    The transport of specimens through the post ..... 6

    The transport of specimens from a laboratory to another organisation (i.e. referral laboratory) ..... 6

    Education & Training..... 6

Audit and monitoring of compliance with protocol..... 6

Reference documents used in the compilation of this protocol..... 6

Useful Websites..... 6

Appendix A: Category A Specimens ..... 7

Appendix B: Packing Instruction..... 8

Appendix C: Porter services ..... 10

    JRH: ..... 10

    Churchill: G4S..... 10

    Nuffield Orthopaedic Centre: G4S ..... 10

    Horton Hospital: (In house NHS) ..... 10

Appendix D: Horton courier times ..... 11

Directorate Specimen Transport Protocol - Version: 3.5. Index: POL 054. Printed: 12-Nov-2020 20:45

The aim of this protocol is to outline the procedure to be followed when transporting specimens to the hospital laboratories

1. From collection point to Trust
2. Between Trust sites
3. From sites within the Trust

At all times the safety of individuals and staff members who come into contact with specimens is of prime importance.

#### **Updates relating to this version**

1. Checked and updated all hyperlinks with accessibility in mind
2. Added in section on dealing with transport failures
3. Added in Appendix D: Horton courier times
4. Amended indexing to be consistent
5. Amended headings to be consistent

#### **Legislation**

Transportation of specimens is covered under the European Directive 94/55/EC, known as the European Agreement on the Transport of Dangerous Goods by Road (ADR) regulations ([link to ADR regulations](#)).

This describes pathology specimens as:

1. Infectious Substances, UN Class 6.2
2. Cultures
3. Medical or Clinical Waste

Other relevant pieces of legislation that cover handling and working with infectious substances from the patient through transport system to the laboratory and eventual disposal are:

1. The Control Of Substances Hazardous to Health Regulations 2004
2. Management of Health and Safety at Work Regulations 1999
3. Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2011

#### **Classification**

Specimens must be separated into Category A or Category B. Category A specimens are listed in Appendix A, all others are deemed Category B. A full list can be found at [:Link to HSE biosafety classification](#)

**It is the responsibility of the sending clinician to define which category samples being sent fall into. For advice please contact Microbiology/Infection control.**

#### **Collection and Labelling of specimens for transport**

The person collecting the specimen must positively confirm the identity of the patient. All specimens must be collected into containers, recommended for the test requested, as described on the Pathology and Laboratories directorate page on the OUH website: [Link to OUH trust website pathology pages](#)

The person, who sends the specimen, must ensure that the primary container used is the appropriate one for the purpose is properly closed and is not externally contaminated by the contents. All materials used to collect the specimen must be safely disposed of in accordance with Trust Policy – Handling of Healthcare Waste. [Link to OUH trust Estates webpage](#)

*Specimens received leaking or in incorrect containers are unlikely to be processed.*

#### **Instructions for labelling**

The person sending the specimen should ensure that both specimen and request form (where used; requests for core Haematology, Immunology and Biochemistry tests made on EPR do not require a request card) are labelled with adequate information. The minimum requirements are

Required on both form (but see above) and specimen:

- Full name (or coded identifier)
- Date of birth
- Hospital and / or NHS / or equivalent number

Required on request form (where used):

- Gender if applicable for testing
- Information on the requestor
- Patient location if applicable for testing
- Full name and designation of sample taker
- Where to send results
- Who to contact in the event of a specimen breakage or leak.
- Relevant clinical information for the test(s) being requested
- Date and time of specimen collection.

Where appropriate, use of the Trust EPR system will fulfil these requirements

Please note: Unlabelled samples are unlikely to be processed.

**EXCEPTION: Samples for blood transfusion must conform to the Trust Transfusion Policy Labelling Requirements**

<http://ouhmt.oxnet.nhs.uk/EPRSupport/DocumentLibrary/QRG/Blood%20Bank/EPR%20Blood%20Bank%20Sample%20ordering.pdf>

***Specimens containing infectious agents***

Labels indicating a danger of infection must be used for specimens that are suspected of containing a hazard group 3 (or 4) pathogen or for specimens from patients known to be of High Risk. More details on what to label and the labels required can be found in the Microbiology user manual (page 5) on the Oxford University Hospitals Foundation Trust website ([Link to OUH trust Microbiology webpage](#))

Or [Link to OUH trust website pathology pages](#)

- Specimens received unlabelled are unlikely to be processed.
- Specimens not requested via EPR which are not accompanied by a completed request card are unlikely to be processed.

All specimens should be transported in a suitable and timely fashion, so that they are of acceptable quality for processing on arrival.

Delays should be avoided as samples deteriorate and subsequent tests may fail; for example potassium analysis and blood cultures should arrive in the laboratory ideally within 4 hours of collection. Please see user manuals for further information or contact the relevant laboratory User manuals are available on the OUH trust website ([Link to OUH trust website pathology pages](#) )

It is advised that samples are not collected where the specimen cannot be delivered within the timescale defined by the respective user handbook/manuals (where contact details can be found).

***Packaging of specimens for transport***

All specimens for transport to hospital laboratories must be packaged to Packing Instruction 650 (Appendix B). Specimens for transport to the laboratory are put into the bag attached to the completed request card (where required), which is then sealed.

- Microbiology specimens (blue)
- Histopathology specimens (white)
- Immunology specimens (brown)
- Biochemistry and Haematology specimens (orange) can be packaged together in the same secondary bag.
- Transfusion (red)
- Genetics (white, download from user manual)

Please do not put specimens for a specific department in the wrong bag (i.e. Haematology in a microbiology bag), as this may lead to a delay in sample processing.

Multiple specimens from the same patient for the same laboratory can be placed in the same bag. Do not place samples from more than one patient or laboratory in the same bag. These bags are then placed into a second large, transparent, plastic bag, which should contain sufficient absorbent material to contain the liquid in all the primary containers. The second bag is sealed by means of an integral sealing strip and is clearly marked with a biohazard sign and the words 'pathological specimens'.

These bags are then ready to be transported/ to the laboratory by suitably trained staff. Regardless of the method of transportation, specimens must be transported in a transport box with a fastened lid and labelled as detailed in Packing Instruction 650 (appendix 2). A formalin neutralising absorbent pad must be present in the transport box to neutralise any leakage from histology pots. The box must bear a warning label saying that the box must not be opened or tampered with and states a telephone number to be contacted if the box is found unattended. The box must be able to be easily disinfected and cleaned and must retain liquid in the event of leakage of a specimen. The recognised UN 3373 packaging mark must be clearly displayed on the external surface of the transport box.

### **Spillages and Breakages**

It is important that spillages and breakages are dealt with immediately to minimise the risk to others. Further guidance for biological spillages is available at ([Link to OUH trust website infection control pages](#))

In the case of any spillage or breakage a Trust incident report must be completed.

### **Histological Specimens**

If the spillage is the result of a dropped specimen for histological studies

Check the specimen container labels. If the label states '10% Formalin' or formaldehyde DO NOT treat as a biological spillage as these specimens are in Formaldehyde which must not be mixed with other chemicals/disinfectants

### **Large Volume Spills**

Large spillages may need drastic measures, including temporary evacuation of the area and involvement of the Emergency Services, utilising appropriate clothing and respirators. If the spill exceeds 2.5 litres or if the space wherein the spillage occurred is small and/or poorly ventilated the Fire Brigade should be notified immediately. The Histopathology department may be contacted for advice, if required, on 01865 220492 between 09.00 – 17.00 Monday to Friday or the on call Biomedical Scientist for Histopathology via the John Radcliffe switchboard on 01865 741166 outside of these hours for advice.

### **Small Volume Spills**

A small volume spillage or leakage, although unpleasant, does not normally pose a major hazard, unless involving pre-sensitised individuals. Small spills should be either

1. Wiped up using a De formalizer pad or equivalent which will neutralize the formaldehyde, then placed into a yellow bag.

Or

2. Cover with Formalin control granules or equivalent and follow manufacturer's instructions for neutralization. For disposal within the OUH contact the Trust Waste Officer ([Link to OUH trust Waste Management website](#) ).

### **Spillages in Vehicles Transporting Specimens**

Specimens being transported by road will be packed according to Packing Instruction 650 (Appendix B). The packages should be restrained in a safe way within the vehicle to prevent shaking. Following these guidelines will reduce the possibility of a specimen spilling or breaking in transport.

If the driver suspects a specimen is leaking from the secondary container they should contact Microbiology at the John Radcliffe Hospital on 01865 220850 during normal working hours (out of hours call specimen reception on 01865 220465 asking for senior staff)

Spillage or leakage of formalin occurring in the enclosed environment of transport vehicles is of particular concern. The Histopathology department may be contacted for advice, if required on 01865 220492, 09.00 – 17.00 Monday to Friday or the on call Biomedical Scientist for Histopathology via the John Radcliffe switchboard on 0300 304 7777 outside of these hours.

### **Transport methods**

A patient may take a specimen via public transport as this is outside the European Agreement on the Transport of Dangerous Goods by Road (ADR) regulations.

A member of staff transporting clinical specimens as part of their work would be expected to comply with the ADR regulations.

[\(The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment \(Amendment\) Regulations 2011 \)](#)

### **For specimens transported from a collection point e.g. GP surgery & for the transport of specimens between Trust sites e.g. Horton to JR**

The standard method of transporting laboratory specimens is by using the South Central Ambulance Service (SCAS) NHS Trust non-patient transport service  
([Link to SCAS website](#) ).

SCAS transports all GP specimens between 08:00 – 18:00 Monday to Friday

Inter-site specimen transport - Hours 08:00-18:00 Monday to Friday

- Horton to John Radcliffe and return (please see appendix D for details)
- John Radcliffe, Churchill and Nuffield Orthopaedic Centre (NOC) and return

### **Collection points during working day**

John Radcliffe:	Level 4 specimen reception
Churchill	Laboratory Medicine block 4 (air tube 14) & Immunology specimen reception
NOC	Porter's lodge main entrance
Horton	Pathology laboratory

It is the responsibility of the SCAS NHS Trust to maintain a regular transport service thus ensuring that specimen quality is not compromised through any excessive delay.

Outside of SCAS transport services normal working hours a routine periodic service is supplied between the JR, Churchill and NOC by City Sprint.

### **Collection points out of routine hours**

John Radcliffe	Level 4 specimen reception
Churchill	Main porter's lodge at the main entrance (air tube 14)
NOC	Porter's lodge main entrance
Horton	Pathology laboratory

### **Use of City Sprint for specimen transport**

On the Horton site outside of normal hours the laboratory staff will arrange transport to the JR as necessary.

Horton laboratory contact number for urgent specimens out of hours: 01295 229369

### **JR, Churchill and NOC sites**

'Urgent' specimens will need to be sent by City Sprint courier service. Each specimen must conform to the double, sealed bag system and must have adequate absorbent material to absorb any leakage or spill contained within the original sealed bag. The double-bagged package must then be put into a transport container, compliant with UN3373 (See Appendix B), which is clearly labelled with the destination laboratory and marked 'Urgent' to ensure urgent specimens are delivered to the laboratory on reaching the hospital site.

### **City Sprint Contacts**

- Day time local number is 01865 749444 with a call centre 0207 880 1115
- Out of Hours call centre 01442 281 483
- Service centre manager for Oxford: Michael Peterson (01895 714577, ([Mpeterson@citysprint.co.uk](mailto:Mpeterson@citysprint.co.uk)))

### **SCAS contacts**

(Only need to contact them if an error occurs)

- Team Leader: Kevin Simmons, 01869 365168, 07766 397572, [Kevin.Simmons@scas.nhs.uk](mailto:Kevin.Simmons@scas.nhs.uk)



## **ASH Cabs contacts**

Only used on Horton site to transport to JR

- Daytime contact is 01295 257000
- Back up number is 07957 445150
- Account number = 24, (password available in laboratory)

## **Transport Failures**

In case of transport failure, the procedure to follow will depend on the nature of failure and the time that the failure occurred, because of this it is strongly recommended that, if staff are alerted of a transport failure, this is passed onto the senior staff without delay.

- GP collection issue: this does not occur regularly, but when it does it is usually a GP telephoning to complain that a regular collection run (specimens etc.) has been missed. This is likely to only be an issue Monday – Friday. Some GP surgeries receive two collections, so missing the first one is not ideal, but the only common impact is a delay in getting work into the laboratory. However for the GP surgeries that only receive one collection this does lead to significant delays in delivery of samples.
  - If this is sufficiently early on in the working day then it is recommended that the SCAS office at Bicester is contacted (see above for details) to discuss the issue and to see if an alternative collection can be made.
  - If this is not possible it may be appropriate to contact City Sprint to arrange an urgent collection from the surgery (contact details above).
  - If the laboratory is contacted later on in the day (>17:00), the issue is more problematical, as it is likely that the surgery will close at 18:30, so collection may not be possible. In this case, the surgery should be urged to store any samples they have in a manner that should preserve the stability of the analytes, unless they are willing to deliver the samples themselves. Information about storing blood samples is available on the OUH website ([Link to OUH trust Biochemistry webpage](#)).
- Intersite collection: this may be Horton – JR or CH - JR and can occur on any day and any time. Routine deliveries and collections during the week are the responsibility of SCAS, whereas out of hours and weekend collections are more likely to be handled by City Sprint. In both cases, it is worth contacting the relevant teams (see above for details).
  - As JR and CH sites will have regular collections over the 24 hour period, missing one will in most cases not affect clinical care.
  - At the Horton, the transports are much less common, so it may be appropriate to organize a taxi (see contacts above) to cover emergency deliveries.

In the case of significant transport failure, details should be forwarded to the affected laboratory management team and if appropriate a complaint raised with the courier service responsible. Laboratory Management teams should record transportation issues in accordance with their incident reporting policies.

## **The transport of specimens within Trust sites**

### **1. Pneumatic (air) tube system**

This is the preferred method of specimen transport for specimens not in formaldehyde. All clinical areas are strongly advised to make maximum use of the air tube system to reduce delays in specimen transport time.

The Horton, Churchill & JR sites have a pneumatic (air) tube system that allows rapid transport of samples from ward to laboratory. A separate policy is available that covers the safe use of this equipment and the samples that can be sent using this route. ([Link to OUH trust Air tube policy](#) )

### **2. Portering staff**

Porters should only be used for the transport of samples where the air tube system is not available or not appropriate. All sites have a portering service that can be contacted to deliver specimens in the event of a breakdown or for delivery of specimens not suitable for transport by the pneumatic (air) tube system.

- At the JR, they can be contacted by telephoning Bouygues Helpdesk on extension 40404.
- On the Churchill site they can be contacted by telephoning G4S Helpdesk on 35353
- On the Horton site the duty portering staff can be contacted by telephoning 29039 or Bleep 502/514/506).
- On the NOC site the portering staff can be contacted by 38010



There are no regular collections by Porters with the exception of Churchill retained estate (see appendix C for timetable).

### ***The transport of specimens through the post***

Royal Mail Group plc will not accept a package that contains UN2814 or UN2900 infectious substances, Category A, as classified at 6.2 of the Technical Instructions for the Safe Transport of Dangerous Goods by Air published by ICAO. It will accept Category B diagnostic specimens provided they are packaged to PI650 requirements ([Link to United Nations Packing Instruction 650](#) ). Full details may be accessed on the Royal Mail website ([link to Royal Mail website](#))

### ***The transport of specimens from a laboratory to another organisation (i.e. referral laboratory)***

Each laboratory will have their own documented procedures for transport of these specimens which are available on request. Laboratory contact numbers can be found in the user manuals on the Oxford University Hospitals NHS Foundation Trust website. [Link to OUH Trust Pathology website](#)

### ***Education & Training***

Any person liable to be involved in the handling and transportation of pathology specimens from the patient to the laboratory must be fully trained in the procedures contained within this document. This is the responsibility of the managers and supervisors in the relevant areas.

### **Audit and monitoring of compliance with protocol**

It is the responsibility of the Pathology Directorate to periodically seek sufficient assurance that:

1. External contractors that transport or handle samples
2. Senders of specimens

are compliant with the contents of this protocol. This will be performed by means of periodic audits examining various aspects of the transport process. These will be recorded formally and actions or learning opportunities shared with users.

### **Reference documents used in the compilation of this protocol**

- Working with ADR – An Introduction to Carriage of Dangerous Goods by Road, HSE 2005 ([HSE website relating to ADR regulations](#) )
- Patient Sample and Request form Identification Criteria. IBMS ([Link to IBMS website](#) )
- Transport of Infectious Substances. Department for Transport, Revision 2013 ([GOV.UK website on Transporting dangerous goods](#) )
- HSE: Transportation of infectious substances ([HSE guidance on Transportation of infectious substances](#) )
- Guidance on regulations for the transport of infectious substances 2017–2018 ([WHO guidance on Transportation of infectious substances](#))
- Carriage Regulations. Health and Safety Executive ([HSE guidance on Carriage Regulations](#))
- Infection at Work: Controlling the Risks. Advisory Committee on Dangerous Pathogens ([GOV.uk website on The Advisory Committee on Dangerous Pathogens](#) )

### **Useful Websites**

- [www.nhs.uk](http://www.nhs.uk): NHS Website
- [www.versapak.co.uk](http://www.versapak.co.uk): Pathology Transport Bags and Packs
- <http://intelsius.com/>: Pathology Specimen Transport Packaging
- <http://www.saftpak.com/>: Safety Pack
- [www.royalmail.com](http://www.royalmail.com): Royal Mail
- [www.hse.gov.uk](http://www.hse.gov.uk): Health and Safety Executive
- <https://www.gov.uk/government/organisations/public-health-england>: Public-Health England
- [www.who.int](http://www.who.int): World Health Organisation
- <http://www.iata.org/Pages/default.aspx> (Dangerous Good Regulations (DGR). International Air Transport Association (IATA)

## Appendix A: Category A Specimens

### 2: Indicative Examples of Infectious Substances Included In Category A

UN Number and Name	Micro-organism
UN 2814 Infectious substances affecting humans	Infectious substances affecting humans <i>Bacillus anthracis (cultures only)</i> <i>Brucella abortus (cultures only)</i> <i>Brucella melitensis (cultures only)</i> <i>Brucella suis (cultures only)</i> <i>Burkholderia mallei - Pseudomonas mallei – Glanders (cultures only)</i> <i>Burkholderia pseudomallei – Pseudomonas pseudomallei (cultures only)</i> <i>Chlamydia psittaci - avian strains (cultures only)</i> <i>Clostridium botulinum (cultures only)</i> <i>Coccidioides immitis (cultures only)</i> <i>Coxiella burnetii (cultures only)</i> Crimean-Congo haemorrhagic fever virus Dengue virus (cultures only) Eastern equine encephalitis virus (cultures only) <i>Escherichia coli, verotoxigenic (cultures only) a</i> Ebola virus Flexal virus <i>Francisella tularensis (cultures only)</i> Guanarito virus Hantaan virus Hantavirus causing haemorrhagic fever with renal syndrome Hendra virus Hepatitis B virus (cultures only) Herpes B virus (cultures only) Human immunodeficiency virus (cultures only) Highly pathogenic avian influenza virus (cultures only) Japanese Encephalitis virus (cultures only) Junin virus Kyasanur Forest disease virus Lassa virus Machupo virus Marburg virus Monkeypox virus <i>Mycobacterium tuberculosis (cultures only)</i> Nipah virus Omsk haemorrhagic fever virus Poliovirus (cultures only) Rabies virus (cultures only) <i>Rickettsia prowazekii (cultures only)</i> <i>Rickettsia rickettsii (cultures only)</i> Rift Valley fever virus (cultures only) Russian spring-summer encephalitis virus (cultures only) Sabia virus <i>Shigella dysenteriae type 1 (cultures only) a</i> Tick-borne encephalitis virus (cultures only) Variola virus Venezuelan equine encephalitis virus (cultures only) West Nile virus (cultures only) Yellow fever virus (cultures only) <i>Yersinia pestis (cultures only)</i>

## Appendix B: Packing Instruction

PI620 – For Category A Specimens and applies to UN 2814

PI650 – For Category B Specimens and applies to UN 3373

<b>PACKAGING INSTRUCTION PI620 – for Category A Specimens</b>
This instruction applies to UN 2814.
The following packagings are authorized provided the special packing provisions are met (see below). Packaging should be UN-type approved and consist of: 1. Inner packaging's comprising: a. Leak-proof primary receptacle(s); b. A leak-proof secondary packaging; c. Other than for solid infectious substances, an absorbent material in sufficient quantity to absorb the entire contents placed between the primary receptacle(s) and the secondary packaging; if multiple fragile primary receptacles are placed in a single secondary packaging, they shall be either individually wrapped or separated so as to prevent contact between them. 2. A rigid outer packaging of adequate strength for its capacity, mass and intended use. The smallest external dimension shall be not less than 100 mm.
<b>Additional Requirements:</b>  Inner packagings, containing infectious substances, shall not be consolidated with inner packaging's containing unrelated types of goods. Complete packages may be over packed, such an over pack may contain dry ice. Other than for example consignments, e.g. whole organs which require special packaging, the following additional requirements shall apply: 1. <b>Substances consigned at ambient temperatures or at a higher temperature.</b> Primary receptacles shall be of glass, metal or plastics. Positive means of ensuring a leak proof seal shall be provided, e.g. a heat seal, a skirted stopper or a metal crimp seal. If screw caps are used, they shall be secured by positive means, e.g. tape; paraffin sealing tape or manufactured locking closure. 2. <b>Substances consigned refrigerated or frozen.</b> Ice, dry ice or other refrigerant shall be placed around the secondary packaging(s) or alternatively in an over pack with one or more complete packages marked in accordance with regulatory requirements. Interior supports shall be provided to secure secondary packaging(s) or packages in position after the ice or dry ice has dissipated. If ice is used, the outer packaging or over pack shall be leak proof. If dry ice is used, the outer packaging or over pack shall permit release of carbon dioxide gas. The primary receptacle and the secondary packaging shall maintain their integrity at the temperature of the refrigerant used. 3. <b>Substances consigned in liquid nitrogen.</b> Plastic primary receptacles capable of withstanding very low temperatures shall be used. The secondary packaging shall also be capable of withstanding very low temperature, and in most cases will need to be fitted over the primary receptacle individually. Provisions for the consignment of liquid nitrogen shall also be fulfilled. The primary receptacle and the secondary packaging shall maintain their integrity at the temperature of the liquid nitrogen. 4. <b>Lyophilized substances</b> may also be transported in primary receptacles that are flame-sealed glass ampoules or rubber-stoppered glass vials fitted with metal seals. Whatever the intended temperature of the consignment, the primary receptacle or the secondary packaging shall be capable of withstanding without leakage an internal pressure differential of not less than 95 kPa and temperatures in the range -40°C to +55°C
<b>Special packing provisions for infectious substances (Division 6.2)</b> Consignors of infectious substances shall ensure that packages are prepared in such a manner that they arrive at their destination in good condition and present no hazard to persons or animals during transport. Liquids shall be filled into packagings, including IBCs, which have an appropriate resistance to the internal pressure that may develop under normal conditions of transport.  For UN 2814 and 2900, an itemised list of contents shall be enclosed between the secondary packaging and the outer packaging. When the infectious substances to be transported are unknown, but suspected of meeting the criteria for inclusion in Category A and assignment to UN 2814 or UN 2900, the words "suspected Category A infectious substance" shall be shown, in parentheses, following the proper shipping name on the document inside the outer packaging.  Before an empty packaging is returned to the consignor, or sent elsewhere, it shall be thoroughly disinfected or sterilized and any label or marking indicating that it had contained an infectious substance shall be removed or obliterated.
<b>PACKAGING INSTRUCTION P1650</b>

This packing instruction applies to UN 3373

1. The packaging shall be of good quality, strong enough to withstand the shocks and loadings normally encountered during carriage, including trans-shipment between vehicles and containers and between vehicles or containers and warehouses as well as any removal from a pallet or over pack for subsequent manual or mechanical handling. Packaging's shall be constructed and closed to prevent any loss of contents that might be caused under normal conditions of carriage by vibration or by changes in temperature, humidity or pressure.
2. The packaging shall consist of three components:
  - a. a primary receptacle
  - b. a secondary packaging; and
  - c. an outer packaging.
3. Primary receptacles shall be packed in secondary packaging in such a way that, under normal conditions of transport, they cannot break, be punctured or leak their contents into the secondary packaging. Secondary packaging shall be secured in outer packaging with suitable cushioning material. Any leakage of the contents shall not compromise the integrity of the cushioning material or of the outer packaging.
4. For transport, the recognised label, diamond in shape stating UN3373, shall be displayed on the external surface of the outer packaging on a background of a contrasting colour and shall be clearly visible and legible. The width of the line shall be at least 2mm; the letters and numbers shall be at least 6mm high.
5. The completed package shall be capable of successfully passing the drop test set out in the regulations except that the height of the drop test shall not be less than 1.2m. The smallest external dimension of the outer packaging shall not be less than 100mm.
6. For liquid substances:
  - a. The primary receptacle(s) shall be leak-proof
  - b. The secondary packaging shall be leak-proof.
  - c. If multiple fragile primary receptacles are placed in single secondary packaging, they shall be either individually wrapped or separated to prevent contact between them.
  - d. Absorbent material shall be placed between the primary receptacle(s) and the secondary packaging. The absorbent material shall be in quantity sufficient to absorb the entire contents of the primary receptacle(s) so that any release of the liquid substances will not compromise the integrity of the cushioning material or of the outer packaging.
  - e. The primary receptacle or the secondary packaging shall be capable of withstanding, without leakage, an internal pressure of 95 kPa (0.95 bar).
7. For solid substances:
  - a. The primary receptacle(s) shall be sift-proof\*.
  - b. The secondary packaging shall be sift-proof\*
  - c. If the multiple fragile primary receptacles are placed in a single secondary packaging, they shall be either individually wrapped or separated to prevent contact between them.
8. Refrigerated or frozen specimens: Ice, dry ice and liquid nitrogen:
  - a. When dry ice or liquid nitrogen is used to keep specimens cold, all applicable requirements of these Regulations shall be met. When used, ice or dry ice shall be placed outside the secondary packaging or in the outside packaging or an over pack. Interior supports shall be provided to secure the secondary packaging in the original position after the ice or dry ice has dissipated. If ice is used the outside packaging or over pack shall be leak-proof. If carbon dioxide, solid (dry ice) is used, the packaging shall be designed and constructed to permit the release of carbon dioxide gas to prevent a build-up pressure that could rupture the packaging's and shall be marked "Carbon dioxide, solid" or "Dry ice".
  - b. The primary receptacle and the secondary packaging shall maintain their integrity at the temperature of the refrigerant used as well as the temperatures and the pressures that could result if refrigeration were lost.
9. Infectious substances assigned to UN 3373 and are packed and marked in accordance with this packing instruction are not subject to any other requirement in these Regulations.
10. Packaging manufacturers and subsequent distributors shall provide clear instructions on filling and closing such packages to the consignor or to the person who prepares the package (e.g. patient) to enable the package to be correctly prepared for transport.
11. If any substances has leaked or has been split in a vehicle or container, it may not be reused until after it has been thoroughly cleaned, and, if necessary disinfected or decontaminated. Any other goods or articles carried in the same vehicle or container shall be examined for possible contamination.

\*\*"Sift-proof packaging" means a packaging impermeable to dry contents

## **Appendix C: Portering services**

### **JRH:**

There are no routine portering rounds, the majority of the clinical areas have air tubes installed and they are the preferred method to get a sample to the laboratories. If a porter is required phone Bouygues Helpdesk on extension 40404

### **Churchill: G4S**

There are no routine collections from the new build with Air-Tubes installed.

In the retained estate there are 5 portering rounds Monday to Friday.

In the areas with an Air Tube it should be used to send samples to station 14 (Laboratory Medicine) which will divert to the Porters when the laboratory is closed.

Porter starts at Lab Medicine, Block 4 and will deliver any specialist testing samples to the other labs on the Churchill site during the round. He will complete back at Laboratory Medicine. For more urgent requests call helpdesk **35353**

### **Route:**

Lab Medicine  
Immunology Lab  
Sleep Labs  
Chest Clinic  
Ward 16  
GU Medicine  
DNA/Cyto Genetics  
Tarver Dialysis  
Ward 15  
Urology OPD  
Renal OPD  
Tissue Typing  
Sobell House  
OCDEM OPD  
Geoffrey Harris  
Haemophilia  
Lab Medicine

### **Times:**

8:30 to 9:00  
10:10 to 10:40  
12 noon to 12:30  
14:30 to 15:00  
16:30 to 17:00

### **Nuffield Orthopaedic Centre: G4S**

There are no routine specimen collection rounds. The porters can be called on 38010 to collect specimens.

### **Horton Hospital: (In house NHS)**

There are no scheduled portering rounds, single jobs can be booked by call to **Bleep 514**. Telephone **29039**

Air Tube is available to send samples to laboratory from Laburnum Ward, MAU, Brodey Centre, and A&E.

## Appendix D: Horton courier times

### Sample transfers to Oxford

Weekdays:

<b>Time</b>	<b>Courier</b>
07:30 – 08:00	SCAS
11:00	SCAS
14:00	SCAS
16:30	SCAS
18:00	SCAS
22:00	City Sprint

Weekends:

	<b>Time</b>	<b>Courier</b>
<b>Saturday</b>	09:15	SCAS
	11:45	SCAS
	16:00	City Sprint
	23:00	City Sprint
<b>Sunday</b>	09:00	Ash Cabs
	12:00	City Sprint
	15:00	Ash Cabs
	23:00	City Sprint

## Appendix

### Links

Please note: links are only correct at time of printing

### Linked to Controlled Document

- **Policy: POL 013: Departmental Sample Transport Policy v2.8** (Authorised)

### Linked to Non Compliance

- **V/1019/01:** PINP: Specimen Transport Policy (Locations: All sites in Laboratory Medicine)
- **V/0420/02:** Pre-eclampsia markers: POL 054 (Locations: Haematology & Biochemistry - all sites)
- **V061219/01:** Vertical: Specimen reception (1) (Locations: Level 4 JR Specimen Reception)

### Changes In This Version

#### APPROVED CHANGE REQUESTS

=====

Change requested by Andrew Platt on 06-Dec-2019

page 10: need to check spelling of PI 650 - not urgent

Approved by Andrew Platt on 12-Nov-2020

Approver Comments:

to be added to the updated version

Verified by Andrew Platt on 12-Nov-2020

Verification Comments:

this change has been added to the draft

Change requested by Andrew Platt on 06-Dec-2019

it would be good to have information in this document as to what to do if there is failure in a transport process.

so for example a GP calls the lab to state that an expected routine collection of samples has not occurred

who to tell, what to organise?

Approved by Andrew Platt on 12-Nov-2020

Approver Comments:

to be added to the updated version

Verified by Andrew Platt on 12-Nov-2020

Verification Comments:

this change has been added to this draft



## **Document Revision History**

### **Authorised on 12-Nov-2020 20:42 by Andrew Platt**

Authorised version 3.5 - . The following users will be notified when a review is due for this document:  
Andrew Platt, Sharon Roberts-Gant

Document was scheduled to be released on 2020-11-12

Previous version of the document didn't have a review date set.

### **Superseded on 12-Nov-2020 20:42 by Andrew Platt**

Version 3.4 superseded by version 3.5

### **Reverted To Draft on 12-Nov-2020 20:40 by Andrew Platt**

Document was reverted to draft.

Reason to revert:

"error missed on previous version, hyperlinks in document were not checked for accessibility"

### **Authorised on 12-Nov-2020 16:49 by Andrew Platt**

Authorised version 3.5 - . The following users will be notified when a review is due for this document:  
Andrew Platt, Sharon Roberts-Gant

Document was scheduled to be released on 2020-11-12

The document was originally due for review on 11-Oct-2020

### **Superseded on 12-Nov-2020 16:49 by Andrew Platt**

Version 3.4 superseded by version 3.5

### **Change Request Verified on 12-Nov-2020 16:48 by Andrew Platt**

Andrew Platt verified change request: "this change has been added to this draft"

### **Change Request Verified on 12-Nov-2020 16:48 by Andrew Platt**

Andrew Platt verified change request: "this change has been added to the draft"

### **Draft Created on 12-Nov-2020 16:41 by Andrew Platt**

Reason: updated version

### **Change Request Approved on 12-Nov-2020 16:41 by Andrew Platt**

Andrew Platt approved change request: "to be added to the updated version"

**Change Request Approved on 12-Nov-2020 16:41 by Andrew Platt**

Andrew Platt approved change request: "to be added to the updated version"

**Change Request Verified on 10-Nov-2020 09:19 by Andrew Platt**

Andrew Platt verified change request: "changes made on v3.4"

**Change Request Approved For Future Version on 05-Jul-2020 12:30 by Helen Hemsworth**

Helen Hemsworth approved for future version change request: ""

**Change Request Approved For Future Version on 08-Jun-2020 16:43 by Claire Thomas**

Claire Thomas approved for future version change request: "will be fixed in next version"

**Change Requested on 06-Dec-2019 10:48 by Andrew Platt**

Andrew Platt Requested Change: 'page 10: need to check spelling of PI 650 - not urgent'

**Change Requested on 06-Dec-2019 10:45 by Andrew Platt**

Andrew Platt Requested Change: 'it would be good to have information in this document as to what to do if there is failure in a transport process.

so for example a GP calls the lab to state that an expected routine collection of samples has not occurred

who to tell, what to organise?'

**Superseded on 11-Oct-2019 13:26 by Andrew Platt**

Version 3.3 superseded by version 3.4

**Authorised on 11-Oct-2019 13:26 by Andrew Platt**

Authorised version 3.4 - . The following users will be notified when a review is due for this document: Sharon Roberts-Gant, Andrew Platt

Document was scheduled to be released on 2019-10-11

The document was originally due for review on 20-Sep-2020

**Draft Created on 11-Oct-2019 13:20 by Andrew Platt**

Reason: updates required

**Change Request Approved on 11-Oct-2019 13:19 by Andrew Platt**

Andrew Platt approved change request: "changes made to updated version"

**Change Request Approved For Future Version on 01-Oct-2019 16:51 by Andrew Platt**

Andrew Platt approved for future version change request: "these will require fixing, in order to clear a finding"

**Change Requested on 01-Oct-2019 16:50 by Andrew Platt**

Andrew Platt Requested Change: "this relates to a finding raised on internal audit on 01/10/19:

table of contents: still refers to Carillion, instead of Bouygues

discrepancy between referred to documents on page 3 and page 6. both refer to ADR, but one to 2009 version and one to 2011

hyperlinks on page 4, 5 & 7 do not work

appendix C: still refers to JW OPD and JWW at the CH site

**Superseded on 20-Sep-2019 13:55 by Andrew Platt**

Version 3.2 superseded by version 3.3

**Authorised on 20-Sep-2019 13:55 by Andrew Platt**

Authorised version 3.3 - . The following users will be notified when a review is due for this document: Sharon Roberts-Gant, Andrew Platt

Document was scheduled to be released on 2019-09-20

The document was originally due for review on 01-Jun-2019

**Draft Created on 20-Sep-2019 13:53 by Andrew Platt**

Reason: to include change requests

**Change Request Approved on 20-Sep-2019 09:37 by Andrew Platt**

Andrew Platt approved change request: "to be added"

**Change Request Approved on 20-Sep-2019 09:32 by Andrew Platt**

Andrew Platt approved change request: "this would seem to be a good change"

**Change Requested on 28-May-2019 12:21 by Ruth Griffiths**

Ruth Griffiths Requested Change: 'The Royal Mail link: "It will accept Category B diagnostic specimens

provided they are packaged to PI650 requirements. Full details may be accessed on the Royal Mail website (<http://www.royalmail.com/business/services/sending/parcels-uk/safebox>)"

Detailing how they require material packaged does not link to the correct information, it takes you to a page where you can request their specific packaging and organise each individual parcel to be paid for by the individual booking. This is not what we do in practice. And no mentions as to what PI650 requirements actually are.'

**Change Request Approved For Future Version on 19-Feb-2019 12:57 by Andrew Platt**

Andrew Platt approved for future version change request: ""

**Change Requested on 10-Jan-2019 11:47 by Dan Smith**

Dan Smith Requested Change: 'SCAS is South Central Ambulance Service not South Oxfordshire, next time we review.'

**Authorised on 12-Jun-2018 21:31 by Andrew Platt**

Authorised version 3.2 - checked all hyperlinks, amended those that failed

updated contact details portering services. The following users will be notified when a review is due for this document: Sharon Roberts-Gant

**Superseded on 12-Jun-2018 21:31 by Andrew Platt**

Version 3.1 superseded by version 3.2

**Draft Created on 12-Jun-2018 21:25 by Andrew Platt**

Reason: minor changes

**Superseded on 24-Apr-2017 16:55 by Helen Hemsworth**

Version 3.0 superseded by version 3.1

**Authorised on 24-Apr-2017 16:55 by Helen Hemsworth**

Authorised version 3.1 - Changed from policy to protocol in the title and throughout. Amended authoriser from Lorraine Clark to Sharon Roberts-Gant. Removed page numbers within the document as Ipassport automatically generates these when printed.. The following users will be notified when a review is due for this document: Sharon Roberts-Gant

Document was scheduled to be released on 2017-04-24

**Draft Created on 24-Apr-2017 16:25 by Helen Hemsworth**

Reason: Title needs to be changed from 'policy' to 'protocol', authors to be updated and duplicate page numbers removed.

**Document Reviewed on 24-Apr-2017 16:00 by Helen Hemsworth**

Review date set to 09-Oct-2017 - Please review this document. The following users will be notified when a review is due for this document:

Andrew Platt, Sharon Roberts-Gant.

This document was originally due for review on 10-Oct-2017 .

**Superseded on 10-Oct-2016 19:17 by Andrew Platt**

Version 2.6 superseded by version 3.0

**Authorised on 10-Oct-2016 19:17 by Andrew Platt**

Authorised version 3.0 - complete re-write of document.. The following users will be notified when a review is due for this document: Andrew Platt, Sharon Roberts-Gant

**Draft Created on 10-Oct-2016 19:11 by Andrew Platt**

Reason: update

**Superseded on 03-Mar-2016 17:09 by Andrew Platt**

Version 2.5 superseded by version 2.6

**Authorised on 03-Mar-2016 17:09 by Andrew Platt**

Authorised version 2.6 - updated policy:

1) updated to reflect current processes in lab

2) added in section on auditing.. The following users will be notified when a review is due for this document: Lorraine Clarke, Andrew Platt, Dan Smith

**Draft Created on 21-Jul-2015 08:19 by Lorraine Clarke (Inactive)**

Reason: Review of specimen transport policy

**Document Reviewed on 26-Aug-2014 16:06 by Andrew Platt**

Review date set to 15-Dec-2014 - Document reviewed, no changes needed. Short review as processes in main reception may alter the requirements of this document. The following users will be notified when a review is due for this document:

Lorraine Clarke, Andrew Platt.

This document was originally due for review on 15-Aug-2014.

**Superseded on 15-Aug-2013 16:07 by Andrew Platt**

Version 2.4 superseded by version 2.5

**Authorised on 15-Aug-2013 16:07 by Andrew Platt**

Authorised version 2.5 - updated in line with trust policy. The following users will be notified when a review is due for this document: Andrew Platt

**Draft Created on 15-Aug-2013 15:34 by Andrew Platt**

Reason: updates needed

**Superseded on 14-Aug-2012 23:18 by Andrew Platt**

Version 2.3 superseded by version 2.4

**Authorised on 14-Aug-2012 23:18 by Andrew Platt**

Authorised version 2.4 - updated hyperlinks to current ones, corrected a few broken ones. The following users will be notified when a review is due for this document: Lorraine Clarke, Andrew Platt

**Draft Created on 14-Aug-2012 23:13 by Andrew Platt**

Reason: updates

**Superseded on 05-Apr-2011 11:59 by Andrew Platt**

Version 2.0 superseded by version 2.3

**Authorised on 05-Apr-2011 11:59 by Andrew Platt**

Authorised version 2.3 - corrected broken hyperlinks, reviewed document, no changes needed otherwise. Minor update to policy. The following users will be notified when a review is due for this document: Andrew Platt

**Superseded on 05-Apr-2011 11:59 by Andrew Platt**

Version 2.0 superseded by version 2.2

**Authorised on 05-Apr-2011 11:59 by Andrew Platt**

Authorised version 2.2 - corrected broken hyperlinks, reviewed document, no changes needed otherwise. Minor update to policy. The following users will be notified when a review is due for this document: Andrew Platt

**Superseded on 05-Apr-2011 11:59 by Andrew Platt**

Version 2.0 superseded by version 2.1

**Authorised on 05-Apr-2011 11:59 by Andrew Platt**

Authorised version 2.1 - corrected broken hyperlinks, reviewed document, no changes needed otherwise. Minor update to policy. The following users will be notified when a review is due for this document: Andrew Platt

**Draft Created on 05-Apr-2011 11:56 by Andrew Platt**

Reason: review, broken hyperlinks in document

**Review Set on 12-Jun-2010 22:20 by Andrew Platt**

Review date set to 05-Apr-2011 - Document reviewed, no changes needed. Document currently correct, new version still in draft form, awaiting approval by trust.. The following users will be notified when a review is due for this document:

Barry Batchelor, Lorraine Clarke, Andrew Platt.

This document was originally due for review on 05-Apr-2010.

**Review Set on 05-Feb-2010 11:14 by Andrew Platt**

Review date set to 05-Apr-2010 - Document reviewed, no changes needed. New version in draft format, so short review date.. The following users will be notified when a review is due for this document:

Barry Batchelor, Lorraine Clarke, Andrew Platt.

This document was originally due for review on 20-Dec-2009.

**Review Set on 26-Jun-2009 17:09 by Andrew Platt**

Review date set to 20-Dec-2009 - document reviewed, short review date as there is a new version available later on in the year. The following users will be notified when a review is due for this document:

Barry Batchelor, Lorraine Clarke, Andrew Platt.

This document was originally due for review on 20-Jun-2009.



**Review Set on 22-Dec-2008 09:04 by Andrew Platt**

Review date set to 20-Jun-2009 - Document reviewed, no changes needed. New version due next financial year, so short review period.. The following users will be notified when a review is due for this document:

Barry Batchelor, Lorraine Clarke, Andrew Platt.

This document was originally due for review on 20-Oct-2008.

**Review Set on 15-Aug-2008 22:33 by Andrew Platt**

Review date set to 20-Oct-2008 - Document reviewed, no changes needed.. The following users will be notified when a review is due for this document:

Andrew Platt.

This document was originally due for review on 20-Aug-2008.

**Authorised on 04-Oct-2007 10:03 by Andrew Platt**

Authorised version 2.0 - Not Set

**Review Task Completed on 04-Oct-2007 10:03 by Andrew Platt**

Andrew Platt completed task (Unverified) , "formatting ok "

**Review Task Created on 04-Oct-2007 08:54 by Andrew Platt**

Assigned To: Andrew Platt Date: Not Set

**Creation on 04-Oct-2007 08:54 by Andrew Platt**

New Policy created

**Authorisation**

This document was securely signed and authorised by Andrew Platt on 12-Nov-2020